



CASE FILE  
COPY

---

# AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY  
WITH INDEXES

(Supplement 154)

MAY 1976

---

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

## **ACCESSION NUMBER RANGES**

**Accession numbers cited in this Supplement fall within the following ranges:**

**STAR (N-10000 Series)**      N 76-16014—N 76-18038

**IAA (A-10000 Series)**      A 76-18886—A 76-22403

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by Informatics Information Systems Company

# AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY  
WITH INDEXES

(Supplement 154)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in April 1976 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA)*



*Scientific and Technical Information Office*

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

MAY 1976

Washington D C

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.

This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161 for \$4 00 For copies mailed to addresses outside the United States, add \$2 50 per copy for handling and postage

## INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* (NASA SP-7011) lists 253 reports, articles and other documents announced during April 1976 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964, since that time, monthly supplements have been issued.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections *IAA Entries* and *STAR Entries*, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes—subject and personal author—are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1976 Supplements.

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A76-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc (AIAA), as follows Paper copies are available at \$5 00 per document up to a maximum of 20 pages The charge for each additional page is 25 cents Microfiche<sup>(1)</sup> are available at the rate of \$1 50 per microfiche for documents identified by the # symbol following the accession number A number of publications, because of their special characteristics, are available only for reference in the AIAA Technical Information Service Library Minimum airmail postage to foreign countries is \$1 00 Please refer to the accession number, e g (A76-13400), when requesting publications

## STAR ENTRIES (N76-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation The most commonly indicated sources and their acronyms or abbreviations are listed below If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line

Avail NTIS Sold by the National Technical Information Service to U S customers at the price shown in the citation following the letters HC (hard, paper, or facsimile copy) Customers outside the U S should add \$2 50 per copy for handling and postage charges to the price shown (Prices shown in earlier *STAR* volumes, 1962-1975, have been superseded but may be calculated from the number of pages shown in the citation The price schedule by page count was published in *STAR* numbers 2 and 3 of 1976, or it may be obtained from NTIS )

(1) Microfiche are available at a standard price of \$2 25 (plus \$1 50 for non-U S customers regardless of source or quality of the fiche, for those accessions followed by a # symbol Accession numbers followed by a + sign are not available as microfiche because of size or reproducibility

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Unit

NOTE ON ORDERING DOCUMENTS When ordering NASA publications (those followed by the \* symbol), use the N accession number NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other report number shown on the last line of the citation, not by the N accession number It is also advisable to cite the title and other bibliographic identification

Avail SOD (or GPO) Sold by the Superintendent of Documents, U S Government Printing Office, in hard copy The current price and order number are given following the availability line (NTIS will fill microfiche requests, at the standard \$2 25 price, for those documents identified by a # symbol )

(1) A microfiche is a transparent sheet of film, 105mm by 148mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26 1 reduction)

- Avail NASA Public Document Rooms Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S W , Washington, D C 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory
- Avail ERDA Depository Libraries Organizations in U S cities and abroad that maintain collections of Energy Research and Development Administration reports, usually in microfiche form, are listed in *Nuclear Science Abstracts* Services available from the ERDA and its depositories are described in a booklet, *Science Information Available from the Energy Research and Development Administration* (TID-4550), which may be obtained without charge from the ERDA Technical Information Center
- Avail Univ Microfilms Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) at \$10 00 each and microfilm at \$4 00 each regardless of the length of the manuscript Handling and shipping charges are additional All requests should cite the author and the Order Number as they appear in the citation
- Avail USGS Originals of many reports from the U S Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this Introduction The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction
- Avail HMSO Publications of Her Majesty's Stationery Office are sold in the U S by Pendragon House, Inc (PHI), Redwood City, California The U S price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI
- Avail BLL (formerly NLL) British Library Lending Division, Boston Spa, Wetherby, Yorkshire England Photocopies available from this organization at the price shown (If none is given, inquiry should be addressed to the BLL )
- Avail ZLDI Sold by the Zentralstelle fur Luftfahrt dokumentation und -Information, Munich, Federal Republic of Germany, at the price shown in deutschmarks (DM)
- Avail Issuing Activity, or Corporate Author, or no indication of availability Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document
- Avail U S Patent Office Sold by Commissioner of Patents, U S Patent Office, at the standard price of 50 cents each, postage free
- Other availabilities If the publication is available from a source other than the above the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line

#### **SUBSCRIPTION AVAILABILITY**

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the monthly supplements, excluding the annual cumulative index, is \$18.75 domestic, \$23.50 foreign. All questions relating to the subscriptions should be referred to NTIS.


## **ADDRESSES OF ORGANIZATIONS**

American Institute of Aeronautics and Astronautics Technical Information Service 750 Third Ave New York, N Y 10017	Pendragon House, Inc 899 Broadway Avenue Redwood City, California 94063
British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England	Superintendent of Documents U S Government Printing Office Washington, D C 20402
Commissioner of Patents U S Patent Office Washington, D C 20231	University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, Michigan 48106
Energy Research and Development Administration Technical Information Center P O Box 62 Oak Ridge, Tennessee 37830	University Microfilms, Ltd Tylers Green London, England
ESA - Space Documentation Service ESRIN Via Galileo Galilei 00044 Frascati (Rome), Italy	U S Geological Survey 1033 General Services Administration Bldg Washington, D C 20242
Her Majesty's Stationery Office P O Box 569, S E 1 London, England	U S Geological Survey 601 E Cedar Avenue Flagstaff, Arizona 86002
NASA Scientific and Technical Information Facility P O Box 8757 B W I Airport, Maryland 21240	U S Geological Survey 345 Middlefield Road Menlo Park, California 94025
National Aeronautics and Space Administration Scientific and Technical Information Office (KSI) Washington, D C 20546	U S Geological Survey Bldg 25, Denver Federal Center Denver, Colorado 80225
National Technical Information Service Springfield, Virginia 22161	Zentralstelle fur Luftfahrt dokumentation und -Information 8 Munchen 86 Postfach 880 Federal Republic of Germany


# TABLE OF CONTENTS

	Page
<b>IAA Entries (A76-10000).....</b>	<b>83</b>
<b>STAR Entries (N76-10000).....</b>	<b>99</b>
<b>Subject Index.....</b>	<b>I-1</b>
<b>Personal Author Index.....</b>	<b>I-25</b>

## TYPICAL CITATION AND ABSTRACT FROM STAR



## TYPICAL CITATION AND ABSTRACT FROM IAA



# AEROSPACE MEDICINE AND BIOLOGY

*A Continuing Bibliography (Suppl. 154)*

MAY 1976

## IAA ENTRIES

**A76-18950** Effects of aircraft noise on the mental work of pupils Y Ando, Y Nakane (Kobe University, Kobe, Japan), and J Egawa (Osaka Educational University, Osaka, Japan) *Journal of Sound and Vibration*, vol 43, Dec 22, 1975, p 683-691 10 refs

**A76-19016 #** On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood S L Todorov (Vissch Meditsinski Institut, Sofia, Bulgaria) *Bolgarskaia Akademija Nauk, Doklady*, vol 28, no 10, 1975, p 1427-1430 9 refs

The paper is devoted to the study of radiation induced mutagenesis on the subcellular level. The analysis of spontaneous chromosome anomalies was performed on irradiated and non-irradiated cultures consisting of 6000 metaphase cells obtained from 47 people. The anomalies detected in the lymphocytes included chromatid fragments, chromosome fragments, dicentrics, interstitial deletions, and chromatid exchanges. A relationship was established between radiation-induced anomalies and the phase of the cell cycle

B J

**A76-19095 \*** Corticosteroids and ACTH are not required for compensatory adrenal growth W C Engeland, J Shinsako, and M F Dallman (California, University, San Francisco, Calif.) *American Journal of Physiology*, vol 229, Nov 1975, p 1461-1464 20 refs Research supported by the University of California, Grants No NIH AM-06704 No NIH-GM-00927, Contract No NCAR 665 401

**A76-19173** Review and analysis of color coding research for visual displays R E Christ (New Mexico State University, Las Cruces, N Mex) *Human Factors*, vol 17, Dec 1975, p 542-570 153 refs Contract No N00014 70-A 0147-003

The paper is a comprehensive review of the experimental literature on the effects of color on visual search and identification performance as observed in 42 studies published over the period 1952-1973. The primary aim was to determine whether or not color, relative to achromatic target features, can be expected to affect search and identification performance, while the secondary aim was to identify the gaps in knowledge and to recommend a research program directed at closing the gaps. Quantitative analyses of collected data indicate that color may be a very effective performance factor under certain conditions, but that it can be detrimental under others. Tentative conclusions about the nature of these conditions are drawn

S D

**A76-19268 #** Sixty two days on board Salyut 4 (Shest'desiat dva dnia na 'Saliute-4' II) V Sevast'ianov *Aviatsija i Kosmonavtika*, Nov 1975, p 42, 43 In Russian

In this paper, cosmonaut Sevast'ianov discusses the two months he and cosmonaut Klimuk spent on board the Salyut 4 orbital base. Stressing the effects of weightlessness, he notes that 'complete' adaptation to weightlessness was reached toward the end of first month in space. It was only then that the cosmonauts began to work, move, and exercise without experiencing greater strain than on the

earth. He describes the training (jogging on a minitrack 1.5 hr daily, operating a bicycle ergometer 1 hr daily) and the prophylactic measures that were taken to prepare the organism for gravity, the encounter with which he describes as a 'shock'. He notes that the days in space were very busy and that photographs of 8.5 million sq km of the Soviet territory and 600 spectrograms of various regions of the solar disk were among the data returned to earth. Extensive medical tests both in orbit and on return to earth are mentioned, a major aim of which was to develop regimes that would facilitate adaptation to weightlessness and also to gravity on return to earth

V P

**A76-19338 \*** Epidemiological, clinical and sleep laboratory evaluations of insomnia E O Bixler, A Kales, and J D Kales (Milton S Hershey Medical Center, Hershey, Pa.) In *Insomnia Clinical aspects and treatment* Bologna, University of Bologna Press, 1975, p 17-28, Discussion, p 33, 34-38 refs Discussion in Italian Research supported by the Foundation for Psychobiological Research, Grant No NGR-39 009 204, Contract No NAS9-10835

Epidemiological studies have contributed to the understanding of the total scope of the insomnia problem, both in terms of the incidence of sleep difficulties, and the extent and frequency of hypnotic drug use. Clinical studies at the Sleep Research and Treatment Center have been used to evaluate the medical, psychological, pharmacological and situational factors contributing to insomnia, and to evaluate the psychotherapy and chemotherapy best suited to treatment of insomnia. The sleep laboratory studies were of two types (1) the study of sleep induction, sleep maintenance, and sleep stages, and (2) the use of hypnotic drugs, emphasizing their effectiveness in inducing and maintaining sleep, and the duration of this effectiveness

B J

**A76-19339 \*** Treating the insomniac patient - General measures and psychological and pharmacological treatment A Kales, E O Bixler, and J D Kales (Milton S Hershey Medical Center, Hershey, Pa.) In *Insomnia Clinical aspects and treatment* Bologna, University of Bologna Press, 1975, p 137-143, Discussion, p 147-155 refs Discussion in Italian Research supported by the Foundation for Psychobiological Research, Grant No NGR-39-009-204, Contract No NAS9 10835

The general preliminary measures for treating insomnia include moderate physical exercise several hours before bedtime, and the relaxation of complex mental activity before bedtime. A case history concerning a woman with marital troubles is offered as evidence that insomnia may be caused by deeply rooted psychological and situational problems. Another case history illustrates how prior pharmacological treatment may complicate the process of clinically evaluating an insomniac

B J

**A76-19418 #** Psychological conditions for the simultaneous formation of groups of concepts and sensory images (Psichologicheskie uslovija odnovremennogo formirovaniia gruppy poniatij i chuvstvennykh obrazov) N N Nechaev and A I Podol'skii *Psichologicheskie issledovaniia*, no 5, 1975, p 79-85 15 refs In Russian

The multistage formation of mental concepts (sensory images) is investigated as the transition from the formation of isolated concepts to the formation of groups of concepts or images. This process is relevant to the performance of a human operator, in that he deals with a display, not of isolated objects, but of groups of objects. The psychological analogy of these display groups is the groups of concepts or sensory images. Two experimental models are used to

illustrate this process the formation of a group of legal concepts, and the visual identification of a system of objects under conditions of variable perception noise B J

**A76-19419 # Investigation of the operational structure of the process of identifying graphical images (Issledovanie operatsional'noi strukturny protsessa opoznaniia graficheskikh izobrazhenii)** V P Zinchenko, V M Gordon, and T M Guschcheva *Psichologicheskie Issledovaniia*, no 5, 1975, p 115 120 11 refs In Russian

An experiment was designed in the framework of operator identification of images on display devices It consisted of the identification of eight different brands of automobiles which were flashed on a screen at random many times each in the form of a schematized image (a black and white slide) The experimental apparatus consisted of an electroencephalograph, an electro-oculograph for measuring the vertical and horizontal components of the eye movements, a biocurrent integrator, and an instrument for monitoring the verbal response The purpose of the experiment was to measure the time characteristics of the initial period of identification, as well as the functional characteristics of the peripheral and central visual system B J

**A76-19420 # Latency and duration of the manual movements of an operator under two modes of observation (Latentnost' i dilet'nost' ruchnykh dvizhenii operatora pri dvukh rezhimakh nablyudenii)** A I Nazarov and B A Sosnovskii *Psichologicheskie Issledovaniia*, no 5, 1975, p 121-132 In Russian

The sensorimotor performance of an operator incorporated in a semi automatic control system is studied, with emphasis on speed and precision of performance In the experiment the operator must respond to two command words repeatedly flashed on a screen One word directs him to place a metal pencil on the starting point, and the other, to place the pencil into a metal compartment 10 mm in size The purpose of the experiment is to measure the latent period between the flashing of the command signal and the moment the pencil is picked up, the duration of pencil movement from start to finish, and the number of times the goal was missed B J

**A76-19421 # The problem of 'malfunctions' and errors of a human operator (Problema 'otkazov' i oshibok cheloveka-operatora)** Iu F Gushchin and A A Piskoppe' *Psichologicheskie Issledovaniia*, no 5, 1975, p 133 142 13 refs In Russian

The reliability of a man-machine system depends equally on the reliability of man and machine The paper reviews progress in remedying human error in the framework of psychological conditioning The battle against error is conducted on the level of personnel selection and training, and on the level of the modification of design decisions B J

**A76-19422 # The structure of human control activity and its conversion into an automatic control system (Struktura upravlencheskoi deiatel'nosti cheloveka i ee preobrazovanie v ASU)** E D Tellegina and L P Gur'eva *Psichologicheskie Issledovaniia*, no 5, 1975, p 143 155 25 refs In Russian

General methodology for investigating mental activity, particularly decision making, associated with control is developed Ways of incorporating these mental processes into the structure of automatic control systems are discussed The control activities of an accountant are used to illustrate the problem, and to define the role of the human operator in a fully automatic control system B J

**A76-19589 \*** Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs H Kaciuba Uscilko, S Kozlowski, Z Brzezinska, K Nazar, A Ziembra (Polska Akademia Nauk, Zaklad Badan Medycznych, Warsaw, Poland), and J E Greenleaf *American Journal of Physiology*, vol 229, Aug 1975, p 260 264 31 refs NASA supported research

**A76-19661 # Specific features of cortical neurons in response to skin thermostimulation (O spetsificheskikh osoben-**

nostiakh nevronov kory mozga, reagiruiushchikh na termostimuliatsii kozhi) T V Kozyreva (Akademiiia Meditsinskikh Nauk SSSR, Novosibirsk, USSR) and K P Ivanov (Akademiiia Nauk SSSR, Laboratoriia Termoreguliatsii, Leningrad, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1612 1618 8 refs In Russian

**A76-19662 # Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex (O sootnoshenii ostsillatorynykh potentsialov elektroretinogrammy i komponentov vyzvannogo otveta zritel'noi kory)** G B Abdullaev, N A Gadzhieva, V K Zheretienko, and A I Dmitrenko (Akademiiia Nauk Azerbaidzhanskoi SSR, Laboratoriia Biofiziki Mozga and Laboratoriia Neurofiziologii Integrativnoi Deiatel'nosti Mozga, Baku, Azerbaijan SSR) *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1626 1633 14 refs In Russian

**A76-19663 # Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude (Otvetы edinits nerva lateral'nogo polukruzhnogo kanala liagushki na kaloricheskie stimuly meniaushchesia amplitudy)** I V Orlov (Akademiiia Nauk SSSR, Laboratoriia Fiziologii Vestibuliarnogo Apparata, Leningrad, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1640-1651 15 refs In Russian

Responses of isolated neural units of the lateral semicircular canal (LSC) in curarized frogs to short local caloric stimuli of different amplitudes inducing an excitatory current of the endolymph in the LSC are studied An analysis of measurements of peak frequencies (PFs) in the responses indicates that the PFs in the responses of 52% of the units exhibit either a linear or semi logarithmic dependence on the peak temperature (PT) In 22% of the units, PFs show a saturation at a PT of 8 to 12 C In 25% of the units, PFs first varied with PT in direct proportion, and then with increasing PT they varied in inverse proportion The results obtained suggest that controlled caloric stimulation is well suited for studying the dynamic characteristics of neurons in the semicircular canals S D

**A76-19664 # Heat metabolism in man under various degrees of body overheating (Teplovoy obmen cheloveka pri razlichnykh stepeniakh peregrevaniia organizma)** A N Azhaev *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1704 1708 In Russian

Experiments were conducted to study heat metabolism in healthy male subjects aged 20-25 yr and exposed to ambient temperatures of 30, 40, 50 and 60 C for 60 min and to 70 and 80 C for 70 and 20 min respectively The airflow rate was 0.2-0.3 m/sec with a relative humidity of 15-25% Mechanisms underlying the impact of high temperature on the heat content of the organism at the various stages of body overheating are studied Major conclusions are that at the ambient temperature of 50 C body overheating is attributed to endogenous heat production and that over the temperature range 60-80 C the heat accumulation source combines both endogenous and exogenous heat production S D

**A76-19665 # Mechanisms of thermogenic action of noradrenalin in cold adaptation (O mekhanizmakh termogennoego deistviya noradrenalina pri adaptatsii k kholodu)** V I Sobolev and S A Pevnyi (Donetskii Gosudarstvennyi Universitet, Donetsk, Ukrainian SSR) *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1709-1714 11 refs In Russian

**A76-19666 # Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation (Effekt noradrenalina na tsentral'noe upravlenie termoreguliatsiei v sviazi s temperaturnoi adaptatsiei)** V K Trusova and A F Davydov (Akademiiia Nauk SSSR, Laboratoriia Termoreguliatsii, Leningrad, USSR) *Fiziologicheskii Zhurnal SSSR*, vol 61, Nov 1975, p 1715-1722 21 refs In Russian

A76-19667 # Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model (Otsenka s pomoshch'yu matematicheskoi modeli kozhnogo krovetoka i teplootdachi pri termoregulatornoi reaktsii) Ia A Bedrov (Akademia Nauk SSSR, Vychislitel'nyi Tsentr, Leningrad, USSR) and B I Gekhman (Akademia Nauk SSSR, Laboratoriya Termoregulatsii, Leningrad, USSR) *Fiziologicheskiy Zhurnal SSSR*, vol 61, Nov 1975, p 1723 1729 9 refs In Russian

A76-19696 # Effect of a sudden change of time environment on some circadian rhythms in man (Vliyanie vnezapnogo izmenenija vremennoj sredy na nekotorye tsirkadnye ritmy cheloveka) N I Moiseeva (Akademia Meditsinskikh Nauk SSSR, Leningrad, USSR) *Fiziologicheskiy Zhurnal SSSR*, vol 61, Dec 1975, p 1798-1804 24 refs In Russian

Experiments were conducted to study the mechanisms of adaptation to a sudden change of time environment on the basis of model rhythms for the pair sleep/arousal and the circadian rhythm pertaining to the indices of the cardiovascular system during transmeridian flights, especially when crossing 9 time zones moving eastward. It is shown that during flights to the East, body responses occur immediately, sleep duration reduces, blood pressure decreases, and the diurnal fluctuations of the cardiovascular parameters tend to smooth out. In the case of flight to the West, organic readjustment begins on the 2nd day with various changes in the parameters of sleep and the cardiovascular system. Use of hypnotic drugs during flights results in improving the subjective condition of the testees and in accelerating the course of adaptation to new temporal conditions  
SD

A76-19697 # The role of noradrenalin in the regulation of muscular thermogenesis during cooling (O roli noradrenalina v regulatsii myshechnogo termogeneza pri okhlazhdenei) K P Ivanov and T M Lariukhina (Akademia Nauk SSSR, Institut Fiziologii, Leningrad, USSR) *Fiziologicheskiy Zhurnal SSSR*, vol 61, Dec 1975, p 1805-1811 15 refs In Russian

The effects of intravenous administration of noradrenalin as well as its administration into the brain lateral ventricles on the intensity of cold-induced muscle shivering, heat production, threshold of shivering, and rectal temperature in rabbits previously unadapted to cold are studied. It is shown that the peripheral function of noradrenalin in the thermoregulatory system of the organism is different from its central function. The peripheral impact of noradrenalin on muscular thermogenesis is to stimulate thermogenesis by enhancing the threshold of shivering and decreasing its intensity without impairing the thermal homeostasis of the organism. The central effect of noradrenalin involves a decrease in thermogenesis through inhibition of shivering  
SD

A76-19698 # Erythropoietic properties of the plasma in hypodynamia (Eritropoeticheskie svoystva plazmy pri gipodinamii) M M Shcherba, O I Moiseeva, A M Volzhskaya, and E N Glazunov (Akademia Nauk SSSR, Institut Fiziologii, Leningrad, USSR) *Fiziologicheskiy Zhurnal SSSR*, vol 61, Dec 1975, p 1825-1830 28 refs In Russian

Experiments were carried out to study the erythropoietic properties of the plasma in healthy male subjects, aged 22-43 yr, in hypodynamic condition by being strictly confined to bed for a period of 49 d. It is shown that hypodynamia reduces the content of erythropoietin in the plasma, as a result of which erythropoietin inhibitor is revealed in most of the subjects (16 out of 21) on the 8th day of bed confinement. There is enough evidence to support the

A76-19699 # Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata (Lymfotok pri vozdeistviyah na vazomotornye struktury gipotalamus i prodomgovatogo mozga) A M Beketaev, R A Gareev, and T D Kim (Akademia Nauk Kazakhskoi SSR, Institut Fiziologii, Alma-Ata, Kazakh SSR) *Fiziologicheskiy Zhurnal SSSR*, vol 61, Dec 1975, p 1873-1877 16 refs In Russian

Results are presented for a comparative study of the influence of electrical stimulation of and mechanical damage to the structures in the anterior hypothalamus and the medulla oblongata on the lymph flow, blood pressure, and tonus of the jugular lymphatic vessel in mongrel dogs with identical parameters of the applied stimulus. It is shown that electrostimulation of the medulla causes a more significant change in the blood pressure and the perfuse flow from the jugular lymphatic vessel, whereas a more pronounced increase in lymph flow in the thoracic duct is observed during stimulation of the structures in the anterior hypothalamus. Mechanical damage to the medulla is found to enhance the lymph flow in the thoracic duct to a greater degree than damage to the structures of the anterior hypothalamus  
SD

A76-19701 Flight-induced changes in human amino acid excretion J P Ellis, Jr., B O Hartman, R R Bollinger, and J B Garcia, Jr. (USAF, School of Aerospace Medicine, Brooks AFB, Tex) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 18-36 36 refs

A biomedical appraisal of flight stress was made by means of a battery of urinary determinations on crewmen who participated in a 96-h airborne alert. The crewmen were divided into three teams, each consisting of 16 members and each manning an EC-135J aircraft. These teams took turns so as to assure that one team was airborne at all times during the alert, flights lasted either 8.5 or 12 h. Preflight baseline data were collected from only one of the three teams. Based on baseline and flight data obtained for that team, urea excretion correlated well with amino acid output which, in turn, correlated remarkably well with alpha-amino nitrogen output. These data collectively revealed the following flight effects: (1) marked anticipatory stress immediately before the start of the airborne alert, (2) marked flight stress late in each flight flown during the first 48 h, and (3) adaptation to flight stress during the final 48 h  
(Author)

A76-19702 Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization H E Palmer and M T Karagianes (Battelle Pacific Northwest Laboratories, Richland, Wash) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 17-19 5 refs

A76-19703 Acclimation processes by daily exercise stints at temperate conditions followed by short heat exposures E Kamon (Pennsylvania State University, University Park, Pa) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 20-25 23 refs Grant No PHS OH 00583, Contract No N00014-67 A-0402 0009

The possibility of reducing the time of heat exposure for acclimation is studied by subjecting physically unconditioned subjects to an acclimation regimen which included 30 min of exercise of different intensities in a temperate room, followed by a 30-min walk in a heated room. This procedure is assumed to represent the minimal combination of exercise and heat exposure that would induce acclimation and be practical. Acclimation is evaluated by the increase in tolerance time for the walk in the heat, decrease in heart rate, rectal temperature, and mean skin temperature. Test results indicate that acclimation processes can be induced by using stints of negative and/or positive work on a taddermill, followed by short work-heat exposure. No change of sweating rate is observed, the ambient conditions being such that free evaporation is allowed  
SD

A76-19704 Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow L D Montgomery (Aerospace Medical Association, Annual Scientific Meeting, 46th, San Francisco, Calif, Apr 28-May 1, 1975) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 33-38 15 refs

Results are presented for a comparative study of digital blood flow indices as measured with a commercially available impedance rheograph and a pulsatile air displacement plethysmograph. The measurements were made on the medial phalanges of the first,

second, and third fingers of both hands. Blood flow indices were calculated from extrapolated slopes of the recorded impedance and mechanical changes occurring during systole. Results indicate that both noninvasive techniques are reproducible and consistent over a large number of trials. Since the F-ratio comparing simultaneous and bilateral impedance values is much smaller than that for the displacement system, it is suggested that the impedance device yields more consistent results than the plethysmograph under consideration.

S D

**A76-19705 Disorienting effects of aircraft catapult launchings II** M M Cohen (U S Navy, Naval Air Development Center, Warminster, Pa) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 39-41 5 refs. Navy Project ZR04101

Experiments were conducted to study the disorienting effects of exposure to Gx (chest-to-spine) accelerations in terms of their visual and postural components in four catapult-experienced aviators without any apparent visual, motor, or vestibular abnormalities. The visual or oculogravic illusion causes seen objects to appear to rise above their true physical positions, while postural or somatogravic illusion causes the pilot to feel his body tilted backwards. Each of the four subjects oriented himself to the gravitational vertical both before and after exposure to the accelerations under two conditions (1) while he sat in total darkness, and (2) while he viewed a small target projected at eye level in his mid-sagittal plane. Postural illusion tends to be smaller and to decay more rapidly when the target spot is illuminated than when the subject is in total darkness. Results suggest that under operational conditions the oculogravic illusion may enhance rather than diminish the disorientation, since the cockpit instruments appear to rise along with the pilot's illusory perception of being tilted backwards.

S D

**A76-19711 Aircrew medical standards and their application in the Royal Australian Air Force** R L DeHart, E F Kramer (USAF, Hospital, Kirtland AFB, N Mex), and E E Stephenson (Royal Australian Air Force, Dept of Air, Canberra, Australia) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 70-76 7 refs

Aircrew selection and health maintenance are key factors in the Aviation Medicine Program of the Royal Australian Air Force. The physical standards employed by the RAAF in selecting aircrew are reviewed. The aircrew selection process for the 5 years 1969 to 1973 are presented with emphasis given to medical causes for rejection. A careful analysis of reasons for failure to complete aircrew training was conducted. The results of this analysis are presented with special emphasis being given to medical wastage. The process of medical evaluation of trained aircrew is discussed along with the 1969-1973 experience with aircrew duty restrictions and waivers granted for medical conditions. The RAAF experience with medical wastage of trained aircrew is similar to the experience of other nations, both as to wastage rates and body systems involved.

(Author)

**A76-19712 Pregnant stewardess - Should she fly** P Scholten (California, University, San Francisco, Calif) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 77-81 56 refs

There is much pressure on the airlines to allow stewardesses to fly while pregnant. Some of them want to fly in quite advanced stages of pregnancy. This paper offers a survey of the problem, the hazards that may occur and some guidelines for the physician. The author outlines the normal changes to be expected with advancing pregnancy and those factors that could have an adverse effect on a pregnant stewardess and her fetus, such as hypoxia, trauma, abortion, the hazards of travel, and flying itself. Certain legal problems of unemployment and medical disability also are discussed. Travel alone offers no real danger to the pregnant stewardess in the first trimester of pregnancy, however, because of the changing mechanics of her size, posture, and increasing unsteadiness, it would be wisest to require a pregnant stewardess to cease flying at 13 weeks, with an absolute prohibition on flying after the 20th week.

(Author)

**A76-19714 Use of pilot heart rate measurement in flight evaluation** A H Roscoe (Royal Aircraft Establishment, Bedford, Hants, England) *Aviation, Space, and Environmental Medicine*, vol 47, Jan 1976, p 86-90 13 refs

Experimental test pilots involved in the flight evaluation of handling qualities and systems were monitored for heart rate during an investigation to assess the possible use of this measure to augment their subjective opinions. Reference is made to examples from several different flight trials using a variety of aircraft types. It is concluded that pilot heart rate measurement is a worthwhile technique and can play a useful part in flight evaluation provided that certain limitations are recognized.

(Author)

**A76-19724 Effect of target separation on selective attention** R T Solman (Australian National University, Canberra, Australia) *Perceptual and Motor Skills*, vol 41, Dec 1975, p 755-760 16 refs

A visual search task, in which subjects searched circular stimulus displays for two instances of a prespecified target, was used to investigate the effects of target-separation on accuracy. When a comparison was made of the total number of targets correctly located at each separation, no significant differences were found, and this suggested that, within the range of separations examined, the selective processing of the relevant items was not influenced by the distance separating them. Also, assuming that the redundancy of target items increased the probability of a target being perceived, the differences between the number of first targets correctly located and the number correct in a single target condition, were in the predicted direction. However, they failed to reach significance.

(Author)

**A76-19815 Influence of ancient solar-proton events on the evolution of life** G C Reid (NOAA, Aeronomy Laboratory, Boulder, Colo), T E Holzer (High Altitude Observatory, Boulder, Colo), P J Crutzen (NOAA, Aeronomy Laboratory, National Center for Atmospheric Research, Boulder, Colo), and I S A Isaksen *Nature*, vol 259, Jan 22, 1976, p 177-179 21 refs

This article discusses a mechanism that could explain the apparent correlation between faunal extinctions and reversals in polarity of the geomagnetic field more satisfactorily than any other mechanisms proposed so far. The present mechanism involves disappearance of the geomagnetic field during polarity reversals, intense bombardment of broad areas of the earth by solar protons and galactic cosmic rays, and the resultant removal of the ozone shield through the catalytic action of NO. Estimates are made of ozone reductions resulting from increased stratospheric production of NO by the continuous action of galactic cosmic rays and by sporadic solar proton events during polarity reversals. The calculations show that very substantial ozone reductions must accompany intense solar-proton events during polarity reversals and that the total effect on living organisms may be sufficient to lead to extinction. It is concluded that the current concern about possible anthropogenic destruction of stratospheric ozone is apparently well founded.

F G M

**A76-19816 \* Amino acids in modern and fossil woods** C Lee, J L Bada (California, University, La Jolla, Calif), and E Peterson (NASA, Ames Research Center, Planetary Biology Div, Moffett Field, Calif) *Nature*, vol 259, Jan 22, 1976, p 183-186 27 refs. NSF supported research

The amino acid composition and the extent of racemization in several modern and fossil woods are reported. The method of analysis is described, and data are presented on the total amino acid concentration, the amino acid ratios, and the enantiomeric ratios in each sample. It is found that the amino acid concentration per gram of dry wood decreases with age of the sample, that the extent of racemization increases with increasing age, and that the amounts of aspartic acid, threonine, and serine decrease relative to valine with increasing age. The relative racemization rates of amino acids in wood, bone, and aqueous solution are compared, and it is shown that

racemization in wood is much slower than in bone or aqueous solution. Racemization results for woods from the Kalambo Falls area of Zambia are used to calculate a minimum age of 110,000 years for the transition between the Sangoan and Acheulian industries at that site. This result is shown to be consistent with numerous radiometric dates for older Acheulian sites in Africa and to compare well with geologically inferred dates for the beginning of the Eemian and the end of the Acheulian industry in southern Africa. F G M

**A76-19820** The function of contour in metacontrast R Grawney (Connecticut, University, Storrs, Conn) *Vision Research*, vol 16, no 3, 1976, p 253-261 32 refs

The stimulus characteristics which constitute edge information for the visual system were studied by investigating the manner in which edge luminance is related to reduction in apparent brightness in metacontrast masking. Both targets and masks were briefly flashed, nonoverlapping, rectangular apertures in which the luminance was modulated spatially in the horizontal dimension. The edge gradient was either gradual, a step function, or a step function with an additional spatial transient. The results showed that reduction in apparent brightness of the target is strongly influenced by the edge luminance of both the target and the mask. The data are discussed in terms of possible underlying mechanisms and with respect to other apparent brightness phenomena. (Author)

**A76-19821** Pattern detection and the two-dimensional Fourier transform - Flicker checkerboards and chromatic mechanisms D H Kelly (Stanford Research Institute, Menlo Park, Calif) *Vision Research*, vol 16, no 3, 1976, p 277-287 20 refs NSF Grant No GB-3332X, Grant No NIH EY-01128

Fourier effects are obtained from simple detection thresholds for checkerboard and striped gratings, without using complex waveforms, masking or pattern adaptation. Spatial contrast predicts that the checkerboard thresholds should be lower than the bar-grating thresholds, but this never occurs. The opposite result, predicted magnitude detection in the two dimensional Fourier domain, occurs in a variety of flicker experiments, with red or green homochromatic fields, and under selective chromatic adaptation. It persists at spatial frequencies as low as 1.4 c/deg, and cannot be attributed to stray light, image blur, or orientational selectivity. Even with opponent-color patterns of unvarying luminance, the bar-check sensitivity ratio is still pi/2 (as predicted by the Fourier magnitudes) over a broad frequency range. This Fourier mechanism seems to affect both achromatic and opponent-color pathways equally, it therefore cannot be inferred that its location is postretinal. (Author)

**A76-19822** Critical duration for resolution of acuity targets J L Brown and J E Black (Rochester, University, Rochester, N Y) *Vision Research*, vol 16, no 3, 1976, p 309-315 15 refs Grant No PHS-EY-00680, Contract No N00014-67-A-0398-0007

Line grating patterns which illuminated a 1 deg test field centered 1.5 deg from the fovea were presented in either of two orientations for various flash durations of from 2 to 1000 msec. Grating pattern frequencies of from 2 to 10 c/deg were used. Luminance thresholds for correct identification of grating orientation were measured in the dark-adapted eye and against mesopic and low photopic background luminances. The critical duration within which temporal summation occurred was most significantly in adaptation level. This was true for all spatial frequencies investigated, including the highest for which discrimination always depended upon cones. Change in critical duration with adaptation cannot therefore be attributed to a transition from cone to rod function. Critical duration was found to vary nonmonotonically with changing spatial frequency, passing through a maximum at a lower spatial frequency for higher adaptation level. (Author)

**A76-19826 #** Medical-biological investigations carried out on board the Salyut 4 orbital stations. N N Gurovskii *COSPAR Information Bulletin*, no 74, Dec 1975, p 34-36

Some of the major objectives of the 30-day space mission

described were to study the reactions of the human body to weightlessness and other flight factors, to assess the effectiveness of countermeasures against the effects of weightlessness and the effectiveness of techniques developed to maintain adequate physical performance during flight, and to provide data for improving the onboard system of medical control. The countermeasures included treadmill and bicycle-ergometer exercises, use of G-suits and of special suits designed to prevent circulation disorders upon reentry, and the use of lower-body negative pressure and drugs during five days prior to reentry. Readaptation to gravity conditions was accompanied by fatigue, heaviness of the body and arms, vertigo upon head tilts, and tachycardia and dizziness in the upright position. Comparative analysis of pre- and post-flight examinations indicates that the pattern and duration of readaptation to gravity depends strongly on the duration of the mission. V P

**A76-20066** Electrocardiographic manifestations of concealed junctional ectopic impulses C Fisch, D P Zipes, and P L McHenry (Indiana University, Indianapolis, Ind) *Circulation*, vol 53, Feb 1976, p 217-223 18 refs. Research supported by the Herman C Krannert Fund, American Heart Association, and Indiana Heart Association, Grants No NIH HL 06308, No NIH HL 05363, No NIH-05749

**A76-20067** Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction J W Starr, G S Wagner, R M Draffin, J B Reed, A Walston, II, and V S Behar (Duke University Medical Center, U S Veterans Administration Hospital, Durham, N C) *Circulation*, vol 53, Feb 1976, p 229-234 19 refs Grants No PHS-PH 43-NHLI 67 1440, No NIH-HL-17670 USVA Project 9300-03

Frank lead vectorcardiograms (VCG) from four carefully selected subgroups comprising a total of 226 patients were analyzed to develop optimal criteria for the diagnosis of anterior myocardial infarction. Highest sensitivity and 95% specificity was obtained by screening out patients having anterior QSR forces with maximal anterior amplitudes in excess of 0.1 mV and durations longer than 24 msec. The performance of this criterion was evaluated in a second group of patients. The incidence of false positive diagnosis was less than 1% with a sensitivity in excess of 95%. The overall performance of the criterion was significantly better than widely accepted VCG and ECG criteria for anterior myocardial infarction. C K D

**A76-20068** Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy H R Phillips, J W Starr, V S Behar, A Walston, II, J C Greenfield, Jr, and G S Wagner (Duke University Medical Center, U S Veterans Administration Hospital, Durham, N C) *Circulation*, vol 53, Feb 1976, p 235-240 28 refs Grants No PHS-PH-43-NHLI-67-1440, No NIH-HL 17670 USVA Project 9300-03

**A76-20069** Cardiac imaging using a phased array ultrasound system I - System design O T von Ramm and F L Thurstone (Duke University, Durham, N C) *Circulation*, vol 53, Feb 1976, p 258-262 8 refs Grants No PHS HL 12715, No PHS-HL 14228, No PHS HL 17670 01, No PHS-HS 01613

A new two dimensional, real time, high resolution ultrasound imaging system is described. This system uses a linear array of ultrasound transducers to generate tomographic images of the heart in a circular sector format. Phased array techniques allow rapid steering of the ultrasound beam so that images are produced at the rate of 20 per second, or more, while maintaining a resolution of 2.4 mm throughout the field of view. (Author)

**A76-20070** Cardiac imaging using a phased array ultrasound system II - Clinical technique and application J Kisslo, O T von Ramm, and F L Thurstone (Duke University Medical Center, Durham, N C) *Circulation*, vol 53, Feb 1976, p 262-267 12 refs Grants No PHS-HL-12715, No PHS-HL 14228, No PHS-HL-17670-01, No PHS-HS-01613

## A76-20071

A new two-dimensional ultrasound imaging system capable of producing high resolution tomographic images of the heart in real time has been developed. This system relies on phased array principles to rapidly steer the ultrasound beam through the structures under investigation. A hand held linear array of 16 ultrasound transducers with overall dimensions of 14 mm by 24 mm at the site of contact may be readily manipulated to image various cardiac structures. The resulting images are displayed in a circular sector format. This imaging system has proven particularly useful for the delineation of left ventricular spatial geometry by the identification of endocardium, myocardium, papillary muscles and interventricular septum. High quality images of anterior and posterior mitral leaflets, aortic root and aortic leaflets as well as left atrium and other cardiac structures have been obtained. (Author)

**A76-20071 Relation between echocardiographically determined left atrial size and atrial fibrillation** W L Henry, J Morganroth, A Pearlman, C E Clark, D R Redwood, S B Itscoitz, and S E Epstein (National Institutes of Health, National Heart and Lung Institute, Bethesda, Md) *Circulation*, vol 53, Feb 1976, p 273-279 25 refs

In an attempt to define quantitatively the relation between left atrial size and atrial fibrillation, echocardiography was used to study 85 patients with isolated mitral valve disease, 50 patients with isolated aortic valve disease, and 130 patients with asymmetric septal hypertrophy. In all three groups of patients, atrial fibrillation was rare when left atrial dimension was below 40 mm (3 of 117 or 3%) but common when this dimension exceeded 40 mm (80 of 148 or 54%). In addition, when left atrial dimension exceeds 45 mm, cardioversion, while initially successful, is unlikely to produce sinus rhythm that can be maintained at least six months. These data suggest that left atrial size is an important factor in the development of atrial fibrillation and in determining the long term result of cardioversion. The pathophysiologic mechanism most consistent with this is that a chronic hemodynamic burden initially produces left atrial enlargement which in turn predisposes to atrial fibrillation. Only prospective studies will determine definitively whether these observations will be useful in decisions concerning prophylactic anticoagulation and elective cardioversion. (Author)

**A76-20079 The density of human rhodopsin in the rods** F Zwas and M Alpern (Michigan University, Ann Arbor, Mich) *Vision Research*, vol 16, no 2, 1976, p 121-127 26 refs Grant No NIH EY-00197

The density of human rhodopsin in the rods has been estimated psychophysically by following the change in the relative quantum sensitivity for rod vision at two wavelengths (one near the peak, the other far off on the long wave tail of the action spectrum) in the dark after a full rhodopsin bleach in a region of a typical primate monochromat's retina where cones make no contribution to threshold. Metameric matching and dark adaptation curves yield results (about 0.75 ln units at 500 nm) consistent with recent densitometric estimates of Alpern and Pugh (1974) made on the normal retina. (Author)

**A76-20080 Psychophysical correlates of photoreceptor activity** B Sakitt (Stanford University, Stanford, Calif) *Vision Research*, vol 16, no 2, 1976, p 129-140 36 refs Grant No PHS EY 01336

Results are presented for a psychophysical study of a rod monochromat and a normal subject as related to rod saturation, weak afterimages, and intense afterimages and dark adaptation following strong bleaches of rhodopsin. It is shown that the equivalent background light and the strong afterimage saturate at an intensity equivalent at about 1000 scotopic td. This lends support to Barlow's hypothesis that the equivalent background light is receptor activity that mimics the action of real quanta absorptions. There is enough evidence to confirm that strong afterimage is produced by a mechanism involving at least two stages. Strong afterimage seems to be best explained by photochemical kinetics, whereas weak after

image can be explained by a waiting in-line hypothesis. The rod photoreceptor signal is suggested to remain saturated for many minutes after an intense bleach is turned off. SD

**A76-20081 Luminance gradients and edge effects** G van den Brink and C J Keemink (Erasmus Universiteit, Rotterdam, Netherlands) *Vision Research*, vol 16, no 2, 1976, p 155-159 11 refs

Experimental observations indicate that contradictory brightness sensations occur in the case of sawtooth light distributions. It is shown that identical adjacent fields with sawtooth luminance distributions are perceived as having different but homogeneous brightnesses, provided the luminance gradient is sufficiently low, the brightness difference disappears when the boundary between the two fields is covered. Although the existence of chromatic Mach bands is very doubtful, a chromatic sawtooth effect can easily be observed when two differently colored sawteeth are superimposed on a white field. The paradoxical fact that luminance steps result in brightness sawteeth and that luminance sawteeth result in brightness steps strongly suggests the existence of at least two different mechanisms. A hypothesis is advanced in which perception of different brightnesses is due to central processes at the level of interpretation and attention. SD

**A76-20082 The detection of coherence in moving random-dot patterns** J S Lappin and H H Bell (Vanderbilt University, Nashville, Tenn) *Vision Research*, vol 16, no 2, 1976, p 161-168 26 refs Grant No PHS-MH 21105

If a random-dot pattern is presented in two successive displays in which the second is spatially displaced in relation to the first, then under certain conditions observers are able to accurately discriminate the direction of their apparent motion. The accuracy of detecting this coherent relationship between the two stimuli was found to be a rapidly decreasing function of their separation in space and time and an increasing function of the number of elements in the pattern. The visual system seems to utilize a process similar to cross correlation to detect coherent, position invariant patterns of stimulation. (Author)

**A76-20083 The spatial frequency effect on perceived velocity** H C Diener, J Dichgans, T Brandt (Neurologische Universitätsklinik, Freiburg im Breisgau, West Germany), and E R Wist *Vision Research*, vol 16, no 2, 1976, p 169-176 42 refs Deutsche Forschungsgemeinschaft Grant No SFB 70

The effect of the spatial frequency of a vertically oriented, horizontally moving stripe pattern on perceived speed was investigated. Perceived velocity increased linearly with both angular speed and spatial frequency. The spatial frequency effect was independent of the relative angular width of light and dark stripes and was also found to apply to the case of a single moving bar. Evidence for weighted frequency averaging was obtained for more complex patterns. The results are consistent with a model involving both a spatial frequency dependent input mediated by temporal frequency and an angular speed input relating to the movement of a single edge through the visual field. (Author)

**A76-20084 Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinants** C A Johnson and H W Leibowitz (Pennsylvania State University, University Park, Pa) *Vision Research*, vol 16, no 2, 1976, p 177-180 14 refs Grant No NIH MH-8061

Motion thresholds were determined for durations between 0.025 and 5 sec in the fovea and periphery. For intermediate durations of movement between 0.1 and 1.0 sec, threshold is determined by a constant displacement of the stimulus. For shorter and longer durations, threshold is determined by a fixed velocity. Similar characteristics are displayed by motion detection mechanisms in the fovea and periphery. The close correspondence between resolution and motion thresholds for intermediate durations in both the fovea and the periphery is discussed. (Author)

**A76-20085** The role of convergence in visual space perception C von Hofsten (Uppsala, Universitet, Uppsala, Sweden) *Vision Research*, vol 16, no 2, 1976, p 193-198 14 refs Research supported by the Statens Rad for Samhallsforskning

Earlier experiments suggest that the perception of relative and absolute distance in binocular space is affected by the convergence angle to the stimulus A hypothesis was proposed in which the obtained effects are accounted for in terms of convergence differences The hypothesis states that binocular stimuli are related to the rest convergence of the eyes which is assumed to be stable Two experiments were conducted in which distance estimations were made to single binocular dots, viewed through a polarization stereoscope The experimental results support the proposed hypothesis

(Author)

**A76-20122 \*** A model of the human observer in failure detection tasks E G Gai (Charles Stark Draper Laboratory, Inc , Cambridge, Mass ) and R E Curry (MIT, Cambridge, Mass ) *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC-6, Feb 1976, p 85-94 19 refs Grant No NGR 22-009 733

A model for the human observer in failure detection tasks is proposed which consists of two stages a linear estimator and a decision mechanism The estimator is a Kalman filter, and the decision mechanism, which is based on Wald's sequential analysis, leads to a decision function which is the integration of the filter residuals The final result is a simple detection system which depends on only three parameters, and the sensitivity of the model to these parameters is analyzed The results of an experiment designed to test the validity of the model are reported The question of open and closed decision intervals as well as the generalization of the model to more complicated cases is discussed

(Author)

**A76-20123** Vertical mode human body vibration transmissibility D P Garg (Duke University, Durham, N C ) and M A Ross (Westinghouse Electric Corp , Pittsburgh, Pa ) *IEEE Transactions on Systems, Man, and Cybernetics*, vol SMC 6, Feb 1976, p 102 112 28 refs NIH supported research

Frequency response of standing humans subjected to sinusoidal vibration is presented The vibratory input was a vertical displacement to the feet, and the output was the corresponding vertical response of the head Twelve subjects (eight male and four female) were tested in the frequency range of 1-50 Hz with small input amplitudes (0.003 to 0.02 in ) The twelve experimentally obtained frequency response plots were averaged and a sixteen mass linear lumped parameter model was developed to match the average response in both magnitude and phase angle This proposed matching model is analogous to human anatomy Parametric values of mass distribution and joint stiffness available in the literature were incorporated in the model Damping parameters for various joints in the human body were indirectly determined from this study

(Author)

**A76-20238** Dynamic damper in the biomechanical arm vibrator system (Dinamicheskii gasitel' v biomekhanicheskoi sisteme ruka vibrator) M V Khvringia (Akademii Nauk Gruzinskoi SSR Institut Mekhaniki Mashin, Tiflis, Georgian SSR) and A S Melia (Gosudarstvennyi Institut Fizicheskoi Kul'tury, Georgian SSR) *Akademii Nauk Gruzinskoi SSR, Soobshcheniiia*, vol 80, Oct 1975 p 125 128 In Russian

The behavior of a biomechanical system represented by an extended stressed arm and composed of the elements upper arm forearm wrist vibrator in a transient vibratory regime is examined Based on an analysis of the oscillograms of this system, the model of the extended stressed arm attached to a vibrator may be regarded as consisting of the masses of the upper arm and forearm and the rigidities of the upper arm, forearm, and wrist, the mass of the wrist being attached to the infinitely large mass of the vibrator A discussion of the mathematical model of this vibratory system reveals that the arm exhibits a correlation among its parameters which ensures its functioning as a damper of pertinent vibrations

SD

**A76-20295 #** Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel (Vliyanie dlitel'nykh poletov na techenie khronicheskogo polosmichno-kresttsovogo radikulita u letnogo sostava) V M Khrromov and Iu M Bel'skin *Voenna Meditsinskii Zhurnal*, Nov 1975, p 71 72 In Russian

Results are presented for a two-year study of the symptomatology of chronic sacrolumbar radiculitis in aircrew members, aged 30-40, under the action of prolonged flights of 6 to 20 hr A major aim of the study was to develop a system of protective measures devised to ensure a high capacity for work Prolonged forced sitting position is found to lead to compression of the tissues in the sacrolumbar region, to mechanical, circulatory, and reflex-induced disorders, aggravation of ailment, and manifestation of painful sensations and functional disorders Key protective measures include X-ray examination of the spine and special physical training directed to the elimination of relative hypodynamia encountered in aircrew members forced to maintain a restrained static sitting position for long periods of time

SD

**A76-20296 #** Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units (Vliyanie usloviy rabochei sredy na Rentgenologicheskuiu kartinu okolonosovykh pazukh tekhnicheskogo personala aviationsionnykh chastei) B Bembrovskii and V Pavlitskii *Voenna Meditsinskii Zhurnal*, Nov 1975, p 77 79 9 refs In Russian

Meteorological conditions, noise, chemical compounds, organic solvents, and concentrated acids and bases are known to have a detrimental effect on the organism of air force technical personnel The most prevalent causes of the inflammation of paranasal sinuses are rhinitis and influenza The X-ray pattern of paranasal sinuses is analyzed to determine whether working environment conditions affect the frequency of inflammatory processes It is shown that changes in the X-ray pattern of paranasal sinuses occur in 30% of the technical personnel and that these changes are frequently due to the detrimental effects of both environmental and working conditions The personnel most affected range in age between 30 and 40 Diagnostic and prophylactic measures to preserve the health of air force technical personnel forced to work outdoors are discussed SD

**A76-20322** Muscle water and electrolytes following varied levels of dehydration in man D L Costill, R Cote, and W Fink (Ball State University, Muncie, Ind ) *Journal of Applied Physiology*, vol 40, Jan 1976, p 6 11 24 refs Research supported by the Ball State University, Grant No NIH AM-17083 02

In order to assess the effects of dehydration on the content of water and electrolytes in plasma and muscle tissue, eight men exercised in the heat (39.5 C, 25 percent) Blood, urine, and muscle biopsy samples were obtained before exercise and after the subjects had reduced their body weight by 2.2, 4.1, and 5.8 percent On the average, plasma and muscle water contents were found to decline 2.4 and 1.2 percent for each percent decrease in body weight Muscle sodium and chloride content remained unchanged with dehydration, while muscle magnesium declined 12 percent as a result of the 5.8 percent dehydration In terms of intracellular concentrations, intracellular potassium increased 7.2 and 10.6 percent at the 2.2 and 4.1 percent dehydration levels, respectively Calculations of the resting membrane potential suggest that the water and electrolyte losses observed in these studies do not significantly alter the excitability of the muscle cell membrane

(Author)

**A76-20323** Measurement of cardiac output by electrical impedance at rest and during exercise J C Denniston, J T Maher, J T Reeves, J C Cruz, A Cymerman, and R F Grover (U.S. Army, Research Institute of Environmental Medicine, Natick, Mass., Colorado, University, Medical Center, Denver, Colo ) *Journal of Applied Physiology*, vol 40, Jan 1976, p 91-95 30 refs Grant No PHS-HL-14985

A comparison was made between cardiac output values determined by the dye dilution and electrical impedance methods in ten subjects at rest and during graded exercise on a bicycle ergometer

The cardiac output values determined by the two methods were linearly related and significantly correlated ( $r = 0.90$  for  $P$  less than 0.001) Movement artifact associated with exercise at maximum or near-maximum work loads caused severe distortion of the  $dZ/dt$  wave form and prevented calculation of impedance cardiac output at these levels of work Use of the lowest value of  $L$  (distance between inner pair of impedance-measuring electrodes) rather than the mean value of  $L$  in the impedance stroke volume equation resulted in nearly identical values for the least-squares line and equal-value line of impedance and dye cardiac outputs Changes in cardiac output were nearly identical during the different levels of exercise The data support the validity of the impedance method as a noninvasive measure of cardiac output at rest and during graded exercise

(Author)

**A76-20324** Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude J C Cruz, R F Grover, J T Reeves, J T Maher, A Cyberman, and J C Denniston (US Army, Research Institute of Environmental Medicine, Natick, Mass., Colorado, University, Medical Center, Denver, Colo.) *Journal of Applied Physiology*, vol 40, Jan 1976, p 96 100 29 refs

This study sought to determine whether hypoxia or hypocapnia is the cause of venoconstriction at high altitudes Five male subjects were exposed to 4000-4400 m with supplemental 3.77 + or - 0.02% CO<sub>2</sub> in a hypobaric chamber for 4 days Similar alveolar O<sub>2</sub> tensions were obtained in four control subjects exposed to 3500-4100 m without CO<sub>2</sub> A water-filled plethysmograph was used to determine forearm flow and venous compliance Systemic blood pressure was measured with the cuff procedure Catecholamines were measured in 24-h urine collections Venous compliance fell at high altitude in both groups and was less than control values Forearm flow and resistance were unaltered at altitude in the group with CO<sub>2</sub> supplementation while forearm flow decreased and resistance increased in the hypocapnic group at 72 h of exposure It is concluded that hypoxia is responsible for decreasing venous compliance, and hypocapnia for increasing resistance and decreasing flow Group differences observed in urinary catecholamines may be explained by differences in arterial pH

(Author)

**A76-20350** Rate of change of ventricular power An indicator of ventricular performance during ejection P D Stein and H N Sabbah (Oklahoma, University, U S Veterans Administration Hospital, Oklahoma City, Okla.) (*American Physiological Society, Annual Fall Meeting, 25th, Albany, N Y, Aug 13, 1974*) *American Heart Journal*, vol 91, Feb 1976, p 219 227 18 refs Research supported by the American Heart Association, Tulsa County Heart Association, and U S Veterans Administration, Grant No NIH LI 72 2921 B

A mathematical formula indicative of the rate of change of ventricular power during ejection is developed for evaluation of ventricular performance The formula is derived on the theoretical basis that the power generated by the ventricle during ejection is equal to the product of intraventricular pressure and aortic flow The primary advantages of the formula are that the rate of change of ventricular power measured during ejection is free of assumptions and that it has a fluid dynamic and a physiological meaning Studies in mongrel dogs indicate that the formula reflects alterations of the inotropic state, yet it is relatively independent of alterations of preload and afterload It is also shown that for a ventricle of spherical configuration with a thin wall, the ejection rate of change of ventricular power is a function of tension, fiber length, rate of fiber shortening, and acceleration of fiber shortening S D

**A76-20458** # The gastrin antibody /IgG/ in the blood of healthy humans and animals (Antitela /IgG/ k gastrinu v krovi u zdorovyykh liudei i zhivotnykh) M V Polosatov, M A Samartsev, P K Klimov, and A N Prusakov (Akademii Nauk SSSR, Institut Fiziologii, Leningrad, USSR) *Akademii Nauk SSSR, Doklady*, vol 225, Nov 1, 1975, p 235-237 6 refs In Russian

Immunolectrophoresis on agar was used to detect the presence of a gastrin antibody (IgG) in blood samples from dogs, rabbits, and humans Conjugates of a synthetic pentagastrin with human serum albumin, egg albumin, and equine hemoglobin were used as antigens, the same proteins, free of pentagastrin, served as control antigens All of the samples studied formed a precipitation band with the protein-pentagastrin conjugates but failed to react with the control antigen Samples from rabbits immunized with conjugates of human albumin and pentagastrin precipitated more rapidly when exposed to the protein-pentagastrin conjugates, and an additional precipitation band formed with human albumin, indicating that immunization with pentagastrin stimulated the production of an antibody to gastrin Results show that the activity of the gastric glands is subject to autoimmune regulation C K D

**A76-20615** # Informational problems in flight ergonomics (Informacyjne problemy ergonomii lotniczej) J M Morawski (Instytut Lotnictwa, Warsaw, Poland) *Technika Lotnicza i Astronautyczna*, vol 31, Jan 1976, p 9 13 16 refs In Polish

Survey of selected problems in flight cybernetics Basic aspects of the aircraft system with the human operator in the closed loop, and optimum adaptation of the system (controls, display, responses) to the human operator and vice versa are discussed The importance of semantic information theory, suitable models for the human operator plus machine system, and the importance of adapting the machine and display to the perceptions and reflexes of the human operator are emphasized Landing operators are discussed separately as the most hazardous phase of flight Training of crews, on ground flight simulators, and improved training techniques are discussed

R D V

**A76-20616** # Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies (Ocena obciążenia organizmu pilota podczas lotów agrotechnicznych na podstawie badań fizjologicznych) L Markiewicz, D Koradecka, and M Konarska (Centralny Instytut Ochrony Pracy, Warsaw, Poland) *Technika Lotnicza i Astronautyczna*, vol 31, Jan 1976, p 13 16 In Polish

Pilots engaged in flights in agricultural work at tree hopping heights, performing dozens of flights in the course of one day, under a variety of weather conditions and with different machines in contrasting missions, are found to be frequently under severe emotional stress before takeoff and during the flight Physiological variables studied included heart rate on the basis of telemetered or conducted ECG data, strength and stamina of finger flexing muscles (electrodynamometer data), the number of errors in a tremorometric test, testing response time, and threshold levels of vibration sensation Comparative tests were conducted for pilots operating different aircraft, gliders, or helicopters in agricultural service Shortcomings of the testing procedure are discussed Three hours maximum consecutive flying time in agrotechnical flights are suggested, among other measures R D V

**A76-20666** Oxygen diffusion in living tissues (Diffusion de l'oxygène dans les tissus vivants) G Duvaut (Paris VI, Université, Paris, France) *Académie des Sciences (Paris), Comptes Rendus, Serie A Sciences Mathématiques*, vol 282, no 1, Jan 5, 1976, p 33 36 In French

The diffusion of oxygen in living tissues is studied as a free boundary problem whose global formulation is expressed by an elliptic variational inequality It is shown that given certain boundary conditions the associated convexity depends on time A priori estimates are given which lead to the proof of the existence and uniqueness of the solution Several properties of the solution and its limit are given when  $t$  tends toward infinity B J

**A76-20752** Cardiovascular diagnosis with real time ultrasound imaging O T von Ramm, F L Thurstone, and J Kisslo (Duke University, Durham, N C) In *International Symposium on Acoustical Holography and Imaging*, 6th, San Diego, Calif., February

4-7, 1975, Proceedings New York, Plenum Press, 1975, p 91-102 8 refs Grants No PHS-HL-14228, No PHS-HL-12715, No PHS-HL 17670, No PHS-HS-01613

A description is given of the operation of a real time imaging system which relies on phased array principles to steer and focus the ultrasound beam in the near field of a linear array of ultrasound transducers. The image frame rates of the system are suitable for cardiac dynamics. The field of view is sufficiently large for the formation of an image of the entire left ventricle or the greatest part of it. During initial clinical trials of this imaging system over 100 patients have been examined G R

**A76-20753** Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera S A Johnson, J F Greenleaf, F A Duck, A Chu, W R Samayoa, and B K Gilbert (Mayo Foundation, Rochester, Minn) In International Symposium on Acoustical Holography and Imaging, 6th, San Diego, Calif, February 4-7, 1975, Proceedings

New York, Plenum Press, 1975, p 193-211 20 refs Navy-supported research, Grants No NIH HT-42904, No NIH-RR 7, No NIH-HL-04664

**A76-20755 \*** Real-time Doppler imaging for unambiguous measurement of blood volume flow C F Hottinger and J D Meindl (Stanford University, Stanford, Calif) In International Symposium on Acoustical Holography and Imaging, 6th, San Diego, Calif, February 4-7, 1975, Proceedings New York, Plenum Press, 1975, p 247-258 12 refs Grants No PHS 1-P01-GM-17940-04, Grant No NGR 05-020-615

**A76-20772 \*** Search for correlation between geomagnetic disturbances and mortality B J Lipa, P A Sturrock (Stanford University, Stanford, Calif), and F Rogot (National Institutes of Health, National Heart and Lung Institute, Bethesda, Md) *Nature*, vol 259, Jan 29, 1976, p 302-304 10 refs NSF NASA supported research

A search is conducted for a possible correlation between solar activity and myocardial infarction and stroke in the United States. A statistical analysis is performed using data on geomagnetic activity and the daily U.S. mortality due to coronary heart disease and stroke for the years 1962 through 1966. None of the results are found to yield any evidence of a correlation. It is concluded that correlations claimed by Soviet workers between geomagnetic activity and the incidence of various human diseases are probably not statistically significant or probably are not due to a causal relation between geomagnetic activity and disease F G M

**A76-20853** Effects of luminance and stimulus distance on accommodation and visual resolution C A Johnson (Pennsylvania State University, University Park, Pa) *Optical Society of America, Journal*, vol 66, Feb 1976, p 138-142 40 refs Grant No NIH-MH-08061

Measurements of accommodation and visual resolution were obtained at a number of luminance levels and stimulus distances. With reductions in luminance, the eye approached a 'fixed-focus' condition of accommodation for intermediate distances, resulting in successively larger errors in accommodation for both near and far stimuli. The visual resolution values were initially affected by both the luminance and distance of the stimulus. Subsequent measurements of resolution, following the correction of accommodative errors, were found to be independent of the stimulus distance. The findings are discussed with regard to the problems of 'night myopia' and variations in visual resolution with stimulus distance (Author)

**A76-20856** Pupil size and stereoacuity S M Luria (U.S. Naval Material Command, Naval Submarine Medical Research Laboratory, Groton, Conn) *Optical Society of America, Journal*, vol 66, Feb 1976, p 157-159 13 refs

The effect of pupil size on stereoacuity is investigated. An experiment is described in which a subject observed the middle

portion of three vertical black rods through artificial pupils. The middle rod was movable, and the specific measure of stereoacuity was the variability of the setting which the subject made when he judged the middle rod to be the same distance from him as the two outer rods. The results for ten subjects show that the mean variability decreased as pupil size increased, but increased again as pupil diameter increased from 4 to 6 mm. These results suggest that both spherical aberrations (with large pupil diameters) and diffraction (with smaller pupils) interfere with stereoacuity in the same way that they interfere with visual acuity F G M

**A76-20859** Differential responding to the beta movement after waking from REM and nonREM sleep P Lavie and D Sutter (Florida, University, Gainesville, Fla) *American Journal of Psychology*, vol 88, Dec 1975, p 595-603 19 refs

An experimental study was performed to determine the upper and lower beta movement thresholds in ten male and female subjects aged 18-21 yr who were wakened from REM sleep and from nonREM sleep on two nonconsecutive nights. The beta movement was obtained by successively exposing two stimuli at a short distance apart. Results support the experimental hypothesis that the beta movement is sensitive to wakings from REM and nonREM sleep. Differential responding to the beta movement suggests that apparent motion may provide sensitive detectors of the operation during wakefulness of the basic rest-activity cycle, of which REM and nonREM sleeps are opposite phases that carry over into wakefulness S D

**A76-20875 #** On the question of the physiological interaction on the vibrotactile and audio reception (K voprosu o fiziologicheskom vzaimodeistviu vibrotaktil'noi i slukhovoi reseptsiy) Iu V Krylov *Akademii Nauk SSSR, Izvestiya, Seria Biologicheskaya*, Nov-Dec 1975, p 930-932 10 refs In Russian

It has been found experimentally that action on the vibrotactile endings of the skin of a local vibration with a frequency equal to 125 Hz at an intensity of 40 dB leads to a sensitization of hearing by 3-6 dB in a wide frequency range (125-10,000 Hz). This fact should be taken into consideration while estimating the effectiveness of individual antinoises under conditions of a complex influence upon man of noises and vibration (Author)

**A76-21054 \*** Role of arterial baroreceptors in mediating cardiovascular response to exercise R J McRitchie, S F Vatner, T A Patrick, E Braunwald (Harvard University, Cambridge, Peter Bent Brigham Hospital, Children's Hospital Medical Center, Boston, New England Regional Primate Research Center, Southborough, Mass), D Boettcher, and G R Heyndrickx *American Journal of Physiology*, vol 230, Jan 1976, p 85-89 17 refs Research supported by the American Heart Association and NASA, Grants No PHS-HL-15416, No PHS-HL-17549, No PHS-HL-10436-09

Experiments were conducted to define the role of the major arterial baroreceptors during moderately severe exercise by comparing the responses of untethered conscious dogs instrumented for the measurement of aortic pressure and cardiac output with those of dogs with total arterial baroreceptor denervation. The reflex heart rate responses to intravenous bolus doses of methoxamine were also examined in intact animals, both at rest and during exercise. Methoxamine is found to cause striking bradycardia at rest, but little bradycardia during exercise. Experimental findings suggest that the arterial baroreceptor reflex is normally inhibited during severe exercise and therefore plays little role in modulating the cardiovascular response to exercise S D

**A76-21055** Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation M Lesch, H Taegtmeyer, M B Peterson, and R Vernick (Harvard University, Cambridge, Peter Bent Brigham Hospital, Boston, Mass) *American Journal of Physiology*, vol 230, Jan 1976, p 120-126 25 refs Grants No PHS-11306, No PHS-2-R01-HE-09714, No NIH-5-T1-HE-5890-02

An experimental study was carried out on the isolated rabbit

right ventricular papillary muscle preparation for a more specific determination of the relation of alterations in adenine nucleotide and oxidative metabolism to the apparent translational inhibition of myocardial protein synthesis during anoxia and to the mechanism by which glucose retards irreversible inhibition of protein synthesis during anoxia. Tissue content of ATP, ADP, AMP, CP, and lactate and phenylalanine incorporation into protein were measured. It is shown that anoxic inhibition of myocardial protein synthesis is due neither to high-energy phosphate depletion nor inhibition of Krebs cycle activity. Inhibition may be related to accumulation of glycolytic intermediates or by-products other than lactate. S D

**A76-21148 \*** Biothermal simulation of scuba divers L D Montgomery (NASA, Ames Research Center, Moffett Field, Calif) *Aviation, Space, and Environmental Medicine*, vol 46, June 1975, p 814-818 12 refs NASA-supported research

A biothermal model of the immersed man is presented and validated. Comparisons are made between analytic and experimental values of temperature-vs-time profiles for neck-immersed seminude and wet-suited subjects. An engineering example is presented to demonstrate how the model may be used to evaluate proposed life-support system designs. (Author)

**A76-21251** An assessment on certain causal models used in surveys on aircraft noise annoyance A Alexandre (Organization for Economic Co-operation and Development, Paris, France) *Journal of Sound and Vibration*, vol 44, Jan 8, 1976, p 119-125 11 refs

The causal relationships which have so far been proposed between aircraft noise exposure, annoyance and certain 'psychosocial' variables (fear of aircraft crashing, general attitude towards aviation, etc.), are re-analysed, and it is demonstrated that by using correlational analysis one can arrive at contradictory results. From the sociological surveys undertaken to date, one can derive only an ordered sequence of verbal reactions to aircraft noise, and not a causal sequence between these verbal reactions. The only clear cause of annoyance is the noise itself. It is suggested that future surveys on noise annoyance should include personality tests and health questionnaires, if one wishes to establish reliable causal sequences. (Author)

**A76-21317** Antagonism between channels for pattern and movement in human vision M Georgeson (Sussex, University, Brighton, England) *Nature*, vol 259, Feb 5, 1976, p 413-415 13 refs Research supported by the Science Research Council

A model explaining the streaming hallucination discovered by MacKay (1957, 1958) is proposed. It is suggested that the effect is produced by mutual antagonism between three types of channel contained in each orientation column of the visual cortex. Sustained (pattern) channels are assumed to inhibit movement channels and vice versa. Adapting out one or two channels produces a 'hallucinated' after-effect based on the disinhibited or rebound response(s) of the remaining channel(s). After adaptation to stationary vertical stripes there is a temporary increase in the outputs of the horizontal movement channels and horizontal streaming appears. After observation of moving stripes one of the movement channels is also adapted. Since only the opposite movement channel is released from inhibition, streaming is seen in that direction only. Several additional subjective after-effects predicted by the model have been confirmed experimentally. C K D

**A76-21318** Identification of beta carbolines isolated from fluorescent human lens proteins J Dillon, A Spector, and K Nakanishi (Columbia University, New York, N Y) *Nature*, vol 259, Feb 5, 1976, p 422, 423 14 refs NIH-supported research

Preparative paper electrophoresis at pH 1.9 following alkaline degradation of either the insoluble protein fraction or the high molecular weight (HMW) fraction obtained from cataractous human lenses yielded a number of fluorescent components. The structure of the principal fluorescent component, designated C(1), has been investigated and its relationship to the fluorescent material present in

the lens proteins examined. Results suggest that C(1) is a mixture of tryptophan derivatives, specifically two 3,4 dihydro-beta-carboline-3-carboxylic acids. C(1) has a yellow fluorescence when observed by long wavelength UV, is unstable, and decomposes to two components characterized by a blue fluorescence. Protein obtained from 45 and 77 year old human lenses contained these decomposition products. None of these components was detected in the protein of young human or calf lenses, suggesting an age-dependent formation. C K D

**A76-21319** Light-induced fast conformational change in all-trans-retinal at low temperature S Georgiou (Tennessee, University, Knoxville, Tenn) *Nature*, vol 259, Feb 5, 1976, p 423, 424 13 refs NIH-supported research

The nanosecond fluorescence properties of all-trans-retinal in a nonpolar matrix at 100 K were ascertained using a fluorometer with a boxcar averager. The form of fluorescent decay was found to be strongly dependent on the emission wavelength, remaining non-exponential up to about 510 nm. At longer wavelengths the decay was virtually single exponential and independent of the emission wavelength. The time-resolved fluorescence spectra showed a broadening with time in the nanosecond range, the spectral maximum and the long wavelength portion of the spectrum were invariant with time. It is suggested that the observed time- and emission wavelength-dependent phenomena are due to a relaxation process in the excited state resulting from rotation of the polyene chain about the C6-C7 bond. C K D

**A76-21401** Intracardial bubbles during decompression to altitude in relation to decompression sickness in man U I Balldin and P Borgstrom (Lund, Universitet, Lund, Sweden) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 113-116 10 refs Research supported by the Forsvarets Forskningsanstalt FOA Project 5405,1-010

Doppler ultrasound was used in five subjects to detect intracardial gas bubbles during decompression to altitude. At a simulated altitude of 8,000 m, neither intracardial bubbles nor symptoms of decompression sickness occurred. At 9,000 m, bubbles were registered in two subjects, one of which had questionable bends. At 11,500 m, bubbles were registered in all but one subject and two had bends. The three subjects who had not gotten bends were exposed to an air-breathing period of 30 min or, in one case, even 45 min at 2 ATA, for extra nitrogen loading, followed by decompression to 11,500 m. These subjects had heavy showers of bubbles followed by bends. In all cases with decompression sickness during the decompressions to altitude, intracardial bubbles were registered prior to the appearance of symptoms. The technique may be used in studies of decompression sickness without provoking actual symptoms, thus making the studies safer. (Author)

**A76-21402** Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression D E Busby, E A Higgins, and G E Funkhouser (FAA, Civil Aeromedical Institute, Oklahoma City, Okla) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 117-120 12 refs

To determine the effect of physical activity on the 'time of useful consciousness' TUC of airline flight attendants in a rapid, severe decompression, 10 male and 10 female subjects were exposed to a decompression profile while at rest and performing light-to-moderate work. Decompression from 6,500 to 34,000 ft (2,000 to 10,400 m) was followed by descent at 5,000 ft/min (1,500 m/min). The average TUC for the males decreased from 54 s at rest to 34 s while performing work. The average TUC for the females decreased from 54 s at rest to 32 s while performing work. Supplemental oxygen had a marked paradoxical effect when the subjects were performing work. (Author)

**A76-21403** Interaction between marihuana and altitude on a complex behavioral task in baboons M F Lewis, H W Mertens, J A Steen (FAA, Civil Aeromedical Institute, Oklahoma City, Okla.), and D P Ferraro (New Mexico, University, Albuquerque, N Mex) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 121-123 9 refs

**A76-21404** Simulated flying performance after marihuana intoxication. D S Janowsky, M P Meacham, J D Blaine, M Schoor, and L P Bozzetti (California, University, La Jolla, Calif.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 124-128. 15 refs Research supported by the U S Veterans Administration

**A76-21405** Circulatory response to acute hypobaric hypoxia in conscious dogs S B Saltz, G A Beller, S R Giambra, and J S Alpert (U S Army, Research Institute of Environmental Medicine, Natick, Mass., U S Navy, Naval Regional Medical Center, San Diego, Calif.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 129-132 21 refs Navy-supported research

Hemodynamics were studied in seven conscious dogs during acute hypobaric stress at 14,000 ft simulated altitude. Pulmonary and central aortic pressures, cardiac output, and pulmonary blood volume were determined under conditions of normoxia and acute hypoxia in a hypobaric chamber maintained at 446 mm Hg pressure (14,000 ft). Significant increases in heart rate, cardiac output, pulmonary blood volume, and pulmonary artery pressure were observed. Left atrial pressure and calculated systemic vascular resistance decreased during hypobaric hypoxia while stroke volume, stroke work index, arterial pressure and pulmonary vascular resistance remained unchanged. The arterial oxygen tension decreased markedly at altitude, and all animals hyperventilated with resultant systemic hypocapnic alkalosis. The combination of elevated pulmonary arterial pressure and increased pulmonary blood volume may be an etiologic factor in the development of high-altitude pulmonary edema  
(Author)

**A76-21406** Alpha index and personality traits of pilots J Terelak (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 133-136 20 refs.

This investigation was instituted to provide information regarding the relationship between individuals with radically different alpha indices (low vs high) and personality traits of the subjects. EEG recordings were obtained and acceptable diagnostic personality testing techniques administered. The results indicate that the group with low alpha index revealed a significantly higher level of anxiety and neuroticism  
(Author)

**A76-21407** Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow S H Young and H L Stone (Texas, University, Galveston, Tex.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 142-146 25 refs Grants No PHS-HL-05940, No NIH-HL-14828

Mongrel dogs were chronically instrumented for ventricular pacing, to measure left circumflex coronary flow (CF), left ventricular and arterial pressure, and to obtain blood samples from the left atrium and coronary sinus. Following a 3- to 4-week recovery period, the animals were subjected to a 30% reduction in arterial

**A76-21408** Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice C Schatte and A Swansinger (Colorado State University, Fort Collins, Colo.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 147-150 22 refs Contract No N00014 67-A-0299-0022

This study was undertaken to test chronic feeding of some normal dietary constituents on susceptibility to oxygen toxicity

Eight-week-old male mice were fed a semi-purified diet simulating that of the average American male and supplemented with either vitamin E, vitamin K3, selenium, or the sulfur amino acids methionine and cystine. After 2, 4, 8, or 16 weeks, groups of mice were exposed to oxygen at 1, 4, or 8 ATA and times to respiratory distress, convulsion, and death recorded. Vitamin E and amino acid supplementation had no effect whereas vitamin K and selenium supplements increased time to death at 1 ATA. Only the effect of selenium was statistically significant. All diets significantly increased the time of onset of the measured parameters beginning after 4 weeks, suggesting that one or more constituents of the basal diet afforded some protection against oxygen toxicity  
(Author)

**A76-21409** Evaluating the ability of aircrew personnel to hear speech in their operational environments C E Williams, J D Mosko, and J W Greene (U S Naval Aerospace Medical Center, Pensacola, Fla.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 154-158 5 refs Navy-supported research

High-quality tape recordings were constructed of single, double, and triple word test items from the six monosyllabic word lists of the Modified Rhyme Test (MRT), a multiple-choice intelligibility test. The test words were incorporated in a carrier phrase somewhat analogous to typical aircraft radio messages. The recorded lists were mixed with shaped noise and played back to a group of listeners at three speech-to-noise ratios. The regular closed-response format of the MRT was utilized for all three types of test items. There was little difference in overall listener performance for the single, double, and triple word test items. Because of their more representative message length and decreased testing time, the triple word test items will be utilized in subsequent data-gathering studies directed toward the development of an efficient reliable test for assessing the ability of aircrew personnel to hear speech in their operational environments  
(Author)

**A76-21410 \*** Perception of static orientation in a constant gravito-inertial environment C C Ormsby and L R Young (MIT, Cambridge, Mass.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 159-164 20 refs Grant No NGR-22-009-701

The illusions associated with the perception of static tilt in various specific force environments have been reviewed and then classified in such a way that a simple perceptual model could be developed to account for the experimental data. The fundamental conclusion to be drawn from this model is that these illusions can be accounted for by a simple nonlinear transformation of the information primarily from the saccule  
(Author)

**A76-21411 \*** Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions C F Sawin, A E Nicogossian, J A Rummel, and E L Michel (NASA, Johnson Space Center, Biomedical Research Div, Houston, Tex.) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 168-172 18 refs

Previous experience during Apollo postflight exercise testing indicated no major changes in pulmonary function. Pulmonary function has been studied in detail following exposure to hypoxic and hyperoxic normal gravity environments, but no previous study has reported on men exposed to an environment that was both normoxic at 258 torr total pressure and at null gravity as encountered in Skylab. Forced vital capacity (FVC) was measured during the preflight and postflight periods of the Skylab 2 mission. Inflight measurements of vital capacity (VC) were obtained during the last 2 weeks of the second manned mission (Skylab 3). More detailed pulmonary function screening was accomplished during the Skylab 4 mission. The primary measurements made during Skylab 4 testing included residual volume determination (RV), closing volume (CV), VC, FVC and its derivatives. In addition, VC was measured in flight at regular intervals during the Skylab 4 mission. Vital capacity was decreased slightly (-10%) in flight in all Skylab 4 crewmen. No major preflight-to-postflight changes were observed. The Apollo-Soyuz Test Project (ASTP) crewmen were studied using equipment and procedures similar to those employed during Skylab 4 Postflight

evaluation of the ASTP crewmen was complicated by their inadvertent exposure to nitrogen tetroxide gas fumes upon reentry (Author)

**A76-21412** **Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA** R J Biersner, D A Hall, and P G Linaweaer (US Navy, Submarine Development Group One, San Diego, Calif) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 173-176 7 refs.

**A76-21413** **Cross-validation study of the personality aspects of involvement in pilot-error accidents.** M G. Sanders, M A Hofmann, and T A Neese (US Army, Aeromedical Research Laboratory and Agency for Aviation Safety, Fort Rucker, Ala) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 177-179

Sanders and Hofmann (1975) found that three factors from Cattell's Sixteen Personality Factor Questionnaire (16 PF) distinguished between pilot-error accident groups. These were used to correctly classify 86% of the aviators tested as to their previous pilot-error accident involvement. There were 66 aviators given the 16 PF in the present study in an attempt to cross-validate the findings reported in the original study. The results indicate that the personality factors did not significantly discriminate between the pilot-error accident groups. The primary personality differences between the present sample and the original sample were due to variations in the pilot-error accident-free groups. The findings indicate that individual differences in personality characteristics of the aviators prevent consistent identification of traits associated with pilot-error groups. (Author)

**A76-21414** **Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974** R R Orford and E T Carter (Mayo Clinic and Mayo Foundation, Rochester, Minn) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 180-184 15 refs

A descriptive study of medical disqualifications and deaths in an airline pilot population revealed that, of 2,751 pilot applicants, 145 were rejected by the preemployment company medical examination. Of the 145, 117 were rejected because of a primary disqualifying 'laboratory' abnormality. During the lifetime of the airline, 103 pilots have retired because of medical reasons, primarily cardiovascular, and 120 have died, the majority in aircraft accidents. The rate of medical disqualification is minimal before the age of 45 years, but it increases rapidly thereafter. It was determined that the chance of a pilot reaching retirement age in this airline company was less than 50%, although his chance of not reaching retirement age because of medical reasons was only 20%. Based on the results of this study, a departure from the 'traditional' periodic company medical examination program is suggested. (Author)

**A76-21415** **Paroxysmal and chronic atrial fibrillation in airman certification** D E Busby and A W Davis (FAA, Civil Aeromedical Institute, Oklahoma City, Okla) *Aviation, Space, and Environmental Medicine*, vol 47, Feb 1976, p 185, 186 5 refs

Of the 757,693 airmen with valid FAA medical certificates on Oct. 31, 1974, 125 (all males but one) had a history of paroxysmal atrial fibrillation. Episodes of paroxysmal atrial fibrillation occurred once in 91, twice in 14, and more than twice in 20 airmen, and were attributed to one or more of 23 factors in 72 of the medical records studied. Associated symptoms reported in 27 records were considered serious enough to produce pilot incapacitation. Chronic atrial fibrillation was idiopathic in all but one airman, who developed this arrhythmia following atrial septal defect repair. Medical records report no associated symptoms, and heart rates, resting and in response to exercise, were reported as within normal limits. (Author)

**A76-21603** **Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery** T E Carew and J W Covell (California, University, La Jolla, Calif) *Cardiovascular Research*, vol 10, Jan 1976, p 56-64 18 refs Grant No NIH-HL-12373

Phasic flow in the intraventricular septal artery (SA) was measured by an electromagnetic flowmeter in anaesthetized dogs. The ratio of systolic to diastolic flow was less in the intramyocardial artery than in an epicardial (circumflex) artery. The SA systolic to diastolic ratio was further depressed when elevations in intramyocardial pressure were produced. These studies lend insight into the relationships between intramyocardial pressure and coronary arterial flow. (Author)

**A76-21604** **The accuracy of cardiac function indices derived from ultrasonic time-position scans** D H Evans (Leicester Royal Infirmary, Leicester, England), W N McDicken (Royal Infirmary, Edinburgh, Scotland), and D A R Robertson (Southern General Hospital, Glasgow, Scotland) *Cardiovascular Research*, vol 10, Jan 1976, p 65-73 11 refs

A study has been made of time-position ultrasonic scanning as a means of obtaining measurements related to cardiac performance. The errors involved in determining these measurements have been estimated. It has been shown that the greatest accuracy can be achieved for quantities which depend on action rather than shape, such as ejection fractions and rates of myocardial fiber shortening. Attention is drawn to the fact that the ultrasonic method, unlike angiography, in no way alters the quantities being measured. (Author)

**A76-21605** **Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/** M R Malinow, P McLaughlin, D S Dhindsa, J Metcalfe, A J Ochsner, III, J Hill, and W P McNulty (Oregon Regional Primate Research Center, Beaverton, Oregon, University, Portland, Ore) *Cardiovascular Research*, vol 10, Jan 1976, p 101-108 32 refs Research supported by the Oregon Heart Association and American Medical Association, Grants No NIH-FR-00163, No NIH-HL-14124

**A76-21606** **Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta** P A Kot and J C Rose (Georgetown University, Washington, D C) *Cardiovascular Research*, vol 10, Jan 1976, p 119-123 11 refs Research supported by the American Heart Association and Washington Heart Association, Grants No PHS-RR-5360, No PHS-RR-5306

Changes in the aortic flow and velocity patterns resulting from regional alterations in vascular resistance caused by injections with several vasoactive agents in the brachiocephalic artery and/or in the descending thoracic aorta immediately distal to the flow cell were studied in anaesthetized mongrel dogs. Flow measurement was made at the descending thoracic aorta, a site which reflected the sum of regional changes in vascular resistance. Injected into the brachiocephalic artery, vasopressors prevented development of a significant negative component, while vasodilators caused increased backflow. Injected distal to the flow cell, vasopressors caused significant backflow, while vasodilators raised the level of the lowest part of the pulsatile flow curve. Increase in the negative component was most pronounced during periods when the arterial blood pressure was rising or falling, suggesting that during circulatory adjustments, there is a temporary differential in the vascular resistances of the upper and lower portions of the arterial circulation. P T H

**A76-21610** **Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation** A G Tsakiris, D A Gordon, Y Mathieu, R Padiyar, and C Labrosse (Sherbrooke, Universite, Sherbrooke, Quebec, Canada) *Journal of Applied Physiology*, vol 40, Feb 1976, p 132-137 9 refs Research supported by the Joseph C Edwards Foundation and Quebec Heart Foundation, Medical Research Council of Canada Grant No MA-4159

**A76-21611** Effects of exercise on excretion rates of urinary free cortisol A Bonen (Illinois, University, Champaign, Ill) *Journal of Applied Physiology*, vol 40, Feb 1976, p 155-158 21 refs Research supported by the University of Illinois

**A76-21612** Arterial pressure contour analysis for estimating human vascular properties T B Watt, Jr and C S Burrus (US Veterans Administration Hospital, Baylor University, Rice University, Houston, Tex) *Journal of Applied Physiology*, vol 40, Feb 1976, p 171-176 16 refs Grants No PHS-HL-05435, No PHS-HL-10400, No PHS-RR 259

The form of an arterial blood pressure curve during the diastolic portion of the cardiac cycle was employed to identify parameters in a third-order model of the vascular system. Calculated elastic and inertial characteristics of this fitted model became clinically accessible indices of corresponding real vascular properties. This technique incurred no risk and little discomfort for the patient. Tested in theory, in animal experimentation, and in human observations, the procedure utilized a Gauss-Newton algorithm via digital computer to provide rapid model solutions from different starting values, from multiple measurement sites, and from normal or diseased patients. Model parameters thus determined defined ranges of normal variation and suggested a less compliant arterial bed in hypertensive than in normotensive patients. (Author)

**A76-21613** Respiratory volume-time relationships during resistive loading in the cat F W Zechman, D T Frazier, and D A Lally (Kentucky, University, Lexington, Ky) *Journal of Applied Physiology*, vol 40, Feb 1976, p 177-183 13 refs Grant No NIH HL-16878-01

**A76-21614** Total and regional cerebral blood flow during moderate and severe exercise in miniature swine D L Foreman, M Sanders, and C M Bloor (California, University, La Jolla, Calif) *Journal of Applied Physiology*, vol 40, Feb 1976, p 191-195 39 refs Research supported by the San Diego County Heart Association, Grant No NIH HL 12372

The tracer microsphere method is used to measure total and regional cerebral blood flow during moderate and severe exercise-induced stress on a treadmill in miniature swine aged 6-9 months and weighing about 25 kg, in conjunction with assessment of blood gases, pH, catecholamines, potassium, and blood lactate. In addition, the ratio of blood flow to gray and white matter is evaluated. Results indicate that no significant decrease in cerebral blood flow (CBF) occurs despite a sharp decrease in arterial PCO<sub>2</sub>, that CBF in the miniature swine both at rest and during exercise resembles that reported in humans, that regional blood flow distribution in the brain is not significantly affected by exercise, and that the gray matter of the brain receives significantly more blood than the white matter. (Author)

**A76-21615** Comparative evaluation of pressure and time factors in estimating left ventricular performance F L Abel (Indiana University, Indianapolis, Ind, South Carolina, University, Columbia, S C) *Journal of Applied Physiology*, vol 40, Feb 1976, p 196-205 24 refs Research supported by the American Heart Association, Grants No NIH HL 10659, No NIH 5-S01 RR-5371, No NIH-HL-14921

**A76-21616** Effects of hypoxia, heat, and humidity on physical performance S Lahiri, C A Weitz, J S Milledge, and M C Fishman (Pennsylvania, University, Temple University, Philadelphia, Pa, Christian Medical College, Vellore, India) *Journal of Applied Physiology*, vol 40, Feb 1976, p 206-210 15 refs World Health Organization Grant No SOH-088/1968, Grant No NIH-HL-08805

A comparative study is made of the physical performance capacities between subjects at high altitude (3800 m) and at sea level in temperate and hot-humid environments on the basis of measure-

ments of oxygen uptake under various work rates. The results obtained clearly show that the physical performance capacity of man is limited both in hot-humid environment at sea level and in hypoxic environment at high altitude as compared to those in a temperate environment at sea level. In a hot and humid environment, both ventilation and heart rate for a given oxygen uptake are found to be greater than those observed in a temperate climate. It is shown that by limiting maximal cardiac performance, hypoxia is the primary factor responsible for the low performance capacity of high-altitude sojourners. A similar argument applies to the restricted oxygen uptake of the high-altitude residents, although their working capacities are greater than those of the sojourners. Fortunately, in nature, hypoxia does not coexist with heat and humidity. (Author)

**A76-21617** An inexpensive blood pressure-heart rate computer for laboratory or teaching use P Martin (Mt Sinai Hospital, Case Western Reserve University, Cleveland, Ohio) *Journal of Applied Physiology*, vol 40, Feb 1976, p 253-255 Grants No PHS-RR-05658, No PHS HL-15758

A special purpose analog computer circuit is described that, given a signal proportional to arterial blood pressure, generates signals equal to systolic, diastolic, pulse, and mean pressure at a calibration of 100 mm Hg/V. Heart period and rate are also derived at calibrations of 1 s/V and 100 bpm/V, respectively. The outputs are step function beat-by-beat changes in these six variables suitable either for analog recording, or presentation to a panel meter for digital display. (Author)

**A76-21619** The effect of two-axis vibration on the legibility of reading material R D L Meddick and M J Griffin (Southampton, University, Southampton, England) *Ergonomics*, vol 19, Jan 1976, p 21-33 11 refs

The result of combining equal amplitude and frequency vertical and horizontal sinusoidal motions with the proper phase is a circular motion. An experiment is described for determining whether reading errors due to circular motion are the same or greater than those due to the separate motion of the two components producing the circular motion. The experiment was performed on nine subjects who were required to read vibrating arrays of one hundred digits. It is shown that when two single-axis sinusoidal motions are combined to produce a circular motion there is a considerable decrease in the legibility of the vibrated material. This confirms the hypothesis that under the single-axis condition, it is the nodal images that enable the eye to detect detail in an object vibrating at frequencies above 3 Hz. With a circular motion, the absence of nodal images is presumably the cause of the increased illegibility. In addition, the time taken to read the digits was greatly increased when they were subjected to circular motion. Many reading errors are due to confusion between digits that appear similar when vibrating. (Author)

**A76-21745** The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena C E Collyer (Princeton University, Princeton, N J) *Perception and Psychophysics*, vol 19, Jan 1976, p 47-54 11 refs

An apparent temporal ordering of two simultaneous light onsets has been observed following the anachronous offsets of two other lights, an effect termed the induced asynchrony effect (IAE). When the leftmost light was extinguished first, left first onset ordering was observed, opposite results were obtained when the right light was extinguished first. The joint effect of a real stimulus onset asynchrony and a preceding stimulus offset asynchrony is apparently additive, giving a Gaussian transformation of response probability. A simple statistical decision model is developed, and the IAE is compared with three other dynamic perceptual phenomena - the tau effect, the kappa effect, and a simple form of the rabbit effect. It is suggested that these effects may reflect a tendency of observers to perceive the velocity of apparent motion as constant. (Author)

## A76-21746

**A76-21746 Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time** J R Jennings, C C Wood, and B E Lawrence (U S Army, Walter Reed Army Institute of Research, Washington, D C) *Perception and Psychophysics*, vol 19, Jan 1976, p 85-91 30 refs

**A76-21747 Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures** C C Wood and J R Jennings (U S Army, Walter Reed Army Institute of Research, Washington, D C) *Perception and Psychophysics*, vol 19, Jan 1976, p 92-102 29 refs

**A76-21776 Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model** M K Patil and D N Ghista (Indian Institute of Technology, Madras, India) *Bulletin of Mathematical Biology*, vol 37, 1975, p 521-553 40 refs

**A76-21781 \* Automated single-slide staining device** J R Wilkins and S M Mills (NASA, Langley Research Center, Hampton, Va) *Applied Microbiology*, vol 30, Sept 1975, p 485-488

An automatic single-slide Gram staining device is described A timer actuated solenoid controls the dispensing of gentian violet, Gram iodine solution, decolorizer, and 1% aqueous safranin in proper sequence and for the time required for optimum staining The amount of stain or reagent delivered is controlled by means of stopcocks below each solenoid Used stains and reagents can be flushed automatically or manually Smears Gram stained automatically are equal in quality to those prepared manually The time to complete one Gram cycle is 4.80 min C K D

**A76-21784 \* Binocular summation and peripheral visual response time** K Gilliland (Northwestern University, Evanston, Ill) and R F Haines (NASA, Ames Research Center, Man-Machine Integration Branch, Moffett Field, Calif) *American Journal of Optometry and Physiological Optics*, Dec 1975 6 p 16 refs Grant No NGL-05-046-002

Six males were administered a peripheral visual response time test to the onset of brief small stimuli imaged in 10-deg arc separation intervals across the dark adapted horizontal retinal meridian under both binocular and monocular viewing conditions This was done in an attempt to verify the existence of peripheral binocular summation using a response time measure The results indicated that from 50-deg arc right to 50-deg arc left of the line of sight binocular summation is a reasonable explanation for the significantly faster binocular data The stimulus position by viewing eye interaction was also significant A discussion of these and other analyses is presented along with a review of related literature (Author)

**A76-21787 \* Suppression of plasma renin and plasma aldosterone during water immersion in normal man** M Epstein (U S Veterans Administration Hospital, Miami, Fla), D S Pines (Miami, University, Miami, Fla), J Sancho (Massachusetts General Hospital, Boston, Mass), and E Haber (Harvard University, Boston, Mass) *Journal of Clinical Endocrinology and Metabolism*, vol 41, Sept 1975, p 618-625 22 refs Research supported by the U S Veterans Administration, Grants No NGR-10-007-097, No NIH-RR-261, Contract No NAS9-11846

**A76-21788 \* The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves** A Niijima (NASA, Ames Research Center, Biotechnology Div, Moffett Field, Calif) *Journal of Physiology*, vol 251, 1975, p 231-243 15 refs

**A76-21792 \* Factors affecting the palmitoyl-coenzyme A desaturase of *Saccharomyces cerevisiae*** H P Klein and C M Volkman (NASA, Ames Research Center, Planetary Biology Div, Moffett Field, Calif) *Journal of Bacteriology*, vol 124, Nov 1975, p 718-723 26 refs

The activity and stability of the palmitoyl-coenzyme A (CoA) desaturase complex of *Saccharomyces cerevisiae* was influenced by several factors Cells, grown nonaerobically and then incubated with glucose, either in air or under N<sub>2</sub>, showed a marked increase in desaturase activity Cycloheximide, added during such incubations, prevented the increase in activity, suggesting de novo synthesis The stability of the desaturase from cells grown nonaerobically was affected by subsequent treatment of the cells, enzyme from freshly harvested cells, or from cells that were then shaken under nitrogen, readily lost activity upon washing or during density gradient analysis, whereas aerated cells, in the presence or absence of glucose, yielded stable enzyme preparations The loss of activity in nonaerobic preparations could be reversed by adding soluble supernatant from these homogenates and could be prevented by growing the cells in the presence of palmitoleic acid and ergosterol, but not with several other lipids tested (Author)

**A76-21836 # Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia** F Wyler (Children's Hospital, Basel, Switzerland) *Cardiology*, vol 60, no 3, 1975, p 163-172 31 refs Swiss National Science Foundation Grant No 3,570,71

The hemodynamic responses of various vascular beds in the systemic circulation to prolonged moderate hypoxia were studied in the rabbit using the radioactive microsphere method Although cardiac output remained unchanged, there was a redistribution of blood flow in which blood was mainly diverted from the kidneys to provide greater supply to heart, brain and skeletal muscle These regional adjustments are similar to those seen after low cardiac output due to hemorrhage or endotoxic shock (Author)

**A76-22226 # Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats** (Reaktsii neuronov retikuliarnogo i ventral'nogo perednego iader zritel'nogo bugra koshki na afferentnye razdrazheniya razlichnoi modal'nosti) M Ia Voloshin and V F Prokopenko (Akademii Nauk Ukrainskoj SSR, Institut Fiziologii, Kiev, Ukrainian SSR) *Neurofiziologija*, vol 7, no 6, 1975, p 563-571 21 refs In Russian

**A76-22227 # Transmission of excitation in the feline optic system** (O provedenii vozbuzhdenija v zritel'noi sisteme koshki) V M Shaban (Akademii Nauk Ukrainskoj SSR, Institut Fiziologii, Kiev, Ukrainian SSR) *Neurofiziologija*, vol 7, no 6, 1975, p 589-596 30 refs In Russian

The response of striate neurons of the visual cortex to stimulation of the lateral corpus geniculatum (LCG) and of the tractus opticus (TO) was investigated in unanesthetized, d-tubocurarine-immobilized cats Stimulation of the LCG evoked a response in 53.6% of the neurons studied, of which 92% were activated orthodromically with latencies ranging from 2 to 12.5 ms Most responses fell into one of three groups (2.0-2.5, 3.0-3.5, 4.0-4.5 ms), corresponding to three different components of the positive wave of the primary response An additional 8% of the cells was activated antidromically The difference in response latencies in stimulation of the TO and LCG was most frequently in the 0.5 to 1 ms range It is postulated that optic radiation fibers are of three different types, with transmission velocities of 28.5-16.6, 11.7-8.9, and 7.4-6.0 m/s The characteristics of afferent volleys formed in retino-geniculate paths apparently sustain no significant changes during processing in the LCG C K D

**A76-22247 \* Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga** J W Pardue, R S Scalan, C Van Baalen, and P L Parker (Texas University, Port Aransas, Tex) *Geochimica et Cosmochimica Acta*, vol 40, Mar 1976, p 309-312 28 refs Grant No NGR-44-012-225

**A76-22329 #** The use of mathematical logic and goal-oriented languages in the formation of robot plans (L'impiego della logica matematica e dei linguaggi orientati ad obiettivi nella formazione di piani per robot) P Corti, G Gini, M Gini (Milano, Politecnico, Milan, Italy), and E Pagello (CNR, Laboratorio di Elettronica Industriale, Padua, Italy) *Alta Frequenza*, vol 45, Jan 1976, p 35-45 23 refs In Italian

Formal logic and the creation of a computer-implemented goal-oriented language are applied to the design of an intelligent robot for manipulating objects. The aim of the design is to furnish the robot with an autonomous deductive capacity which would permit it to plan its actions in pursuing an object in a defined and delimited 'world'. The program for generating the robot plan or goal-oriented language would take account of the initial configurations of this 'world', of the laws valid in it and of the scope of encounter between robot and object

B J

**A76-22356 #** Utilisation of Spacelab for life-science experiments G Seibert (ESA, Directorate of Planning and Future Programmes, Neuilly-sur Seine, Hauts-de-Seine, France) *ESA Bulletin*, Feb 1976, p 68-70

Potential scientific objectives of Spacelab life-science experiments are related to an investigation of problems in the areas of biomedicine and biology, behavioral studies, and improvements concerning the technological systems required to insure man's well-being and productivity in space. The life-science experiments envisaged are considered, giving attention to studies of the vestibular function, human physiology and psychology experiments, animals experiments, investigations regarding the effects of hard radiation, and plant experiments

G R

**A76-22372** Perceptual illusion of rotation of three-dimensional objects R N Shepard and S A Judd (Stanford University, Stanford, Calif) (*American Psychological Association, Annual Meeting, Chicago, Ill, Aug 31, 1975*) *Science*, vol 191, Mar 5, 1976, p 952 954 12 refs NSF Grant No BMS-75-02806

Perspective views of the same three-dimensional object in two orientations, when presented in alternation, produced an illusion of rigid rotation. The minimum cycle duration required for the illusion increased linearly with the angular difference between the orientations and at the same slope for rotations in depth and in the picture plane.

(Author)

**Page intentionally left blank**

**Page intentionally left blank**

## STAR ENTRIES

**N76-16729** Saskatchewan Univ Saskatoon  
**PRODUCTION AND CHARACTERIZATION OF ENZYMES STABILIZED AS HUMIC ACID ANALOGUES** Ph D Thesis  
 Michael John Rowell 1974 178 p  
 Avail Univ Microfilms Order No 76-738

Mechanisms for the incorporation of enzymes into humic constituents and their stabilization in soil were studied using model systems Water-soluble (S-BQ) and water-insoluble (I-BQ) enzyme derivatives were produced by the reaction of p-benzoquinone and trypsin pronase papain subtilisin acid phosphatase carboxypeptidase A and urease Yield of derivative nitrogen content and the retention of activity varied depending upon the reaction pH amount of each constituent added type of complex and the specific enzyme involved Lyophilization reduced the activity of most enzyme derivatives Generally enzyme complexes were considerably more stable at high temperatures than the free enzyme Enzymic characteristics such as pH activity and stability temperature optimal and kinetic constants were often markedly different from those of the free enzyme Steric effects were also evident

Dissert Abstr

**N76-16730#** Joint Publications Research Service Arlington Va  
**SPACE BIOLOGY AND AEROSPACE MEDICINE, VOLUME 9, NO 5, 1975**

17 Dec 1975 159 p refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep Oct 1975 (JPRS-66404) Avail NTIS HC S6 75

The report contains articles concerning the selection and training of cosmonauts evaluation and analysis of accumulated data to facilitate the on-going transition from orbital to interplanetary flights research aimed at guaranteeing safety on long flights and reliability of the human component of the man-spacecraft system space psychology and physiology and environmental problems and control (spacecraft habitability effects of radiation and weightlessness etc)

**N76-16731** Joint Publications Research Service Arlington Va  
**OXYGEN EXCHANGE IN THE BODY ACCOMPANYING REPLACEMENT OF ATMOSPHERIC NITROGEN BY HELIUM**

G V Troshikhin L A Isaakyan and G G Bekirova *In its* Space Biol and Aerospace Med Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 13-20 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep -Oct 1975 p 10-14

Total gas exchange body temperature content of free oxygen in the quadriceps muscle and its changes upon oxygen inhalation of a known dosage (oxygen test) were measured using Wistar rats during their one-hour exposure to a helium-oxygen atmosphere (21%) at 25 C In this atmosphere the animals exhibited a 1.8 deg dropoff of body temperature a 20.5% increase in gas exchange and a 26% decrease in oxygen in muscle tissue in comparison with the corresponding parameters in the air After the experiment during the first 10-minute exposure to a normal atmosphere the oxygen tests were 10-15% lower than before the experiment These findings give evidence of an increase in oxygen exchange in the muscles of animals exposed to a helium-oxygen atmosphere at a temperature below a comfortable level

Author

**N76-16732** Joint Publications Research Service Arlington Va  
**RESTRUCTURING OF THE HUMAN TEMPERATURE RHYTHM AFTER INVERSION OF THE RHYTHM OF LIFE IN ISOLATION**

S I Stepanova and S P Kukishev *In its* Space Biol and Aerospace Med Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 57-69 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep -Oct 1975 p 35-44

The diurnal dynamics of body temperature of four male test subjects was studied before and after inversion of their sleep-wakefulness cycle in an isolation chamber One subject exhibited restructuring of the temperature rhythm in accordance with the new cycle which was completed by the 11th day of confined life The other test subjects exhibited only a partial adaptation of body temperature to the new sleep-wakefulness cycle during the 34-day experiment

Author

**N76-16733** Joint Publications Research Service Arlington Va  
**CORRELATION BETWEEN THE AUTONOMIC COMPONENTS OF THE ORIENTATION REACTION AND THE NATURE OF THE INFORMATION RECEIVED BY AN AIRMAN**

R I Brusnichkina *In its* Space Biol and Aerospace Med Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 78-85 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep -Oct 1975 p 49-54

The influence of the pattern of the information (certainty and significance) which reaches a pilot on the physiological parameters of his orientation reaction (skin-galvanic reflex heart rate electromyograph) was examined Two experimental series on a simulation stand and in real flight were carried out Collected data show that the pattern of the orientation reaction is related to the information certainty and significance The responses of physiological parameters to significant elements of the situation are shown to be phasic

Author

**N76-16734** Joint Publications Research Service Arlington Va  
**COLOR PERCEPTION AFTER INTENSIVE PHOTOSTIMULATION**

V I Shostak *In its* Space Biol and Aerospace Med Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 92-97 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep -Oct 1975 p 57-60

After a monocular effect of short-term intensive light stimulation (80 micro sec in duration with an illuminance of 1 600 candle/sec) which followed complete adaptation to the darkness test subjects exhibited color perception disorders These included a decrease in the acuity of color discrimination measured with the AN-59 anomaloscope and significant distortion of the subjective evaluation of different color stimuli The spectrum of an experimental intensive light effect was varied it was thus shown that color perception disorders were associated with a nonuniform decrease in the sensitivity of color perception systems The pattern and duration of these disturbances were dependent on the spectral composition and intensity of the light stimulus

Author

**N76-16735** Joint Publications Research Service Arlington Va  
**GAS EXCHANGE DURING HYPERCAPNIA UNDER CONDITIONS OF DIFFERENT OXYGEN CONTENT**

V P Zagryadskiy and Z K Sulimo-Samuylo *In its* Space Biol and Aerospace Med Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 98-105 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep -Oct 1975 p 61-65

During the slow development of a hypercapnic state aggravated by a lowered oxygen content in the breathing air the oxygen supply of the human body decreases noticeably This occurs at rest as well An increase in the oxygen content in the breathing air to 20-22% alleviates the adverse hypercapnic effect and therefore improves gas exchange parameters

Author

**N76-16736** Joint Publications Research Service Arlington Va  
**SENSORY AND MOTOR COMPONENTS OF EYE FIXATION**

**MOVEMENT DURING EXPOSURE TO ANGULAR ACCELERATIONS**

V I Babiyak *In its Space Biol and Aerospace Med* Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 106-113 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep-Oct 1975 p 66-70

The effect of angular accelerations on the eye fixation function and concomitant sensory reactions was investigated under special conditions An illusion of target distortion toward the rapid component of vestibular nystagmus developed in these situations Changes in eye fixation movements and sensation of target were coordinated and depended on the direction of the vestibular nystagmus The findings indicate that during an exposure to angular accelerations the stability of target perceptions is disturbed and objectively recorded errors of its fixation by the optic apparatus are made Author

**N76-16737 Joint Publications Research Service Arlington Va CHANGES IN THE INDUCED POTENTIAL IN MAN DURING ALTITUDE DECOMPRESSION**

A A Antonov *In its Space Biol and Aerospace Med* Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 114-121 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep-Oct 1975 p 71-75

In order to evaluate the functional state of the central nervous system during altitude decompression the method of recording the induced potential to a light stimulus was used Changes in the latent periods and energies of induced potential waves were noted during different decompression regimes It therefore was concluded that the functional state of the central nervous system changes before bends during bends it changes more significantly The response to a short-term effect of painless decompression and to painful symptoms of the disease is different Author

**N76-16738 Joint Publications Research Service Arlington Va INCREASING THE HEAT TOLERANCE OF THE HUMAN BODY BY MUSCLE CONDITIONING**

F T Agarkov and A S Pavlov *In its Space Biol and Aerospace Med* Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 122-129 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep-Oct 1975 p 75-80

Experiments carried out with 129 athletes (gymnasts weightlifters and boxers) and 153 nonathletes demonstrated that sports training considerably increases the general and specific physical performance and elevates by a factor of 2-2.5 human tolerance to thermal effects The relationship between the signs of physical fitness of athletes and the levels of their tolerance to heat was established The procedure for evaluating the thermal tolerance of man was developed together with a scale for its evaluation Author

**N76-16739 Joint Publications Research Service Arlington Va CHANGE IN HEMOGLOBIN MASS DURING PROLONGED HYPOKINESIA**

R K Kiselev R S Balakhovskiy and O A Virovets *In its Space Biol and Aerospace Med* Vol 9 No 5 1975 (JPRS-66404) 17 Dec 1975 p 130-136 refs Transl into ENGLISH from Kosm Biol Aviakosm Med (Moscow) v 9 no 5 Sep-Oct 1975 p 80-84

Total hemoglobin mass was measured by the carbon dioxide method in 33 test subjects 21 of whom were exposed to 30-day bedrest and six of whom were exposed to 100-day bedrest The hypokinetic test subjects exhibited a decrease in hemoglobin mass by 11-24% During readaptation the test subjects who had a noticeable reduction of homoglobin exhibited an increase in the reticulocyte count by a factor of 2.7 It is postulated that the decrease in gravity during bedrest and antiorthostatic hypokinesia results in a reduced rate of hemoglobin synthesis in the bone marrow Author

**N76-16740\*# Scientific Translation Service Santa Barbara Calif GEOTROPIC REACTION OF PLANTS**

A I Merkis Washington NASA Jan 1976 316 p refs

Transl into ENGLISH of the book Geotropicheskaya Reaktsiya Rasteniy Vilnius Mintis Press 1973 p 1-261  
(Contract NASW-2791)

(NASA-TT-F-16826) Avail NTIS HC \$9 75 CSCL 06C

Data on the physiology (auxins amino acids and other metabolites) of the geotropic reaction of plants is presented Systems of perception and fixation of the geotropic stimulus are examined as in the response phase of geotropic bending The text is a manual for a wide range of physiologists and specialists concerned with problems of gravitational effects in plants Crop lodging in wheat was specifically studied Author

**N76-16741\*# Scientific Translation Service Santa Barbara Calif SPACE-EARTH FORECASTS**

I P Druzhinin Washington NASA Dec 1975 302 p refs Transl into ENGLISH of the book Kosmos-Zemlya Prognozy Moscow Mysl Press 1974 p 1-288  
(Contract NASW-2791)

(NASA-TT-F-16375) Avail NTIS HC \$9 75 CSCL 08D

Concepts of the effect of space phenomena on terrestrial processes (in the U S S R) are presented Ways and methods of predicting the course of natural phenomena on the basis of cosmic data are examined Topics discussed include (1) economic benefits to the Soviet Union (2) weather forecasting (3) crop forecasting (4) solar activity effects on populations of plants and animals and (5) solar activity effects on human disease cycles Author

**N76-16742\*# Joint Publications Research Service Arlington Va MICROORGANISMS IN THE STRATOSPHERE**

A A Imshenetskiy S V Lysenko and G A Kazakov Washington NASA Feb 1976 7 p refs Transl into ENGLISH from Dokl Akad Nauk SSSR (USSR) v 224 no 1 1975 p 223-225  
(NASA Order W 13183)

(NASA-TT-F-16872) Avail NTIS HC \$3 50 CSCL 06C

Microbiological analyses of the stratosphere by meteorological rockets carrying sampling devices are reported Among colonies of microorganisms the microscopic fungi Circinella muscae Penicillium Aspergillus niger and Mycelia sterilia were found In addition a culture of microbacteria and micrococcus was detected that formed yellow-orange and white colonies on dense nutrient media G G

**N76-16744# Royal Aircraft Establishment Farnborough (England) VERTEBRAL FRACTURES IN PILOTS INVOLVED IN HELICOPTER ACCIDENTS**

P Italiano Sep 1975 21 p refs Transl into ENGLISH from Riv Med Aeronaut Spaz (Italy) v 29 no 4 1966 p 577-602  
(RAE-Lib-Trans-1854 BR49820) Avail NTIS HC \$3 50

After a survey of the most frequent causes of helicopter accidents vertebral fractures which occurred during some of the accidents were considered Vertebral fractures arising from helicopter accidents are located in the thoraco-lumbar junction They show peculiar radiological characteristics depending upon their pathogenesis In the cases considered this always occurred during a drop of several meters to the ground and was facilitated by the slightly forward tilted position assumed by the pilot The fatigue state of the pilot during flight was also considered and it was determined that vibration is of particular importance The following points are proposed to improve flight safety (1) helicopters designed to reduce vibration (2) seats which fit close to the pilot take into account his flying position and contain shock absorbers and (3) psycho physical tests to help determine an acceptable number of flying hours per day and a weekly rest period Author

**N76-16745\*# Texas Inst for Rehabilitation and Research Houston Biostereometrics Lab STEREOMETRIC BODY VOLUME MEASUREMENT Final Report**

R E Herron 1975 61 p refs

(Contract NAS9-11604)

(NASA-CR-147399) Avail NTIS HC \$4 50 CSCL 06P

The following studies are reported (1) effects of extended space flight on body form of Skylab astronauts using biostereometrics (2) comparison of body volume determinations using hydrostatic weighing and biostereometrics and (3) training of technicians in biostereometric principles and procedures Author

**N76-16746\***# Naval Aerospace Medical Research Lab Pensacola Fla  
**NUCLEAR EMULSION MEASUREMENTS OF THE ASTRONAUTS' RADIATION EXPOSURES ON SKYLAB MISSIONS 2, 3, AND 4**  
Hermann J Schaefer and Jeremiah J Sullivan 10 Dec 1975  
17 p refs  
(NASA Order T-43310-G)  
(NASA CR-147436 NAMRL-1220) Avail NTIS HCS3 50 CSCL 06R

On the Skylab missions Ilford G 5 and K 2 emulsions were flown as part of passive dosimeter packs carried by the astronauts on their wrists. Due to the long mission times latent image fading and track crowding imposed limitations on a quantitative track and grain count analysis. For Skylab 2 the complete proton energy spectrum was determined within reasonable error limits. A combined mission dose equivalent of 2,490 millirems from protons tissue stars and neutrons was measured on Skylab 2. A stationary emulsion stack kept in a film vault drawer on the same mission displayed a highly structured directional distribution of the fluence of low-energy protons (enders) reflecting the local shield distribution. On the 59 and 84-day mission 3 and 4 G 5 emulsions had to be cut on the microtome to 5-7 microns for microscopic examination. Even so the short track segments in such thin layers precluded a statistically reliable grain count analysis. However the K 2 emulsions still allowed accurate proton ender counts without special provisions

**N76-16747\***# Kanner (Leo) Associates Redwood City Calif  
**SOME ASPECTS OF THE PROBLEM OF PREDICTING MAN'S HEALTH DURING A SPACE FLIGHT**  
Yu M Svirzhev Washington NASA 12 Jan 1976 86 p refs  
Transl into ENGLISH of Conf paper from Acad of Sci of the USSR Moscow Presneted at the Sixth Conf of the Sov Am Working Group on Space Biol and Med 1975 p 1-78  
(Contract NASw-2790)  
(NASA-TT-F-16838) Avail NTIS HC \$5 00 CSCL 06S

The overall SISMEC prediction system and the goal of combining in it the advantages of expert prediction (knowledge and intuition of medical specialists) and mathematical prediction (rapid processing of much data and real time prediction) are described. Mathematical derivation and analysis of both purely mathematical and expert prediction models follows. Testing of numerous models against Soyuz Salyut and Skylab data on cosmonaut physiological functions is presented in detail. Tolerance of LBNP is found to be predicted best from soft partial LBNP tests and further tests of some models are found necessary. Guidelines for joint Soviet-American development of the system are given

**N76-16748\***# California Univ Berkeley White Mountain Research Station  
**IN VIVO MEASUREMENT OF HUMAN BODY COMPOSITION** Semiannual Status Report, 1 Jan - 30 Jun 1975  
Nello Pace Benjamin W Grunbaum Arthur M Kodama and David C Price 30 Jun 1975 67 p  
(Grant NGR-05-003-470)  
(NASA-CR-146223 SASR-6) Avail NTIS HC \$4 50 CSCL 06B

Physiological changes in human beings were studied during a 21 day bed rest regime. Results of blood analyses indicated clearly that major metabolic adjustments occurred during prolonged bed rest. However urinary metabolic analyses showed variances attributed to specimen collection inaccuracies and the small number of test subjects

**N76-16749\***# Old Dominion Univ Research Foundation Norfolk Va  
**DEVELOPMENT OF A DOSIMETER FOR DISTRIBUTED**

**BODY ORGANS Progress Report, 31 May - 30 Nov 1975**  
Govind S Khandelwal (Old Dominion Univ) 26 Jan 1976  
35 p refs  
(Grant NsG-1055)

(NASA-CR-146225) Avail NTIS HC \$4 00 CSCL 06R

Calculational methods for estimation of dose from external proton exposure of arbitrary convex bodies is briefly reviewed and all of the necessary information for the estimation of dose in soft tissue is presented. Special emphasis is on retaining the effects of nuclear reaction especially in relation to the dose equivalent

Author

**N76-16750\***# Joint Publications Research Service Arlington Va

**PSYCHOLOGICAL PROBLEMS OF INTERPLANETARY FLIGHT**

A A Leonov and V I Lebedev Washington NASA Oct 1975 238 p refs Transl into ENGLISH of the book Psichologicheskiye Problemy Mezoplanetnogo Poleta Moscow Izd Nauka 1975 p 4-248  
(NASA Order W-13183-197)

(NASA TT-F-16536) Avail NTIS HC \$8 00 CSCL 16S

Psychological compatibility among crew members of an interplanetary ship is examined under the conditions of group isolation the extended effect of weightlessness on human mental processes the effect of sensory and information starvation on the appearance of unusual mental states, emotional stress and the rhythm of working and rest

Author

**N76-16751\***# Organon Diagnostics El Monte Calif  
**MEMS REAGENT AND SAMPLE HANDLING PROCEDURE FEASIBILITY OF VIRAL ANTIBODY DETECTION BY PASSIVE IMMUNE AGGLUTINATION Final Report, Jan - Sep 1975**

G D Bailey and H J Tenoso 1 Dec 1975 81 p refs  
(Contract NAS9-13672)

(NASA-CR-147398 Rept-115 F) Avail NTIS HC \$5 00 CSCL 06E

An attempt was made to develop a test requiring no preadsorption steps for the assessment of antibodies to rubella and mumps viruses using the passive immune agglutination (PIA) method. Both rubella and mumps antigens and antibodies were prepared. Direct PIA tests using rubella antigen-coated beads and indirect PIA tests using rubella antibody-coated beads were investigated. Attempts using either method were unsuccessful. Serum interference along with nonspecific agglutination of beads by the rubella antigen resulted in no specific response under the test conditions investigated. A new highly sensitive approach the enzyme immunoassay (EIA) test system is recommended to overcome the nonspecificity. This system is a logical outgrowth of some of the solid phase work done on MEMS and represents the next generation tests system that can be directly applied to early disease detection and monitoring

Author

**N76-16752\***# Interuniversitair Reactor Instituut Delft (Netherlands)

**MEASUREMENTS OF THE DOSAGE RESULTING FROM BACKGROUND RADIATION IN BUILDINGS WITH A Ge(Li) DETECTOR [METINGEN MET EEN Ge(Li)-DETECTOR VAN DE DOSIS TENGEVOLGE VAN ACHTERGRONDSTRALING IN GEBOUWEN]**

J A Akkermans and C Roodbergen [1974] 30 p refs In DUTCH  
(IRI-190-74-03) Avail NTIS HC \$4 00

A method was developed by which the dosage rate of all gamma radiation of a nuclide can be determined from the gamma spectrum measured with a Ge(Li) semiconductor detector or an NaJ(Tl) scintillation counter. The total dosage rate of a nuclide including possible daughter products was calculated from the surface of one photopeak in the gamma spectrum of the nuclide. This is based on calculated values for the percentage contribution of one gamma transition to the total dosage rate as a result of all gamma radiation emitted by the nuclide. A number of measurements were carried out with a Ge(Li) detector at various locations within a building. Individual contributions to the dosage

rate of 40K 226 Ra and 232 Th were calculated The dosage rate in rooms with concrete walls is about three times as high as in rooms with wooden walls Author (ESA)

**N76-16753# Interuniversitair Reactor Instituut Delft (Netherlands)**

**CONDENSATION OF WATER ON DRY SALT CRYSTALS  
DESCRIPTION OF THE COMPUTER PROGRAM**

G A Ferron 16 Sep 1975 21 p refs  
(IRI-190-75-04) Avail NTIS HC \$3 50

A computer program for simulating the condensation of water vapor on dry salt crystals after entering the human respiratory system is described The calculations are based on the quasi-stationary transport equations for mass and heat transfer Both equations are corrected for the mean free path of the air molecules with the method described by Fuchs Furthermore the vapor pressure at the particle surface is corrected for salt dissolved in the particle liquid and the curvature of the particle surface The calculations were carried out using an iteration process at each step the mass of the particle increases with a part f of the mass of the particle then the new quantities of the particles are calculated Author (ESA)

**N76-16754# National Aeronautics and Space Administration Langley Research Center Langley Station Va  
THE 1975 RIDE QUALITY SYMPOSIUM**

Washington Nov 1975 648 p refs Symp held at Williamsburg Va 11-12 Aug 1975 sponsored by NASA and DOT  
(NASA-TM-X-3295 DOT-TSC-OST-75-40 L-10448) Avail NTIS HC \$16 25 CSCL 05H

A compilation is presented of papers reported at the 1975 Ride Quality Symposium held in Williamsburg Virginia August 11-12 1975 The symposium jointly sponsored by NASA and the United States Department of Transportation was held to provide a forum for determining the current state of the art relative to the technology base of ride quality information applicable to current and proposed transportation systems Emphasis focused on passenger reactions to ride environment and on implications of these reactions to the design and operation of air land and water transportation systems acceptable to the traveling public Papers are grouped in the following five categories needs and uses for ride quality technology vehicle environments and dynamics investigative approaches and testing procedures experimental ride quality studies and ride quality modeling and criteria

**N76-16755\* Boeing Co Wichita Kans  
REVIEW OF RIDE QUALITY TECHNOLOGY NEEDS OF INDUSTRY AND USER GROUPS**

J R McKenzie and Stanley H Brumaghim In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 5-30 refs  
(Contract NAS1-13908)  
CSCL 05H

A broad survey of ride quality technology state-of-the-art and a review of user evaluation of this technology were conducted During the study 17 users of ride quality technology in 10 organizations representing land marine and air passenger transportation modes were interviewed Interim results and conclusions of this effort are reported Author

**N76-16756\* Mitre Corp Bedford Mass  
RIDE QUALITY CRITERIA AND THE DESIGN PROCESS**  
R J Ravera In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 31-43 refs

CSCL 05H

Conceptual designs for advanced ground transportation systems often hinge on obtaining acceptable vehicle ride quality while attempting to keep the total guideway cost (initial and subsequent maintenance) as low as possible Two ride quality standards used extensively in work sponsored by the US Department of Transportation (DOT) are the DOT-Urban Tracked Air Cushion Vehicle (UTACV) standard and the International Standards Organization (ISO) reduced ride comfort criteria These

standards are reviewed and some of the deficiencies which become apparent when trying to apply them in practice are noted Through the use of a digital simulation the impact of each of these standards on an example design process is examined It is shown that meeting the ISO specification for the particular vehicle/guideway case investigated is easier than meeting the UTACV standard Author

**N76-16757\* Virginia Univ Charlottesville**

**APPLICATION OF RIDE QUALITY TECHNOLOGY TO PREDICT RIDE SATISFACTION FOR COMMUTER-TYPE AIRCRAFT**

Ira D Jacobson A R Kuhlthau and L G Richards In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 45-64 refs  
CSCL 05H

A method was developed to predict passenger satisfaction with the ride environment of a transportation vehicle This method a general approach was applied to a commuter-type aircraft for illustrative purposes The effect of terrain altitude and seat location were examined The method predicts the variation in passengers satisfied for any set of flight conditions In addition several noncommuter aircraft were analyzed for comparison and other uses of the model described The method has advantages for design evaluation and operating decisions Author

**N76-16758\* National Aeronautics and Space Administration Langley Research Center Langley Station Va**

**REVIEW OF MEASURED VIBRATION AND NOISE ENVIRONMENTS EXPERIENCED BY PASSENGERS IN AIRCRAFT AND IN GROUND TRANSPORTATION SYSTEMS**  
David G Stephens In its The 1975 Ride Quality Symp Nov 1975 p 65-85 refs  
CSCL 05H

Measured vibration and interior noise data are presented for a number of air and surface vehicles Consideration is given to the importance of direction effects of vehicle operations such as take-off cruise and landing and of measurement location on the level and frequency of the measurements Various physical measurement units or descriptors are used to quantify and compare the data Results suggest the range of vibration and noise associated with a particular mode of transportation and illustrate the comparative levels in terms of each of the descriptors Collectively the results form a data base which may be useful in assessing the ride of existing or future systems relative to vehicles in current operation Author

**N76-16759\* National Aeronautics and Space Administration Langley Research Center Langley Station Va**

**NONMOTION FACTORS WHICH CAN AFFECT RIDE QUALITY**  
D William Conner In its The 1975 Ride Quality Symp Nov 1975 p 87-96 refs  
CSCL 05H

A data pertaining to nonmotion factors affecting ride quality of transport aircraft were obtained as part of NASA in-house and sponsored research studies carried out onboard commuter-airline and research aircraft From these data quantitative effects on passenger discomfort of seat width seat legroom change in cabin pressure and cabin noise are presented Visual cue effects are also discussed Author

**N76-16760\* National Aeronautics and Space Administration Langley Research Center Langley Station Va**

**VEHICLE FOR CIVIL HELICOPTER RIDE QUALITY RESEARCH**

William J Snyder and Ronald G Schlegel (Sikorsky Aircraft) In its The 1975 Ride Quality Symp Nov 1975 p 97-116 refs

CSCL 05H

A research aircraft for investigating the factors involved in civil helicopter operations was developed for NASA Langley Research Center The aircraft is a reconfigured 17000 kg (36000 lb) military transport helicopter The basic aircraft was reconfigured with advanced acoustic treatment air-conditioning

and a 16-seat airline cabin. During the spring of 1975 the aircraft was flight tested to measure interior environment characteristics - noise and vibration - and was flown on 60 subjective flight missions with over 600 different subjects. Data flights established noise levels somewhat higher than expected with a pure tone at 1400 Hz and vertical vibration levels between 0.07g and 0.17g. The noise and vibration levels were documented during subjective flight evaluations as being the primary source of discomfort. The aircraft will be utilized to document in detail the impact of various noise and vibration levels on passenger comfort during typical short-haul missions.

Author

**N76-16761\*** Boeing Vertol Co Philadelphia Pa  
**COMPUTER ANALYSIS OF RAILCAR VIBRATIONS**  
 Robert R Vlaminck *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 117-140*

CSCL 05H

Computer models and techniques for calculating railcar vibrations are discussed along with criteria for vehicle ride optimization. The effect on vibration of car body structural dynamics, suspension system parameters, vehicle geometry and wheel and rail excitation are presented. Ride quality vibration data collected on the state-of-the-art car and standard light rail vehicle is compared to computer predictions. The results show that computer analysis of the vehicle can be performed for relatively low cost in short periods of time. The analysis permits optimization of the design as it progresses and minimizes the possibility of excessive vibration on production vehicles.

Author

**N76-16762\*** Federal Railroad Administration Washington DC  
**INTERCITY RAIL-PASSENGER CAR RIDE QUALITY TEST PROGRAM**

Richard L Scharr and Raymond P Owings (ENSCO Inc) *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 141-158*

CSCL 05H

The Federal Railroad Administration's research and development program relating to intercity rail-passenger ride quality focuses on developing ride quality design criteria and specifications. The FRA ride quality test program and some of the techniques being used to analyze and evaluate the design criteria of the program are discussed.

Author

**N76-16763\*** Princeton Univ NJ  
**THE PITCH-HEAVE DYNAMICS OF TRANSPORTATION VEHICLES**

L M Sweet and H H Richardson (MIT Cambridge) *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 159-179 refs*

CSCL 05H

The analysis and design of suspensions for vehicles of finite length using pitch-heave models is presented. Dynamic models for the finite length vehicle include the spatial distribution of the guideway input disturbance over the vehicle length as well as both pitch and heave degrees-of-freedom. Analytical results relate the vehicle front and rear accelerations to the pitch and heave natural frequencies which are functions of vehicle suspension geometry and mass distribution. The effects of vehicle asymmetry and suspension contact area are evaluated. Design guidelines are presented for the modification of vehicle and suspension parameters to meet alternative ride quality criteria.

Author

**N76-16764\*** National Aeronautics and Space Administration Langley Research Center Langley Station Va  
**AN APPROACH TO HIGH SPEED SHIP RIDE QUALITY SIMULATION**

W L Malone (Naval Sea Systems Command) and J M Vickery (Royal Navy) *In its The 1975 Ride Quality Symp Nov 1975 p 181-215 refs*

CSCL 05H

The high speeds attained by certain advanced surface ships result in a spectrum of motion which is higher in frequency than that of conventional ships. This fact along with the inclusion

of advanced ride control features in the design of these ships resulted in an increased awareness of the need for ride criteria. Such criteria can be developed using data from actual ship operations in varied sea states or from clinical laboratory experiments. A third approach is to simulate ship conditions using measured or calculated ship motion data. Recent simulations have used data derived from a math model of Surface Effect Ship (SES) motion. The model in turn is based on equations of motion which have been refined with data from scale models and SES of up to 101,600-kg (100-ton) displacement. Employment of broad band motion emphasizes the use of the simulators as a design tool to evaluate a given ship configuration in several operational situations and also serves to provide data as to the overall effect of a given motion on crew performance and physiological status.

Author

**N76-16765\*** National Aeronautics and Space Administration Langley Research Center Langley Station Va  
**EVALUATION OF RIDE QUALITY MEASUREMENT PROCEDURES BY SUBJECTIVE EXPERIMENTS USING SIMULATORS**

Louis T Klauder Jr (Klauder (Louis T) and Assoc) and Sherman A Clevenson *In its The 1975 Ride Quality Symp Nov 1975 p 217-265 refs*

CSCL 05H

Since ride quality is by definition a matter of passenger response there is need for a qualification procedure (QP) for establishing the degree to which any particular ride quality measurement procedure (RQMP) does correlate with passenger responses. Once established such a QP will provide very useful guidance for optimal adjustment of the various parameters which any given RQMP contains. A QP is proposed based on use of a ride motion simulator and on test subject responses to recordings of actual vehicle motions. Test subject responses are used to determine simulator gain settings for the individual recordings such as to make all of the simulated rides equally uncomfortable to the test subjects. Simulator platform accelerations vs time are recorded with each ride at its equal discomfort gain setting. The equal discomfort platform acceleration recordings are then digitized.

Author

**N76-16766\*** University Coll of Swansea (Wales) Dept of Mechanical Engineering  
**TECHNIQUES FOR OBTAINING SUBJECTIVE RESPONSE TO VERTICAL VIBRATION**

Michael J Clarke and David J Oborne *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 267-286 refs*

CSCL 05H

Laboratory experiments were performed to validate the techniques used for obtaining ratings in the field surveys carried out by the University College of Swansea. In addition attempts were made to evaluate the basic form of the human response to vibration. Some of the results obtained by different methods are described.

Author

**N76-16767\*** Hampton Inst Va  
**DEMOGRAPHIC AND PSYCHOLOGICAL VARIABLES AFFECTING TEST SUBJECT EVALUATIONS OF RIDE QUALITY**

Nancy C Duncan and Harold W Conley *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 287-321 refs*

CSCL 05H

Ride-quality experiments similar in objectives, design and procedure were conducted one using the U.S. Air Force Total In-Flight Simulator and the other using the Langley Passenger Ride Quality Apparatus to provide the motion environments. Large samples (80 or more per experiment) of test subjects were recruited from the Tidewater, Virginia area and asked to rate the comfort (on a 7-point scale) of random aircraft motion typical of that encountered during STOL flights. Test subject characteristics of age, sex, and previous flying history (number of previous airplane flights) were studied in a two by three by three factorial design. Correlations were computed between one dependent measure, the subject's mean comfort rating, and various

demographic characteristics attitudinal variables and the scores on Spielberger's State-Trait Anxiety Inventory An effect of sex was found in one of the studies Males made higher (more uncomfortable) ratings of the ride than females Age and number of previous flights were not significantly related to comfort ratings No significant interactions between the variables of age sex or previous number of flights were observed Author

**N76-16768\*** Birmingham Univ (England) Dept of Mechanical Engineering

**HUMAN COMFORT IN RELATION TO SINUSOIDAL VIBRATION**

B Jones and B K N Rao /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 323-351 refs

CSCL 05H

An investigation was made to assess the overall subjective comfort levels to sinusoidal excitations over the range 1 to 19 Hz using a two axis electrohydraulic vibration simulator Exposure durations of 16 minutes 25 minutes 1 hour and 2.5 hours have been considered Subjects were not exposed over such durations but were instructed to estimate the overall comfort levels preferred had they been constantly subjected to vibration over such durations Author

**N76-16769\*** Old Dominion Univ Norfolk Va

**EFFECT OF VIBRATION IN COMBINED AXES ON SUBJECTIVE EVALUATION OF RIDE QUALITY**

Raymond H Kirby Glynn D Coates (NASA Langley Res Center Langley Station Va) Peter J Mikulka Thomas K Dempsey and Jack D Leatherwood /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 355-371 refs

CSCL 05H

The effects of simultaneous sinusoidal vibration in the vertical and lateral axes on ratings of discomfort were investigated The first experiment concentrated on the effects of variation of frequency in the two axes and the second study concentrated on the effects of amplitude variation in the two axes Author

**N76-16770\*** National Aeronautics and Space Administration Flight Research Center Edwards Calif

**PASSENGER RIDE QUALITY RESPONSE TO AN AIRBORNE SIMULATOR ENVIRONMENT**

T D Wolf T W Rezek and S W Gee /n its The 1975 Ride Quality Symp Nov 1975 p 373-385 refs

CSCL 05H

The present study was done aboard a special aircraft able to effect translations through the center of gravity with a minimum of pitch and roll The aircraft was driven through controlled motions by an on-board analog computer The input signal was selectively filtered Gaussian noise whose power spectra approximated that of natural turbulence This input combined with the maneuvering capabilities of this aircraft resulted in an extremely realistic simulation of turbulent flight The test flights also included varying bank angles during turns Subjects were chosen from among NASA Flight Research Center personnel They were all volunteers were given physical examinations and were queried about their attitudes toward flying before final selection In profile they were representative of the general flying public Data from this study include (1) a basis for comparison with previous commercial flights that is motion dominated by vertical acceleration (2) extension to motion dominated by lateral acceleration and (3) evaluation of various bank angles Author

**N76-16771\*** National Aeronautics and Space Administration Langley Research Center Langley Station Va

**RIDE QUALITY OF TERMINAL-AREA FLIGHT MANEUVERS**

W Elliott Schoonover Jr /n its The 1975 Ride Quality Symp Nov 1975 p 387-408 refs

CSCL 05H

Complex terminal-area flight maneuvers being considered for airline operations may not be acceptable to passengers To provide

technology in this area a series of flight experiments was conducted by NASA using the U S Air Force Total In-Flight Simulator (TIFS) aircraft to obtain subjective responses of a significant number of passenger test subjects to closely controlled and repeatable flight maneuvers Regression analysis of the data produced a mathematical model which closely predicts mean passenger ride-comfort rating as a function of the rms six-degree-of-freedom aircraft motions during the maneuver This ride-comfort model was exercised to examine various synthesized flight maneuvers Author

**N76-16772\*** Virginia Univ Charlottesville

**PASSENGER RIDE QUALITY DETERMINED FROM COMMERCIAL AIRLINE FLIGHTS**

L G Richards A R Kuhlthau and I D Jacobson /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 409-436 refs

CSCL 05H

The University of Virginia ride-quality research program is reviewed Data from two flight programs involving seven types of aircraft are considered in detail An apparatus for measuring physical variations in the flight environment and recording the subjective reactions of test subjects is described Models are presented for predicting the comfort response of test subjects from the physical data and predicting the overall comfort reaction of test subjects from their moment by moment responses The correspondence of mean passenger comfort judgments and test subject response is shown Finally the models of comfort response based on data from the 5-point and 7-point comfort scales are shown to correspond Author

**N76-16773\*** University Coll of Swansea (Wales)

**REACTION OF PASSENGERS TO PUBLIC SERVICE VEHICLE RIDE**

Michael J Clarke and David J Oborne /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 437-470 refs

CSCL 05H

A series of questionnaire studies is described which was carried out on passengers in public service vehicles in the United Kingdom particularly cross-channel hovercraft helicopter and train The effectiveness of the different rating techniques employed is examined and it is demonstrated that useful and reliable information can be obtained on the effects of such physical parameters as vibration vehicle motion and noise using rating methods which involve no external standards Some results obtained from analysis of the survey returns are presented Author

**N76-16774\*** Southampton Univ (England) Institute of Sound and Vibration Research

**A REVIEW OF RIDE COMFORT STUDIES IN THE UNITED KINGDOM**

Michael J Griffin /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 471-499 refs

CSCL 05H

United Kingdom research which is relevant to the assessment of vehicle ride comfort was reviewed The findings reported in approximately 80 research papers are outlined and an index to the areas of application of these studies is provided The data obtained by different research groups are compared and it is concluded that while there are some areas of general agreement the findings obtained from previous United Kingdom research are insufficient to define a general purpose ride comfort evaluation procedure The degree to which United Kingdom research supports the vibration evaluation procedure defined in the current International Standard on the evaluation of human exposure to whole-body vibration is discussed Author

**N76-16775\*** Royal Aircraft Establishment Farnborough (England) Human Engineering Div

**RIDE QUALITY AND INTERNATIONAL STANDARD ISO 2631 (GUIDE FOR THE EVALUATION OF HUMAN EXPOSURE TO WHOLE-BODY VIBRATION)**

Geoff R Allen /n NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 501-530 refs

## CSCL 05H

The evolution of the standard which is aimed at promoting research and production of more data and providing some design guidance is outlined and its contents summarized. Some of the assumptions and information on which it is based are analyzed. Its application to vehicle ride quality is considered in the context of the safety efficiency and comfort of crew and passengers. The importance of establishing the precise criteria against which vibration limits are required is underlined particularly the difficulties of first defining comfort and then postulating appropriate levels. Some current and future work related to improving the standard is outlined and additional suggestions offered. Author

**N76-16776\*** Janeway Engineering Co Detroit Mich  
**ANALYSIS OF PROPOSED CRITERIA FOR HUMAN RESPONSE TO VIBRATION**  
 R N Janeway *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 531-563 refs*

## CSCL 05H

The development of criteria for human vibration response is reviewed including the evolution of the ISO standard 2631. The document is analyzed to show why its application to vehicle ride evaluation is strongly opposed. Alternative vertical horizontal limits for comfort are recommended in the ground vehicle ride frequency range above 1 Hz. These values are derived by correlating the absorbed power findings of Pradko and Lee with other established criteria. Special emphasis is placed on working limits in the frequency range of 1 to 10 Hz since this is the most significant area in ground vehicle ride evaluation. Author

**N76-16777\*** Aerospace Medical Research Labs Wright-Patterson AFB Ohio Biodynamics and Bionics Div  
**THE ISO STANDARD GUIDE FOR THE EVALUATION OF HUMAN EXPOSURE TO WHOLE-BODY VIBRATION**  
 H E VonGierke *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 565-580 refs*

## CSCL 05H

The international guideline is discussed in terms of safety and human tolerance. Charts for equal subjective vibration intensity subjective judgement of equal fatigue and severe discomfort boundaries are included F O S

**N76-16778\*** Texas Univ Austin  
**AUTOMOBILE RIDE QUALITY EXPERIMENTS CORRELATED TO ISO-WEIGHTED CRITERIA**  
 A J Healey R K Young and C C Smith *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 581-600 refs*

## CSCL 05H

As part of an overall study to evaluate the usefulness of ride quality criteria for the design of improved ground transportation systems an experiment was conducted involving subjective and objective measurement of ride vibrations found in an automobile riding over roadways of various roughness. Correlation of the results led to some very significant relationships between passenger rating and ride accelerations. The latter were collapsed using a frequency-weighted root mean square measure of the random vibration. The results suggest the form of a design criterion giving the relationship between ride vibration and acceptable automobile ride quality. Further the ride criterion is expressed in terms that relate to rides with which most people are familiar. The design of the experiment the ride vibration data acquisition the concept of frequency weighting and the correlations found between subjective and objective measurements are presented. Author

**N76-16779\*** National Aeronautics and Space Administration Langley Research Center Langley Station Va  
**VIBRATION SIMULATOR STUDIES FOR THE DEVELOPMENT OF PASSENGER RIDE COMFORT CRITERIA**  
 Thomas K Dempsey and Jack D Leatherwood *In its The 1975 Ride quality Symp Nov 1975 p 601-614 refs*

## CSCL 05H

A test program to determine the total discomfort associated with vehicle vibration is described. The program utilizes a three-degree-of-freedom vibration simulator to determine the effects of multifrequency and multiaxis vibration inputs. The approach to multifrequency vibration includes a separate consideration of the discomfort associated with each frequency component or band of the total spectrum and a subsequent empirical weighting of the discomfort components of these frequency bands when in various random combinations. The results are in the form of equal discomfort curves that specify the discomfort associated with discrete frequencies between 1 and 30 Hz and different acceleration levels. These results provide detailed information of the human discomfort response to increases in acceleration level for each frequency investigated. More importantly the results provide a method for adding the discomfort associated with separate frequencies to give a total typification of the discomfort of a random spectrum of vibration. Author

**N76-16780\*** Virginia Univ Charlottesville  
**SIMULATOR STUDIES AND PSYCHOPHYSICAL RIDE COMFORT MODELS**  
 Ralph W Stone Jr *In NASA Langley Res Center The 1975 Ride Quality Symp Nov 1975 p 615-644 refs*

## CSCL 05H

An elementary psychophysical model to predict ride comfort was developed using flight and simulator data where subjects were exposed to six degrees of freedom. The model presumes that the comfort response is proportional to the logarithm of the stimulus above some threshold stimulus. In order to verify this concept of comfort modeling it was necessary to obtain ride comfort data for single degree of freedom random motions and for combinations of random motions. Accordingly a simulator program was performed at the NASA Langley Research Center to measure subjective comfort response ratings using one degree of freedom two degrees of freedom three degrees of freedom and six degrees of freedom. An analysis of the single degree of freedom and two degrees of freedom data is presented. Preliminary models of ride comfort response for single degree of freedom random motions and for certain combinations of two degrees of freedom random motions were developed. Author

**N76-16781#** Scientific Translation Service Santa Barbara Calif  
**ATTEMPT TO UNDERSTAND ABSTRACTION**  
 O Kuelpe Washington NASA Dec 1975 14 p Transl into ENGLISH from Ber ueber den Kong fuer Experimentelle Psychol (West Ger) v 18 no 21 1904 p 56-68  
 (Contract NASw-2791)  
 (NASA-TT-F-16816) Avail NTIS HC \$3 50 CSCL 05E

A description is given of an experiment performed in 1900 to investigate the process of abstraction for optical objects exposed for a short time. The experimental procedure is discussed and the experiment results are analyzed. Author

**N76-16782#** North Carolina State Univ Raleigh  
**INDIVIDUAL DIFFERENCES IN HUMAN ANNOYANCE RESPONSE TO NOISE**  
 Richard G Pearson Franklin D Hart and John F OBrien [1976] 63 p refs  
 (Grant NGR-34-002-055)  
 (NASA-CR-144921) Avail NTIS HC \$4 50 CSCL 05E

One hundred sixty-six male and female adult subjects varying in age occupation educational level race and area of residence were exposed to and rated on the annoyance of six types of aviation and industrial noise stimuli in a simulated living room environment. Mean annoyance ratings to the noise stimuli varied considerably despite the fact that the stimuli levels in the test room were equated at the same peak sound pressure level 82 db. A considerable significant range of variation in annoyance ratings was noted across subjects. Factor analysis of the personality-attitude data resulted in identification of several useful factors for multiple regression prediction of annoyance e.g. noise sensitivity anti-aviation noise-health interference with routine

phobic imperturbable and complainer The results suggest that a generalized sensitivity to noise is a major determinant of the annoyance response  
Author

**N76-16783# California Univ La Jolla Dept of Neurosciences**

**THE AUDITORY NEURAL NETWORK IN MAN**

Robert Galambos [1975] 23 p refs  
(Grants NGR-05-009-198 NS-10482)  
(NASA-CR-146357) Avail NTIS HC \$3 50 CSCL 05E

The principles of anatomy and physiology necessary for understanding brain wave recordings made from the scalp are briefly discussed Brain waves evoked by sounds are then described and certain of their features are related to the physical aspects of the stimulus and the psychological state of the listener It is proposed that data obtained through probes located outside the head can reveal a large amount of detail about brain activity It is argued that analysis of such records enables one to detect the response of the nervous system to an acoustic message at the moment of its inception at the ear and to follow the progress of the acoustic message up through the various brain levels as progressively more complex operations are performed upon it Even those brain events responsible for the highest level of signal processing - distinguishing between similar signals and making decisions about them - seem to generate characteristic and identifiable electrical waves  
Author

**N76-16784# California Univ La Jolla  
SELECTIVE ATTENTION AND THE AUDITORY VERTEX  
POTENTIAL 1 EFFECTS OF STIMULUS DELIVERY  
RATE**

Vincent L Schwent Steven A Hillyard and Robert Galambos [1975] 30 p refs  
(Grants NGR-05-009-198 MH-25544-01)  
(NASA-CR-146390) Avail NTIS HC \$4 00 CSCL 05E

Enhancement of the auditory vertex potentials with selective attention to dichotically presented tone pips was found to be critically sensitive to the range of inter-stimulus intervals in use Only at the shortest intervals was a clear-cut enhancement of the latency component to stimuli observed for the attended ear  
Author

**N76-16785# California Univ La Jolla Dept of Neurosciences**

**ELECTROPHYSIOLOGICAL MEASUREMENT OF HUMAN  
AUDITORY FUNCTION**

Robert Galambos [1975] 27 p refs Sponsored by NASA and NIH  
(NASA-CR-146387) Avail NTIS HC \$4 00 CSCL 05E

Contingent negative variations in the presence and amplitudes of brain potentials evoked by sound are considered Evidence is produced that the evoked brain stem response to auditory stimuli is clearly related to brain events associated with cognitive processing of acoustic signals since their properties depend upon where the listener directs his attention whether the signal is an expected event or a surprise and when sound that is listened-for is heard at last  
GG

**N76-16786# California Univ La Jolla Dept of Neurosciences**

**SELECTIVE ATTENTION AND THE AUDITORY VERTEX  
POTENTIAL 2 EFFECTS OF SIGNAL INTENSITY AND  
MASKING NOISE**

Vincent L Schwent Steven A Hillyard and Robert Galambos [1975] 23 p refs Sponsored in part by NSF  
(Grants NGR-05-009-198 MH-25594-01)  
(NASA-CR-146389) Avail NTIS HC \$3 50 CSCL 05E

A randomized sequence of tone bursts was delivered to subjects at short inter-stimulus intervals with the tones originating from one of three spatially and frequency specific channels The subject's task was to count the tones in one of the three channels at a time ignoring the other two and press a button after each tenth tone In different conditions tones were given at high and low intensities and with or without a background white noise to mask the tones The N sub 1 component of the auditory vertex potential was found to be larger in response to attended

channel tones in relation to unattended tones This selective enhancement of N sub 1 was minimal for loud tones presented without noise and increased markedly for the lower tone intensity and in noise added conditions  
Author

**N76-16787# California Univ La Jolla Dept of Neurosciences**

**BRAINSTEM AUDITORY EVOKED RESPONSES IN MAN  
1 EFFECT OF STIMULUS RISE-FALL TIME AND DURATION**

Kurt Hecox Nancy Squires and Robert Galambos [1975] 32 p refs  
(Grants NGR-05-009-198 NS-10482-01)  
(NASA-CR-146391) Avail NTIS HC \$4 00 CSCL 05E

Short latency (under 10 msec) evoked responses elicited by bursts of white noise were recorded from the scalp of human subjects Response alterations produced by changes in the noise burst duration (on-time) inter-burst interval (off-time) and onset and offset shapes are reported and evaluated The latency of the most prominent response component wave V was markedly delayed with increases in stimulus rise-time but was unaffected by changes in fall-time The amplitude of wave V was insensitive to changes in signal rise-and-fall times while increasing signal on-time produced smaller amplitude responses only for sufficiently short off-times It is concluded that wave V of the human auditory brainstem evoked response is solely an onset response  
Author

**N76-16788# Columbia Univ Franklin Square NY  
SPECIAL ANALYSIS OF COMMUNITY ANNOYANCE WITH  
AIRCRAFT NOISE REPORTED BY RESIDENTS IN THE  
VICINITY OF JFK AIRPORT, 1972**

Paul N Borsky Sep 1975 85 p refs  
(Contract NAS1-13663)  
(NASA-CR-132678) Avail NTIS HC \$5 00 CSCL 05E

During the summer of 1972 about 1500 residents were interviewed twice in 11 communities near JFK airport Detailed aircraft operations reports were also collected for this period and an effort has been made to analyze recorded human response data in relation to a number of physical exposure parameters A series of exposure indexes based on an arithmetic integration of aircraft operations were correlated with summated aircraft noise annoyance responses None of these correlations were as good as the CNR index which assumes a logarithmic integration of numbers of aircraft exposures and includes a day-night differential weighting of 10 1 There were substantial variations in average annoyance responses among communities with similar CNR exposures substantiating previous findings that attitudinal and other personal variables also play an important role in determining annoyance differences  
Author

**N76-16789# National Physical Lab Teddington (England) Div  
of Computer Science**

**AN AUTOMATED MEDICAL HISTORY-TAKING PROJECT  
WITH VIDEOTAPE INTERVIEWING OF IMMIGRANT  
PSYCHIATRIC PATIENTS**

C R Evans N Masters (Guys Hosp Med School) H B Milne (Lynfield Mt Hosp) and M Hashim (Lynfield Mt Hosp) Apr 1975 9 p refs  
(NPL-Com-79) Avail NTIS HC \$3 50

A project aimed at interviewing patients without human intervention is described The questionnaire is prerecorded on videotape and the patient operates buttons on a response box The replies represented by a choice from 4 tones are recorded on a cassette tape It is shown that the system can also be effectively used to interview patients in languages other than English Results are discussed for Asian male patients  
ESA

**N76-16790# Army Personnel Research Committee London  
(England)**

**THE EFFECT OF A FILTERED CONTROL ON OPERATOR'S  
HAND TREMOR**

M Waygood 1974 16 p refs  
(AD-A014105 APRC-72/CS7 DRIC-BR47799) Avail NTIS CSCL 05/5

Twelve operators compensated for errors they produced while

holding a spot central in a stationary square target Filtering their control movements obtained from strain gauges increased their proficiency compared with a condition in which the control movements were presented at a gain of 189 It is argued that filtering of the operators control demands may improve his performance when the target is stationary GRA

**N76-16791#** Texas Christian Univ Fort Worth Inst for the Study of Cognitive Systems

**LEARNING STRATEGY TRAINING PROGRAM QUESTIONS AND ANSWERS FOR EFFECTIVE LEARNING Final Report, Jan 1974 - May 1975**

Donald F Dansereau Gary L Long Barbara A McDonald Tomme R Actkinson Karen W Collins Selby H Evans Alice M Ellis and Stephen Williams Jun 1975 202 p refs  
(Contract F41609-74-C-0013 AF Proj 1121)

(AD-A014725 AFHRL-TR-75-48) Avail NTIS CSCL 05/10

The report presents an effective integrated learning strategy program emphasizing a connection technique employing questions and answers The components were derived from a review of the educational and psychological literature and from an analysis of the responses to the learning strategy inventory which were conducted during this same research effort Also two other training packages (visual imagery and paraphrasing connection) were evaluated along with this package in a controlled experiment This program improved long term retention of factual material With appropriate insertions of blank pages this report can be used to provide learning strategy training GRA

**N76-16792#** Texas Christian Univ Fort Worth Inst for the Study of Cognitive Systems

**LEARNING STRATEGY TRAINING PROGRAM VISUAL IMAGERY FOR EFFECTIVE LEARNING Final Report, Jan 1974 - May 1975**

Donald F Dansereau Gary L Long Barbara A McDonald Tomme R Actkinson Karen W Collins Selby H Evans Alice M Ellis and Stephen Williams Jun 1975 200 p refs  
(Contract F41609-74-C-0013 AF Proj 1121)

(AD-A014724 AFHRL-TR-75-47) Avail NTIS CSCL 05/10

The report presents an effective integrated learning strategy program emphasizing a connection technique using visual imagery The components were derived from a review of the educational and psychological literature and from an analysis of the responses to the learning strategy inventory which were conducted during this same research effort Also two other training packages (paraphrasing and question-answer connection) were evaluated along with this package in a controlled experiment This program improved long term retention of factual material and appeared to help lower reading ability students more than higher reading ability students With appropriate insertions of blank pages this report can be used to provide learning strategy training GRA

**N76-16793#** Texas Christian Univ Fort Worth Inst for the Study of Cognitive Systems

**LEARNING STRATEGY TRAINING PROGRAM PARAPHRASING STRATEGY FOR EFFECTIVE LEARNING Final Report, Jan 1974 - May 1975**

Donald F Dansereau Gary L Long Barbara A McDonald Tomme R Actkinson Karen W Collins Selby H Evans Alice M Ellis and Stephen Williams Jun 1975 201 p refs  
(Contract F41609-74-C-0013 AF Proj 1121)

(AD-A014723 AFHRL-TR-75-46) Avail NTIS CSCL 05/10

The report presents an effective integrated learning strategy program emphasizing a connection technique using paraphrasing The components were derived from a review of the educational and psychological literature and from an analysis of the responses to the learning strategy inventory which were conducted during this same research effort Also two other training packages (visual imagery and question-answer connection) were evaluated along with this package in a controlled experiment The results of this experiment showed improved long term retention when using paraphrasing for the trained group of 55% over an untrained control group With appropriate insertion of blank pages this report can be used to provide learning strategy training GRA

**N76-16794#** Texas Christian Univ Fort Worth Inst for the Study of Cognitive Systems

**EFFECTIVE LEARNING STRATEGY TRAINING PROGRAM DEVELOPMENT AND ASSESSMENT Final Report, Jan 1974 - May 1975**

Donald F Dansereau Gary L Long Barbara A McDonald Tomme R Actkinson Karen W Collins Stephen Williams and Selby H Evans Brooks AFB Tex AFHRL Jun 1975 81 p refs

(Contract F41609-74-C-0013 AF Proj 1121)  
(AD-A014722 AFHRL-TR-75-41) Avail NTIS CSCL 05/10

Potentially effective and trainable learning strategies were identified by an analysis of a specially developed learning strategy inventory and a review of educational and psychological review literature Four aspects of the learning process suggested the usefulness of special training These were the identification of important or unfamiliar material the applications of techniques for the comprehension and retention of this information the efficient retrieval of information and the skill in coping with distractions during the foregoing processes A training program was developed for teaching selected specific strategies including the three alternative comprehension/retention strategies of paraphrasing question-answering and the use of visual imagery in such a way as to compare the three alternative connection techniques The results indicated that minimal strategy training showed significant results in long term retention although no reliable differences were found in immediate testing Further refining of the techniques was recommended An effective strategy training program suitable for implementation in technical training was created modified and assessed GRA

**N76-16795#** Texas Christian Univ Fort Worth Inst for the Study of Cognitive Systems

**LEARNING STRATEGY INVENTORY DEVELOPMENT AND ASSESSMENT Final Report, Jan 1974 - May 1975**

Donald F Dansereau Gary L Long Barbara A McDonald Tomme R Actkinson Karen W Collins Selby H Evans Alice M Ellis and Stephen Williams Jun 1975 111 p refs  
(Contract F41609-74-C-0013 AF Proj 1121)

(AD-A014721 AFHRL-TR-75-40) Avail NTIS CSCL 05/10

A learning strategy inventory composed of 201 multiple-choice items based upon similar work and aspects suggested from a literature review was developed Correlational and factor analyses (based on approximately 200 students) were performed to provide a basis for identifying trainable learning strategies Four phases of the learning process were identified and incorporated into a learning strategy training program (reported elsewhere) The learning inventory provides a significant first step in the development of a more general instrument for diagnosing learning strategy inadequacies in specific individuals GRA

**N76-16796#** Air Force Human Resources Lab Brooks AFB Tex

**DIMENSIONS OF JOB SATISFACTION, INITIAL DEVELOPMENT OF THE AIR FORCE OCCUPATIONAL ATTITUDE INVENTORY Interim Report, 1 Jul 1972 - 30 Jun 1974**

Thomas C Tuttle R Bruce Gould and Joe T Hazel Jun 1975 37 p refs  
(AF Proj 7734)

(AD-A014796 AFHRL-TR-75-1) Avail NTIS CSCL 05/9

The report describes the initial development of the Air Force Occupational Attitude Inventory From a selective review of studies that ascribed to a multi-faceted approach several categories or content areas were identified An extensive item pool was prepared and reviewed by judges to provide information regarding item-category agreement item ambiguity and item redundancy The revised version of the inventory consisted of 348 items distributed across 35 facets An 8-point bi-polar rating scale without a neutral point was developed for rating the items Details regarding the final version of the inventory booklet suitable for administration to airmen are provided The entire listing of 348 items and descriptions of the 35 categories are included in the report for possible use of other researchers Subsequent actions and future uses of the Occupational Attitude Inventory are discussed GRA

N76-16797# Battelle Human Affairs Research Centers Seattle Wash

**DEFINING RESEARCH NEEDS TO INSURE CONTINUED JOB MOTIVATION OF AIR TRAFFIC CONTROLLERS IN FUTURE AIR TRAFFIC CONTROL SYSTEMS Final Report**  
Stanley M Nealey George C Thornton III (Colo State Univ) William S Maynard Michael K Lindell Richard Hodapp (Colo State Univ), L T Love L B Myers R E Abrams and J A Hebert Apr 1975 130 p refs  
(Contract DOT-FA74WAI-499)  
(AD-A014719) Avail NTIS CSCL 05/10

The study was made necessary by FAA plans to progressively introduce automated equipment into the ATC system over the next ten years Such equipment is expected to bring about striking changes in the actual work activities of ATCs in controlling aircraft Experience with the introduction of NAS Stage A and ARTS III equipment has focused concern on the motivational reaction of ATCs to automated equipment The objective of this study was to forecast the types of motivational problems likely to be experienced in the face of increasing automation and to suggest social science research necessary to the definition and amelioration of these problems GRA

**N76-16798# Human Engineering Labs Aberdeen Proving Ground Md PILOT PERFORMANCE IN A HELICOPTER SIMULATOR Final Technical Memorandum**

John P Waugh Sep 1975 336 p refs  
(AD-A017441 HEL-TM-23-75) Avail NTIS CSCL 14/2

Six Army helicopter pilots instrument rated flew a difficult precision instrument flight pattern in this Laboratory's GAT-2H helicopter simulator For each flight each subject was given a different combination of thrust to weight cyclic control sensitivity and cyclic spring centering force gradient condition making up an incomplete balanced block-type experimental design Several error measurements were recorded during the trials however none could be satisfactorily utilized either to predict accuracy of performance or to be an indicator of relative workload An unanticipated large variation of measures taken is thought to be the cause Additional approaches and further study of the problem is recommended GRA

**N76-16799# Air Force Systems Command Wright-Patterson AFB Ohio Foreign Technology Div PSYCHOLOGY AND PSYCHOPATHOLOGY OF SOLITUDE**  
O N Kuznetsov and V I Lebedev 30 Jan 1975 408 p refs Transl into ENGLISH of the book Psichologiya i Psikhopatologiya Odinochestva Moscow Izd Meditsina 1972 393 p  
(AD-A007454 FTD-MT-24 1509-74) Avail NTIS CSCL 05/10

Research on the physiological and psychic changes in animals and man under various conditions of isolation is summarized Experimental data and literature materials are used to illuminate the problem of solitude in its psychological psychiatric philosophical, and sociological aspects Measures for the prevention of neuropsychic illnesses are presented Author (GRA)

**N76-16800# Navy Personnel Research and Development Center San Diego Calif THE EFFECTS OF PRACTICE AND POSITIONAL VARIABLES IN THE ACQUISITION OF A PHYSICALLY COMPLEX PSYCHOMOTOR SKILL Interim Report, Jul 1974 - Jan 1975**

Macy L Abrams, Harvey B Schow and Jon K Grice Jul 1975 30 p refs  
(AD-A015282 NRPDC-TR-76-7) Avail NTIS CSCL 05/10

The investigation (1) evaluates distributed/massed practice schedules for learning a physically complex psychomotor skill within the constraints of a real-world learning environment and (2) determines if there are interaction effects between practice and the positional variables in the acquisition of the skill Distributed/massed practice was studied from two aspects trial length and session length GRA

**N76-16801# AiResearch Mfg Co Torrance Calif PORTABLE OXYGEN SUBSYSTEM (POS) Final Report**

Dec 1975 94 p  
(Contract NAS9-14457)  
(NASA-CR-147401 Rept-75-12328) Avail NTIS HC \$5 00 CSCL 06K

Concept selection design fabrication and testing of a Portable Subsystem (POS) for use in space shuttle operations are described Tradeoff analyses were conducted to determine the POS concept for fabrication and testing The fabricated POS was subjected to unmanned and manned tests to verify compliance with statement of work requirements The POS used in the development program described herein met requirements for the three operational modes -- prebreathing contaminated cabin and personnel rescue system operations Author

**N76-16802# Hamilton Standard Windsor Locks Conn PORTABLE OXYGEN SUBSYSTEM Final Report**

Dec 1975 241 p refs  
(Contract NAS9-14458)  
(NASA-CR-147428 SP0575) Avail NTIS HC \$8 00 CSCL 06K

The concept and design of a portable oxygen device for use in the space shuttle orbiter is presented Hardware fabrication and acceptance tests (ie breadboard models) are outlined and discussed Optimization of the system (for weight volume safety costs) is discussed The device is of the rebreather type and provides a revitalized breathing gas supply to a crewman for denitrogenization and emergency activities Engineering drawings and photographs of the device are shown Author

**N76-16803# Hamilton Standard Windsor Locks Conn DESIGN, DEVELOPMENT, AND FABRICATION OF A PROTOTYPE ICE PACK HEAT SINK SUBSYSTEM FLIGHT EXPERIMENT PHYSICAL PHENOMENA EXPERIMENT CHEST Final Report**

George J Roebelen Jr and W Clark Dean II Dec 1975 100 p refs  
(Contract NAS2-8665)  
(NASA-CR-137768 SVHSER6784) Avail NTIS HC \$5 00 CSCL 06K

The concept of a flight experiment physical phenomena experiment chest to be used eventually for investigating and demonstrating ice pack heat sink subsystem physical phenomena during a zero gravity flight experiment is described Author

**N76-16804# Joint Publications Research Service Arlington Va CONSTRUCTING THE MOTIONS OF MANIPULATING SYSTEMS**

A A Kobrinskiy and A Ye Kobrinskiy Washington NASA Jan 1976 6 p refs Transl into ENGLISH from Dokl Akad Nauk USSR (Moscow) v 224 no 5 11 Oct 1975 p 1030-1033  
(NASA Order W-13183)  
(NASA-TT-F-16859) Avail NTIS HC \$3 50 CSCL 05H

Algorithms for the control of mechanical hands are reported Author

**N76-16805# Aeronautical Research Inst of Sweden Stockholm A METHOD FOR THE MEASUREMENT OF ENERGY ABSORPTION IN THE HUMAN HAND USING VARIOUS TYPES OF HAND TOOLS**

Ingmar Johnson 1975 21 p refs  
(FFA-Memo 97) Avail NTIS HC \$3 50

To correlate the ailment commonly known as vibration induced white fingers observed among manual workers to the energy absorbed in the hand a method for the measurement of vibrational energy dissipated in the human hand using certain types of hand tools such as pneumatic roll drills was developed based on measurements of vibrational force and acceleration as

close as possible to the hand palm surface A special handle equipped with force transducers and accelerometers corresponding to each one of three orthogonal directions in space was used The effective portion of the handle has low weight to make the influence of the handle mass negligible compared with the mass of the hand By integration of the acceleration signal the corresponding instantaneous velocity is obtained Analog multiplication of the force and velocity vectors produce a single output proportional to the energy dissipated per unit time or the dissipated power The method is generally applicable to complex vibrations including random vibrations Dissipated energy may be obtained quantitatively by calibrating the instrumentation using sinusoidal vibrations with known amplitude and frequency

Author ESA

**N76-17781** Wisconsin Univ Madison**HIGH-PRESSURE TEMPERATURE-JUMP KINETIC STUDIES OF ENZYME MODEL REACTIONS** Ph D Thesis

Andrew Dingan Yu 1975 135 p

Avail Univ Microfilms Order No 75-20800

The activation volumes of Ni(II) and Co(II) versus imidazole alpha-and beta-aminobutyric acids were measured The results show agreement for the energy and volume of activation with those predicted by the electrostatic theory The sterically controlled mechanism was also found to be dissociative in nature with no apparent change in the activation parameters Cyclodextrins have enzyme like catalytic activity because they can bind substrates in their molecular cavity The activation volume of cyclohexaamyllose with azo dyes is almost zero With the recent crystallographic data it is concluded that the cavity of CHA is not hydrophobic in nature The rate determining step of the complex formation is the interaction between the substrate and the cyclodextrin ring

Dissert Abstr

**N76-17782\*** Food and Drug Administration Cincinnati Ohio Food Research Lab**ECOLOGY AND THERMAL INACTIVATION OF MICROBES IN AND ON INTERPLANETARY SPACE VEHICLE COMPONENTS** Quarterly Progress Report, 1 Apr - 30 Jun 1975

A L Reyes and J E Campbell Sep 1975 26 p refs

(NASA Order W-13411)

(NASA-CR-146401 QPR-41) Avail NTIS HC \$4 00 CSCL 06M

Spores of *Bacillus subtilis* var niger were heat treated in aqueous suspension at 90°C and observed for morphological changes and loss of viability The 5 logs reduction that occurred in broth at 90 min required 210 min in buffered water Five characteristic changes observed after spores were exposed 120 min at 90°C in buffered water were (1) 90% loss of spore viability (2) 5% stainability (3) 76% increase in spore size (as observed by scanning electron microscopy) (4) 21% of spore areas remaining refractile and (5) an increase of 77% in packed cell volume (PCV) Stainability and PCV changes were recognized only after secondary exposure in broth Extended heat exposure (3 h at 90°C) resulted in 99% loss of spore viability and 99% loss of stainability After 4 hours of heat exposure 90% of the cells disintegrated These results suggest that early germinal changes occur concurrently with the early changes in the heat susceptibility of dormant spores

Author

**N76-17783\*** Baylor Univ Houston, Tex Dept of Pediatrics**PHYSICAL CHEMICAL STATE OF WATER IN LIVING CELLS**

Annual Report, 1 Aug 1974 - 31 Jul 1975

Carlton F Hazlewood 15 Sep 1975 13 p refs

(Contract N00014-75-A-0017 NR Proj 105-788)

(AD-A014929 AR-1) Avail NTIS CSCL 06/16

The role of water in basic physiological processes is defined A fundamental understanding of the physical chemical state of water in living cells is established The inter-relationship between various physiological states and the physical state of water in cellular and subcellular fractions is studied Particular emphasis is placed on defining the role of water in cellular accumulation and exclusion of ions and other solutes

GRA

**N76-17784** Florida Univ Gainesville**AUTOMATED ANALYSIS OF BIOLOGICAL RHYTHMS IN THE HUMAN ELECTROENCEPHALOGRAPH** Ph D Thesis

Barry Patrick Keane 1975 256 p

Avail Univ Microfilms Order No 76-4245

Biological rhythms in the human electroencephalogram are analyzed by using modern hardware and software techniques Based essentially on their frequency range several types of EEG activity are defined ranging from delta (5 to 20 Hz) to beta (15 to 33 Hz) Several methods of detection of the above activities are discussed including the technique used for this study based on zero crossing and pattern detection Results show a number of previously unknown ontogenetic patterns in the ultradian occurrences of alpha beta delta sigma and rapid eye movement (REM) activity

Dissert Abstr

**N76-17786#** Advisory Group for Aerospace Research and Development Paris (France)**EFFECTS OF LONG DURATION NOISE EXPOSURE ON HEARING AND HEALTH**

Milton A Whitcomb, ed (NSF) Nov 1975 94 p refs Presented at the Aerospace Med Panel Specialists Meeting Toronto 5 May 1975

(AGARD-CP-171) Avail NTIS HC \$5 00

There can be no doubt that noise exposures of durations greater than eight hours present a hazard to the hearing of air crews flying noisy aircraft and particularly, for those more susceptible crew members Noise reduction around NATO airports to insure public health is examined Data are examined on the incidence of stress-induced pathologies such as ulcers or emotional disorders for those exposed to long-duration noise as compared to nonnoise exposed individuals Flight crews exposed to such long durations of noise were monitored both audiometrically and for abnormal incidence of cardiovascular disease ulcers and other psychosomatic complaints Long-duration noise exposure to the moderate levels of noise that occur in aircraft cockpits was also studied The fundamental mechanisms causing cochlear damage (mechanical and biological) are critically examined

**N76-17787** Ohio State Univ Columbus Dept of Otolaryngology**MODE OF COCHLEAR DAMAGE BY EXCESSIVE NOISE, AN OVERVIEW**

David J Lim and William Melnick In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 6 p refs

(Contract F33615-74-C-4049)

Damage to the cochlea is examined and is believed to be caused by a physical or metabolic stress exerted on the sensory cells Evidence to support both mechanisms is overwhelming and is reviewed Injury can be brought about by the chemical or metabolic alteration in the surrounding medium Besides apparent mechanical damage inflicted on the organ of Corti by the acoustic hyperstimulation the evidence of metabolic damage to the sensory cells is subtle The subtle changes include (1) proliferation and vacuolization of endoplasmic reticulum in sensory cells (2) swelling of mitochondria in both sensory cells and afferent nerve endings (3) morphological alteration of stereocilia and (4) swelling and degeneration of stria vascularis These findings imply that the high-energy-yielding enzyme systems are rendered inoperative in these cells resulting in cell degeneration Photomicrographs are shown

Author

**N76-17788** Ohio State Univ Columbus Dept of Otolaryngology**TTS IN MAN FROM A 24-HOUR EXPOSURE TO AN OCTAVE BAND OF NOISE CENTERED AT 4 kHz**

William Melnick In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 8 p refs

(Contract F33615-71-C-4049)

(AMRL-TR-75-3)

Seven men were exposed to 24 hours of continuous noise in a sound field The noise was an octave band centered at 4 kHz at two octave band levels 80 and 85 db Hearing thresholds

were measured in one ear at 11 test frequencies ranging from 250 to 10 000 Hz prior to exposure and at selected intervals during and after exposure Temporary threshold shift (TTS) reached asymptotic levels between 8 and 12 hours of exposure Results indicate that maximum TTS occurs at 4 and 6 kHz Asymptotic levels at the 80 db exposure level are 9.7 db for 4 kHz and 7.7 db for 6 kHz With the 85 db noise level, these levels are 18.4 db and 16.5 db respectively Threshold shift for this subject group is less than would be expected from results of previous investigations and is attributed to subject sampling bias Author

**N76-17789** Italian Air Force Medical Service of the 2d Air Region Rome Sanitary Group - 1st Aerobrigade

**PROTECTIVE EFFECTS IN MEN OF BRAIN CORTEX GANGLIOSIDES ON THE HEARING LOSS INDUCED BY HIGH LEVELS OF NOISE**

G Maniero and G A Molinari (Padua Univ Italy) *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 5 p refs

It is known that the prolonged exposure to noise of intensity greater than 70-80 decibels produces a temporary rise of the acoustic threshold (TTS) Gangliosides (glycolipids which seem to interfere with the transmission of nervous impulse) were used in preventing TTS rise By means of ganglioside administration a possible interference on the traumatizing effect of noise on the cochlea was observed and studied Following otologic and audiometric examination 20 healthy male subjects were chosen The TTS<sub>2</sub> was calculated both in basal conditions and after ganglioside administration Results indicate that the gangliosides administered in opportune doses and modalities are capable of preventing in all subjects the physiological rise in the hearing threshold after exposure to noise In contrast the nontreated subjects in the same experimental conditions have either the same TTS<sub>2</sub> or show a large shift Therefore the positive failure in shift occurring in the treated patients is most probably due to ganglioside effect Author

**N76-17790** Minnesota Univ Minneapolis Hearing Research Lab

**STUDIES OF ASYMMPTOTIC TTS**

W Dixon Ward *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 7 p refs Sponsored by Natl Inst for Occupational Safety and Health

Ten young normal-hearing listeners were subjected to a series of exposures to 4000-Hz noise for periods ranging from 2 to 24 hours The asymptotic TTS (temporary threshold shift) was always reached in 8-12 hours with no suggestion of a sharp increase between 8 and 24 hours Little difference could be seen in the rate of recovery from the TTS produced by 8- and 24-hour exposures Results indicate that exposures longer than 8 hours are not unusually hazardous If there is an increased risk of eventual permanent hearing damage from repeated daily exposures longer than 8 hours it probably comes from the fact that as the daily exposure becomes longer than 8 hours the quiet interval before the next exposure is shortened so that the next day's exposure is begun with the auditory system still in a fatigued state Author

**N76-17791** Aerospace Medical Research Labs Wright-Patterson AFB Ohio

**ASYMMPTOTIC BEHAVIOR OF TEMPORARY THRESHOLD SHIFT DURING EXPOSURE TO LONG DURATION NOISES**

D L Johnson C W Nixon and M R Stephenson *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 6 p refs

Exposure to a constant noise level (pink noise i.e. jet aircraft noise) for more than 16 hrs has been shown by many investigators to cause a Temporary Threshold Shift (TTS) in hearing that remains constant This behavior which is independent of exposure duration is called Asymptotic TTS Data are given which show that although TTS may remain constant the recovery of hearing back to normalcy does depend on the duration of the exposure Significant differences in recovery between a 24 hr exposure and a 48 hr

exposure were observed It is believed that for hearing conservation purposes the time Air Force personnel should be allowed to recover from long duration noise exposures in quiet depends on the exposure duration Suggested guidelines for assuring recovery of Asymptotic TTS are given and the research program aimed at improving these guidelines is discussed Author

**N76-17792** Defence and Civil Inst of Environmental Medicine Downsview (Ontario) Behavioral Sciences Div

**THE INCIDENCE OF TEMPORARY AND PERMANENT HEARING LOSS AMONG AIRCREWS EXPOSED TO LONG-DURATION NOISE IN MARITIME PATROL AIRCRAFT**

S E Forshaw *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 7 p refs

(DCIEM-75-RP-1073)

The CP-107 Argus has been in operation with the Canadian Forces since 1957 as a long-range maritime patrol aircraft The endurance capability of the aircraft is at least 24 hours at reconnaissance altitudes and speeds Flight durations from 12 to 20 hours occur routinely, during which ambient noise levels at various crew and rest stations range from 90 to 99 dBA An assessment of crew and operational problems arising from long-duration flights in the Argus shows that about half of the crew sustain temporary threshold shifts in excess of levels considered to be acceptable for long-term exposure The hearing levels of 223 pilots navigators and flight engineers were studied with career flying times in the Argus ranging from 2500 to 10 000 hours Results of the study suggest that repeated long-duration noise exposure as experienced in the aircraft are not any more deleterious to hearing thresholds than is repeated exposure at approximately equivalent intensity levels, in short- and medium-range aircraft Author

**N76-17793** Centro di Studi e Ricerche di Medicina Aeronautica e Spaziale Rome (Italy)

**PSYCHO-PHYSICAL PERFORMANCE OF AIR FORCE TECHNICIANS AFTER LONG DURATION NOISE EXPOSURE**

Cesare A Ramacci and Paolo Rota *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 3 p refs

Psychological and psycho-physiological tests were carried out (Toulouse Pieron test flicker fusion test reaction time) on 20 Air Force technicians on duty at an aircraft maintenance and flight line exposed to high level noise Work conditions considered were (1) continuous exposition to noise of about 120 db for one hour and half and (2) continuous exposure for five hours to 60-80 db noise with transient increases up to 90-115 db The technicians used when necessary individual or collective ear protection The technicians were divided into 3 groups and given specific tasks to perform The tests carried out before and after noise exposure do not show significant changes of task performance Author

**N76-17794** Institute of Aviation Medicine Fuerstenfeldbruck (West Germany)

**THE EFFECTS OF EAR PROTECTORS ON SOME AUTOMATIC RESPONSES TO AIRCRAFT AND IMPULSIVE NOISE**

G R Froehlich *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975* 5 p

Three different types of ear protectors were evaluated for protection against jet aircraft noise and other noise Autonomic nervous system responses were measured for 25 subjects who participated in the study Peripheral blood flow and electrodermal responses were also measured Jet aircraft noise levels of 95 db and other noises (a pistol shot) of 130 db were provided Subjects were asked to select the ear protector giving the greatest protection Results are presented and discussed J RT

**N76-17795** Centro di Studi e Ricerche di Medicina Aeronautica e Spaziale Rome (Italy)

**INFLUENCE OF THE NOISE ON CATECHOLAMINE**

**EXCRETION**

G Paolucci *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 2 p*

Aviation specialists were exposed daily to high noises and fully protected against hearing damage by ear plugs. The exposed people were divided in two groups of ten subjects each one exposed to different noisy conditions. One group was exposed to continuous and steady noise of 120 db for 1 hour and 1/2 hour and the other was exposed to intermittent noise of 80-100 db for 5 hours with intervals between impulsive bursts of 20 feet lasting each only a few seconds. The subjective tolerance was good and no disturbance or fatigue reactions appeared at the end of the exposure. Urinary catecholamine excretion was assayed the day before the test (in noiseless place) and the next one at the end of the exposure. Results indicate that no change in catecholamine release occurs upon trained people with hearing fully protected.

Author

**N76-17796** Naval Regional Medical Center San Diego Calif Dept of Otolaryngology

**EFFECTS OF NOISE EXPOSURE**

Robert W Cantrell *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 13 p refs*

It is known that noise can damage the inner ear result in hearing loss be a source of annoyance disturb sleep and interfere with speech. There is some evidence that it may adversely affect mental health, the cardiovascular system basic biochemistry, and decrease work performance. Current knowledge is reviewed of how intensity duration and frequency composition of noise affects the auditory annoyance sleep and speech interference psychological and sociological responses in man.

Author

**N76-17797** Naval Regional Medical Center, San Diego Calif Dept of Otolaryngology

**PHYSIOLOGICAL EFFECTS OF NOISE**

Robert W Cantrell *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 11 p refs*

The effect of noise on the biochemistry of the body the cardiovascular system and the organ systems controlled by the autonomic nervous system are examined. Noise serves as a stressful stimulus which provokes the General Adaption Syndrome and is one of the several stressful stimuli which activate this syndrome via the hypothalamus to the pituitary which produces ACTH resulting in increased adrenocortical activity. There is considerable evidence to support this concept and this theory along with recently carefully controlled studies are reviewed.

Author

**N76-17798** Army Aeromedical Research Lab Fort Rucker Ala  
**AN INVESTIGATION OF AIRCRAFT VOICE COMMUNICATION SYSTEMS AS SOURCES OF INSIDIOUS LONG-TERM ACOUSTIC HAZARDS**

Robert T Camp Jr Ben T Mozo and James H Patterson *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 6 p*

The acoustic output of voice communication systems was measured helicopter during training flights. The results of analyses of samples of aircraft voice communication systems noise are examined. Specifically discussed are ear protecting devices (helmets) used to reduce cockpit noise and passenger compartment noise. It is found that the microphones in the helmets emit sound levels which are harmful over a long period of time.

Author

**N76-17799** Universitaetsklinikum Essen (West Germany)  
**PHYSIOLOGICAL RESPONSES DUE TO NOISE IN INHABITANTS AROUND MUNICH AIRPORT**

Gerd Jansen *In AGARD Effects of Long Duration Noise Exposure on Hearing and Health Nov 1975 5 p*

Results are examined of an interdisciplinary research study on aircraft noise effects on inhabitants around German airports

A pilot study (around Hamburg airport) and a main study (around Munich airport) were conducted by acoustical demographic social scientific psychological physiological and medical sections of scientists. It was found out that in general there is no adaptation to aircraft noise. A linear relation exists between increasing noise stimuli (combined noise exposure measure of noise levels and number of flyovers) and human reactions. A discussion of physiological results leads to the opinion that physiological reactions are more related to sound levels whereas the whole reaction (annoyance blood pressure etc) is more related to combined noise exposure measures.

Author

**N76-17800#** Naval Electronic Systems Command Washington DC

**NAVY SPONSORED ELF BIOLOGICAL AND ECOLOGICAL RESEARCH SUMMARY**

Mar 1975 64 p

(AD-A015299) Avail NTIS CSCL 06/8

ELF is the Navy's extremely low frequency submarine communications system. The booklet summarizes the progress of Navy sponsored biological/ecological research studies initiated to determine the effects of electromagnetic fields in the ELF range and lists the publications of each principal investigator. Most of the studies in this booklet were conducted at electric and/or magnetic field levels in excess of the ELF system levels of 0.07 volt per meter and 0.2 gauss. To date results show no significant adverse effects on humans animals plants or microorganisms at electromagnetic field levels to be used for an operational ELF system.

GRA

**N76-17801#** Royal Air Force Inst of Aviation Medicine Farnborough (England)

**NITROGEN EXCHANGE ACROSS THE LUNGS IN RESTING MAN FLYING PERSONNEL RESEARCH COMMITTEE**

C Davidson P A Fennessy and M H Harrison Feb 1975 19 p refs

(AD-A015133 FPRC-1338) Avail NTIS CSCL 06/16

The relationship between the partial pressure of N<sub>2</sub> in the inspired air (PIN2) and the nitrogen transfer across the lungs (VN2) has been examined in eight resting subjects and a study made of the effect of diet upon this relationship. Alterations in PIN2 over the range 60 mm Hg below to 20 mm Hg above ambient PIN2 caused changes in VN2 which could be described by a linear equation. These changes agreed both in magnitude and direction with those predicted by a four-compartment electrical analogue of the body N<sub>2</sub> stores. They were not affected by the protein content of a meal taken three quarters hour before the start of measurements of VN2. The study has confirmed that N<sub>2</sub> is metabolically inert and indicates that the open circuit method of estimating oxygen consumption is accurate.

GRA

**N76-17802#** Royal Air Force Inst of Aviation Medicine Farnborough (England) Flying Personnel Research Committee  
**THE EFFECT OF EXERCISE AND THERMAL STRESS ON PLASMA VOLUME**

M H Harrison R J Edwards and D R Leitch Feb 1975 25 p refs

(AD-A015132 FPRC-1337) Avail NTIS CSCL 06/19

Six male subjects exercised for 50 min at 25% and 55% of their estimated aerobic capacities in environments of 42C db 35C wb and 30C db 24C wb respectively. Alterations in the haematocrit haemoglobin and plasma protein concentrations and in the activity of an injected aliquot of isotopically labelled albumin were each used to calculate the percentage change in plasma volume occurring during exercise and recovery. It is concluded that exercise is associated with an increased translocation of protein this leading to elevated plasma protein levels during recovery which favor the return of water to the intravascular space. Haemoglobin concentration is considered to be the most reliable measure of plasma volume change during exercise.

GRA

**N76-17803#** Texas Univ Austin Bio-Medical Engineering Research Lab

**TEMPERATURE RISE IN FUNDUS EXPOSED TO LASER RADIATION**

Final Report, 1 May 1973 - 30 Apr 1974

Ashley J Welch Clarence P Cain and Leslie A Priebe Aug

1975 79 p refs  
(Contract F41609-73-C-0031 AF Proj 6301)  
(AD-A014819 SAM-TR-75-32) Avail NTIS CSCL 06/18

Temperature measurements were made in the eyes of living rhesus monkeys with 20 micrometers copper-nickel thermocouples. The temperature rise at the center of 100 micrometers - 200 micrometers (half-power diameter) ophthalmoscopically visible lesions was used as a measurement of the threshold of damage to the eye. The appearance of a minimal visible lesion 5 minutes postexposure was the criterion for damage. Threshold temperature rise was measured for 0 1-sec 1-sec and 10-sec exposures to an argon (4880 Å) laser. Thresholds were acquired for both macular and paramacular (temporal) exposure sites. The average macular threshold temperatures at 0 1 sec 1 sec and 10 sec were 29.8 °C 24.4 °C and 20.0 °C respectively. For paramacular insertions the average temperature rise above ambient (37 °C) was 39.0 °C for a 0 1-sec exposure 28.8 °C for a 1-sec exposure and 24.7 °C for a 10-sec exposure. The temperature rise was predicted by a finite differences model solution to the heat conduction equation. The model was 10%-20% lower than the experimentally measured temperature for a 10-sec exposure and approximately 10% higher for a 0 1-sec exposure.

Author (GRA)

**N76-17804# School of Aerospace Medicine Brooks AFB Tex EXAMINATION OF NORMAL AND PATHOLOGIC MIDDLE EARS BY ACOUSTIC TIME, DOMAIN REFLECTOMETRY Final Report, 1 Jan - 31 Dec 1973**

Kent K Gillingham Jun 1975 39 p refs  
(AD-A014818 SAM-TR-75-18 SAM-Review-2-75) Avail NTIS CSCL 06/5

The technique of time-domain reflectometry (TDR) commonly used to locate and identify distant impedance mismatches on electrical transmission lines was utilized in an attempt to accomplish the time-domain equivalent of acoustic impedance measurements on normal and a variety of pathologic middle ears. An acoustic transmission line and transceiver were used to deliver acoustic impulses to the middle ear through the external auditory canal and display the reflected acoustic signals on a CRO. No recognizable difference between the reflectograms of otosclerotic and normal ears was seen and the reflections from ears with ossicular discontinuity were inconsistently different from those of normal ears. Perforated ears and ears containing fluid however did provide characteristic reflectograms. Several simple physical models of the external auditory canal and middle ear were tested with the acoustic reflectometer and found to provide responses similar to those from real ears. Transient responses of simple electrical analogs of normal and fluid-filled ears were generated on a computer and waveforms similar to those seen in the corresponding acoustic reflectograms were obtained. Present short-comings and potential strengths of acoustic TDR are discussed and several means of improving its precision are suggested.

Author (GRA)

**N76-17805# Naval Submarine Medical Research Lab Groton Conn THE LONGITUDINAL HEALTH STUDY, VISUAL CHARACTERISTICS OF 750 SUBMARINERS Medical Research Progress Report No 4**

Jo Ann S Kinney Alma P Ryan S M Luria Helen M Paulson and Christine L McKay 19 Dec 1974 19 p refs  
(AD-A014856 NSMRL-800) Avail NTIS CSCL 06/14

A number of tests of visual health and ability are included in the ongoing Longitudinal Health Study of submariners. This paper reports on the findings to date on these visual measures for 750 submariners. The results show that the visual and ocular health of the men is good color vision intraocular pressures and artery to vein ratios in the fundus are all normal. On the other hand the men evidence poorer acuity more myopia a tendency toward esophoria and less accommodative ability than is expected from population statistics.

GRA

**N76-17806# Louisville Univ Foundation Inc Ky HEARING CONSERVATION INTENSE ACOUSTIC STIMULATION AND NOISE SUSCEPTIBILITY IN THE**

**MILITARY ENVIRONMENT Final Report, 1 Oct 1971 -**

**31 Mar 1974**

Michel Loeb Bill R Brown Paul D Cameron and George A Luz Nov 1974 13 p refs  
(Contract DADA17-72-C-2039)  
(AD-A015023) Avail NTIS CSCL 06/16

The technical objectives of this study were (1) Assessment of current hazards to hearing and of current hearing conservation practices in the field (2) Resolution of certain questions regarding past studies of temporary threshold shift (3) Determination of the hearing capacities of those currently in the military or likely to be comparison of those capacities with those of analogous groups in years past and assessment of the practical significance of any changes observed (4) Measurements of changes in auditory characteristics other than absolute intensive threshold following noise exposure and (5) Development of indices of susceptibility to permanent hearing loss.

GRA

**N76-17807# Defence Research Establishment Ottawa (Ontario) THE AMOUNTS OF MOISTURE EMITTED FROM THE EYES AND PERIORBITAL AREAS**

Malcolm M Dewar and Lloyd G Wilson Mar 1975 21 p refs  
(AD-A014923 DREO-TN-75-8) Avail NTIS CSCL 06/16

The report presents the results of experiments carried out to determine the amount of moisture emitted by the eyes and the periorbital areas under various conditions of temperature humidity and activity. Under ambient laboratory conditions the rate of moisture emission from the eyes varied between 0.3 and 1.5 g/h.

GRA

**N76-17808# Army Natick Development Center Mass THE EFFECTS OF CALORIC DENSITY OF THE FOOD ON RUNNING ENDURANCE AND GENERAL CONDITION OF RATS AND HAMSTERS RESTRICTED IN FOOD INTAKE OR FED AD LIBITUM**

D Tollenaar Jun 1975 48 p refs  
(DA Proj 1T1-61102-A-71C)

(AD-A014896 NDC-TR-75-112-FSL) Avail NTIS CSCL 06/3

Young adult male rats and hamsters after a treadmill training period were divided into 6 groups receiving 20 40 or 70% dietary fat calories and fed ad libitum or 40% by weight of average ad libitum intake. All animals were run to exhaustion once a week. Increased dietary fat level was not correlated with superior running performance at either food intake level although during restricted feeding the high fat groups received more calories. Increased running endurance and kgm performance were correlated with lower body weight at both food intake levels. The rate of performance increase with decreasing body weight during food restriction was significantly higher for the low than for the high fat rat group. Water consumption was considerably lower during restricted than during ad libitum feeding. Plasma glucose in the rats was lower for the 70% than for the other fat levels at both levels of food intake lower from day 8 on during restricted than during ad libitum food intake, and lower on day 15 than on day 8 of the restricted intake. In the hamsters average plasma triglyceride levels were 76% and plasma total cholesterol levels 22% (significant) higher in non-exercised than in regularly exercised animals right after running to exhaustion.

GRA

**N76-17809# Aerospace Medical Research Labs Wright-Patterson AFB Ohio STANDARDIZING THE DYNAMICS OF MAN**

H E VonGierke Jun 1975 18 p refs Repr from Shock and Vibration Bull. Bull-45 Pt 2 Presented at the 45th Shock and Vibration Symp. Dayton Ohio 22-24 Oct 1974  
(AF Proj 7231)

(AD-A014919 AMRL-TR-74-129) Avail NTIS CSCL 06/19

A brief review of progress in biodynamics over the past two decades has illustrated the important advances made in defining and predicting man's response to shock and vibration environments. Recent developments of standards in this area are emphasized since they indicate the practical application of the generally agreed upon results. These standards should be of interest to the designers of all transportation vehicles - water

land air and space - and the designers of buildings as well as heavy machinery GRA

**N76 17810# State Univ of New York Buffalo Dept of Physiology**

**MAN-WATER-PRESSURE VOLUME 2 PUBLICATIONS IN UNDERWATER PHYSIOLOGY, 1967 - 1974**

Edward H Lanphier and Hermann Rahn Mar 1975 228 p refs

(Contract N00014-71-C-0342)

(AD-A016593) Avail NTIS CSCL 06/19

Contents Chamber facilities Human respiration Submersion Reflex responses Cellular changes Gas pockets Oxygen toxicity Exposures to pressures Gaseous diffusion GRA

**N76-17811# Deutsche Gesellschaft fuer Luft- und Raumfahrt Cologne (West Germany)**

**REALISTIC FLIGHT SIMULATION**

1975 45 p refs In GERMAN ENGLISH summary Proc of the 16th Meeting of the DGLR Anthropotech Comm 'Frankfurt 6 Nov 1974

(DLR-Mitt-75-18) Avail NTIS HC \$4 00 DFVLR Cologne DM 18 10

Technical and static and dynamic coupling problems of visibility simulation equipment for flight simulators are discussed Flight simulator tests of sudden pilot incapacitation are evaluated with regard to flight safety improvement An economic analysis of Boeing 707 simulators for crew training is presented

**N76-17812 Deutsche Lufthansa Aktiengesellschaft Frankfurt am Main (West Germany)**

**SOME PROBLEMS IN THE COUPLING OF VISIBILITY SIMULATION EQUIPMENT TO FLIGHT SIMULATORS [EINIGE PROBLEME BEI DER AUFSCHALTUNG VON SICHTSIMULATIONSANLAGEN AUF FLUGSIMULATORN]**

M Wekwerth /n DGLR Realistic flight simulation 1975 p 7-17 In GERMAN

Technical and static and dynamic coupling problems of visibility simulation equipment for flight simulators are discussed It is clear that all software changes for adapting a simulated aircraft and a visual aid to each other lead to repercussions in the aircraft mathematical model Deviations of certain aircraft data therefore cannot be prevented ESA

**N76-17813 Deutsche Lufthansa Aktiengesellschaft Frankfurt am Main (West Germany)**

**TRAINABLE CREW BEHAVIOR IN THE FLIGHT SIMULATOR FOR PILOT INCAPACITATION [IM FLUGSIMULATOR TRAINIERBARES CREW-VERHALTEN BEI PILOT INCAPACITATION]**

H H Renemann /n DGLR Realistic Flight Simulation 1975 p 19-30 refs In GERMAN

Flight simulator tests for sudden pilot incapacitation are evaluated with regard to flight safety and measures for improving flight safety in these cases are discussed ESA

**N76-17814 Deutsche Lufthansa Aktiengesellschaft Frankfurt am Main (West Germany)**

**THE ECONOMY OF FLIGHT SIMULATORS FOR CREW TRAINING EXEMPLIFIED FOR A BOEING 707 SIMULATOR [DIE WIRTSCHAFTLICHKEIT VON FLUGSIMULATOREN FUER DIE BESATZUNGSSCHULUNG AM BEISPIEL EINES BOEING-707-SIMULATORS]**

W-D Hass /n DGLR Realistic Flight Simulation 1975 p 31-39 In GERMAN

An economic analysis of flight simulators for crew training is presented Two Boeing 707 training programs are compared from the point of view of training times and costs It is shown that a new type of flight simulator (Redifon) is cost effective since an accepted higher degree of reality is obtained using this simulator ESA

**N76-17815# URS/Matrix Co Falls Church Va FULLY PROCEDURALIZED JOB PERFORMANCE AIDS GUIDANCE FOR PERFORMING BEHAVIORAL ANALYSES OF TASKS Final Report, 1 May 1971 - 3 Feb 1975**

Edgar L Shriver Brooks AFB Tex AFHRL Jun 1975 47 p refs

(Contract F33615-71-C-1638 AF Proj 1127 AF Proj 1710)

(AD-A015059 AFHRL-TR-75-38) Avail NTIS CSCL 05/9

The initial tryout of the subject job aids (FPJPA) for the UH-1H helicopter indicated that although they met all the format requirements they did not produce the expected level of task performance when used by novice and apprentice Air Force maintenance personnel The author hypothesized that the FPJPA did not contain all the cues and directions necessary for the novice or apprentice This report describes a method for identifying such cues and responses during a hands on tryout of the initially produced task steps called behavioral analyses of tasks (BAT) The application of this BAT to many tasks produced an unfolding effect from pictorial to pictorial It also identified many important but unplanned cues in the troubleshooting routines Its application to the eleven UH-1H tasks used for the evaluation raised the performance level of both novice and apprentice personnel GRA

**N76-17816# Applied Science Associates Inc Reston Va GUIDEBOOK FOR DEVELOPING CRITERION-REFERENCED TESTS**

Robert W Swezey and Richard B Pearlstein Aug 1975 187 p refs

(Contract DAHC19-74-C-0018 DA Proj 2Q1-64715-A-757) (AD-A014987 Rept-287-AR18(2)-1R-0974) Avail NTIS CSCL 05/10

This manual outlines the rationale for using the CRT approach and suggests specific guidelines for test developers to use in constructing test items Methods for assessing the adequacy of a CRT are also provided Author (GRA)

**N76-17817# Air Force Human Resources Lab Brooks AFB Tex IMPACT OF COMPUTER BASED INSTRUCTION ON ATTITUDES OF STUDENTS AND INSTRUCTORS A REVIEW Final Report**

Anne Truscott King May 1975 21 p refs (AF Proj 1121) (AD-A014797 AFHRL-TR-75-4) Avail NTIS CSCL 05/10

The review examines the evidence which bears on the issue of whether contact with computer-based instruction leads to feelings of depersonalization or dehumanization The approach is to document investigations which employ the larger construct of attitudes toward various modes of computer-based instruction which are found to be held by students and instructors before during or after exposure to computer-based instruction Evaluation of pertinent factors which influence attitudes was made through an assessment of relevant literature and personal communication with experts associated with several CAI and CMI projects in the United States GRA

**N76-17818# General Electric Co Daytona Beach Fla AIRBORNE ELECTRO-OPTICAL SENSOR SIMULATION Final Report, May 1974 - Feb 1975**

M Bunker and R Heeschen Jul 1975 108 p refs

(Contract F33615-74-C-5161) (AD-A016725 AFHRL-TR-75-35) Avail NTIS CSCL 05/9

Cost effective training of personnel in operation of infrared (IR) and low light level television (LLLTV) systems requires the development of real-time ground based equipment for simulating the performance characteristics of such systems Such hardware must be carefully specified to provide the essential degree of validity in simulation of performances and detail of visual cues The major effort covered in this report has been the development of an extremely versatile and unconstrained software simulation model In such a system, increasing the complexity of scenes and of modeling computation incur no increase in cost but are accommodated by allowing increased processing time With essentially unconstrained scene detail capability transfer function definition tonal assignment capability noise simulation characteristics and atmospheric effects simulation, the model can readily

be adjusted to simulate the characteristics of actual systems, present or future It can further be set up to show the precise effect of simulation hardware specifications differing from actual equipment to meet the goal of precise hardware specification

GRA

**N76-17819# School of Aerospace Medicine, Brooks AFB, Tex NEPTUNE MODIFICATIONS AND CURRENT APPLICATIONS Final Report, Jun 1973 - Dec 1974**

Russell A Benet and William F Storm Aug 1975 41 p refs (AD-A016722 SAM-TR-75-20) Avail NTIS CSCL 05/10

Recent modifications of the Neptune psychomotor test apparatus and a brief description of individual tasks are presented Currently available system workload program listings and typical learning data under these workloads are discussed Standardized instructions for the Neptune operator console are provided Previous Neptune use is documented in an annotated bibliography

GRA

**N76-17820# Army Aeromedical Research Lab Fort Rucker Ala**

**OBJECT VISIBILITY PATTERNS IN LOW LEVEL FLIGHT Final Report**

Robert H Wright and J Nicholas DeBonis Sep 1975 38 p refs

(DA Proj 3AT-62758-A-819)

(AD-A016886 USAARL-76-5) Avail NTIS CSCL 06/16

Line of sight viewing angle range and time distributions are given for a 70 kilometer sample of tree-top level annular (fisheye) imagery and comparison made between these data and theoretical random single tree line of sight distributions The effects of location over open and tree covered terrain are assessed and limited data on the effect of altitude presented Relative azimuth elevation and range of objects when they first emerged into view were recorded by type of object Relative angle of crossing linear features was determined along with the duration that information of navigational value could be determined When over trees the actual masking function was grossly different from the theoretical curves while over open terrain actual masking approximated the five percent cover theoretical curve at close range and the one percent curve at 1000 meters Over trees masking for tank-size vehicles ranged from 83 to 93 percent and over open terrain from 10 to 77 percent masking Only 12 5 percent of linear features were found to be oriented within plus or minus 30 degrees of the nose at crossing while 58 3 percent were within plus or minus 30 degrees of perpendicular to the nose This finding implies that viewing to the sides as an aircraft crosses features is necessary in order to see the feature details that will provide positive geographic orientation The detailed viewing along linear features required for positive geographic orientation was available for an average of 24 meters or one second at 50 knots Limited data are presented on the effect of altitude on duration of line of sight to objects that provide information of value in geographic orientation

Author (GRA)

**N76-17821# Teledyne Brown Engineering Huntsville Ala EVALUATION OF GLARE REDUCTION TECHNIQUES Final Report, 14 Jun 1974 - 20 Jun 1975**

W L Raine N E Chatterton and A R Dunn Sep 1975 120 p refs

(Contract DOT-HS-801-718)

(PB-245624/2 DOT-HS-801-718) Avail NTIS HC\$5 50 CSCL 13F

Degradation of the visual capacity of a motor vehicle driver caused by luminous sources on the driver's own vehicle during daylight is quantified according to luminance glare theory Effects of driver's age and daylight conditions are considered and a means for laboratory measurement of vehicle glare production characteristics is developed Based upon a probabilistic model of target detection allowable glare in the field of view is determined It is found that spot glare sources do not materially contribute to degradation of visual capacity (with the model) and that the dash of the motor vehicle is generally the largest contributor to glare

GRA

**N76-17822 Kansas State Univ, Manhattan**

**DESIGN OF A PERSONAL DRY-ICE COOLING GARMENT ITS PHYSIOLOGICAL AND HEAT TRANSFER ASPECTS**

**Ph D Thesis**

Jerry Richard Duncan 1975 239 p

Avail Univ Microfilms Order No 76-2927

A personal dry ice cooling jacket for workers in industrial heat stress environments was developed following three stages of prototype design and evaluation The Model-B1 cooling jacket was evaluated in two industrial environments (a tire manufacturing plant and a chemical manufacturing plant) on six workers Modifications suggested by the industrial workers, laboratory subjects, and physiological data were incorporated into the design of Model-C

Dissert Abstr

**N76-17823\*# Pillsbury Mills Inc Minneapolis Minn**

**SPACE SHUTTLE FOOD SYSTEM STUDY FOOD AND BEVERAGE PACKAGE DEVELOPMENT, MODIFICATION 8S Final Report**

Jan 1976 117 p

(Contract NAS9-13138)

(NASA-CR-147431) Avail NTIS HC \$5 50 CSCL 06K

A new highly utilie rehydration package was developed for foods in zero gravity Rehydratable foods will become more acceptable as a result of their overall rehydration capability and improved palatability This new package design is greatly enhanced by the specified spacecraft condition of atmospheric pressure the pressure differential between the atmosphere and the package carries the functional responsibility for rapid food rehydration without excess package manipulation by the consumer Crew acceptance will further be enhanced by less manipulation hotter rehydration water temperatures and the ability to hold the foods at preparation temperatures until they are consumed

Author

**N76-17824\*# McDonnell-Douglas Astronautics Co Huntington Beach Calif**

**TRADE STUDY FOR WATER AND WASTE MANAGEMENT CONCEPTS TASK 7 SUPPORT SPECIAL ANALYSIS Final Report**

Nov 1975 113 p refs

(Contract NAS9-13404)

(NASA-CR-147432 MDC-G5853) Avail NTIS HC \$5 50 CSCL 06K

Cost analyses and tradeoff studies are given for waste management in the Space Station Lunar Surface Bases and interplanetary space missions Crew drinking water requirements are discussed and various systems to recycle water are examined The systems were evaluated for efficiency and weight savings The systems considered effective for urine water recovery were vapor compression flash evaporation and air evaporation with electrolytic pretreatment For wash water recovery the system of multifiltration was selected A wet oxidation system which can process many kinds of wastes is also considered J RT

**N76-17825\*# Martin Marietta Corp Denver Colo**

**SPACECRAFT UTENSIL/HAND CLEANSING FIXTURE Final Report**

Arthur A Rosener Thomas G Jonkoniec Debra A Wilson and

Jon R Schulz Dec 1975 145 p

(Contract NAS9-14671)

(NASA-CR-147425 MCR-75-486) Avail NTIS HC \$6 00 CSCL 06K

A system concept for an inflight utensil/hand cleansing fixture is described which includes the following features (1) capability for efficient cleansing and rinsing of utensils or hands and (2) provision for general waste fluid disposal The design concept provides for the capability of functioning for a 30 day shuttle mission containing seven occupants/users The long range goal is to provide a functioning system capable of operating for missions of at least 120 days The fixture is a self-contained unit that can be installed in the standard water interface requirements Service to the unit is a single source of unheated potable water and water is discharged from the unit into a single return waste connection In addition the design includes provisions for the intake and discharge of purge air and the discharge of evolved

gases Both the air and the gases are filtered or processed in the assembly before releasing them into the habitability area

Author

**N76-17826\***# Hamilton Standard, Windsor Locks Conn  
**FUSIBLE HEAT SINK FOR EVA THERMAL CONTROL** Final Report

George J Roebelen Jr Dec 1975 112 p  
(Contract NAS2-8912)  
(NASA-CR-137769 SVHSER-6821) Avail NTIS HC \$5 50 CSCL 06K

The preliminary design and analysis of a heat sink system utilizing a phase change slurry material to be used eventually for astronaut cooling during manned space missions is described During normal use excess heat in the liquid cooling garment coolant is transferred to a reusable/regenerable fusible heat sink Recharge is accomplished by disconnecting the heat sink from the liquid cooling garment and placing it in an on board freezer for simultaneous slurry refreeze and power supply electrical recharge

Author

**N76-17827\***# Ionics Inc Watertown, Mass  
**WATER VAPOR DIFFUSION MEMBRANE DEVELOPMENT** Final Report, Feb 1975 - Jan 1976

Michael K Tan Jan 1976 71 p  
(Contract NAS2-7651)

(NASA-CR-137804) Avail NTIS HC \$4 50 CSCL 06K

A total of 18 different membranes were procured, characterized and tested in a modified bench-scale vapor diffusion water reclamation unit Four membranes were selected for further studies involving membrane fouling Emphasis was placed on the problem of flux decline due to membrane fouling This is discussed in greater details under Summary and Discussion on Membrane Fouling Studies presented in pages 47-51 The system was also investigated for low temperature application on wash-water where the permeated water is not recovered but vented into space vacuum

Author

**N76-17828\***# McDonnell-Douglas Astronautics Co Huntington Beach Calif  
**COMBINATION OF AN ELECTROLYTIC PRETREATMENT UNIT WITH SECONDARY WATER RECLAMATION PROCESSES** Final Report

G W Wells and M S Bonura Sep 1973 205 p refs  
(Contract NAS1-11781)

(NASA-CR-147448 MDC-G4787) Avail NTIS HC\$7 75 CSCL 06K

The design and fabrication of a flight concept prototype electrolytic pretreatment unit (EPU) and of a contractor-furnished air evaporation unit (AEU) are described The integrated EPU and AEU potable water recovery system is referred to as the Electrovap and is capable of processing the urine and flush water of a six-man crew Results of a five-day performance verification test of the Electrovap system are presented and plans are included for the extended testing of the Electrovap to produce data applicable to the combination of electrolytic pretreatment with most final potable water recovery systems Plans are also presented for a program to define the design requirements for combining the electrolytic pretreatment unit with a reverse osmosis final processing unit

Author

**N76-17829\***# Navy Clothing and Textile Research Unit Natick Mass

**VISOR SYSTEM MATERIALS FOR ALUMINIZED FIREMEN'S HOODS REPORT 2 EVALUATION OF GOLD COATED PLASTIC SUBSTRATES**

Norman F Audet Jun 1975 54 p refs  
(AD-A015310, TR-113-Rept-2 Rept-1-75) Avail NTIS CSCL 06/17

The Navy Clothing and Textile Research Unit became concerned with the poor durability characteristics of the gold-coated facepiece component of the crash-crew firefighter's visor system and established a program to identify the problems associated with the facepiece Several experimental transparent plastic sample materials were obtained uncoated gold coated and gold coated and overcoated with different types

of protective overcoatings and evaluated to determine the following Heat transmission characteristics of the uncoated transparent plastic substrates heat transmission characteristics of the gold coatings with and without the different types of overcoatings on the transparent plastic substrates durability characteristics of the coated materials

GRA

**N76-17830\***# Systems Research Labs Inc Dayton Ohio  
**EVALUATION OF PHYSIOLOGICAL INPUTS TO HIGH G PERFORMANCE MODELS** Final Technical Report, 15 Mar - 30 Jun 1974

Franklin P Witte Anil V Phatak and Jerry F Green Wright-Patterson AFB, Ohio AMRL Jul 1975 82 p refs  
(Contract F33615-74-C-4062)

(AD-A014813 AMRL-TR-74-103) Avail NTIS CSCL 06/19

This report presents a review of physiological model structures and recent acceleration studies that are applicable to the problem of modeling the response of the human cardiovascular system to -Gz acceleration A recently published model of cardiovascular response is analyzed as a closed loop control system Certain problems associated with the direct simulation of such models are identified and methods of removing these difficulties are considered A revised model is derived and the results of preliminary analysis and simulation of this model are presented A discussion of the physiological aspects of developing an improved model is included and the next steps toward implementing this model are outlined A brief synopsis of several recent relevant acceleration studies concludes the report

Author (GRA)

**N76-17831\***# Naval Submarine Medical Research Lab Groton Conn

**PROCEEDING OF THE INTERNATIONAL WORKSHOP ON ESCAPE AND SURVIVAL FROM SUBMERSIBLES** Final Report

Charles F Gell and James W Parker 15 Oct 1974 167 p  
Proc held at Groton, Conn 20-22 Jun 1972

(AD-A014871 NSMRL-794) Avail NTIS CSCL 06/7

The report presents the proceedings of the International Workshop on Escape and Survival from Submersibles held at the Naval Submarine Medical Research Laboratory at the Naval Submarine Base in Groton Connecticut USA 20-22 June 1972 This Workshop was jointly sponsored by the U S Navy's Bureau of Medicine and Surgery and the Office of Naval Research Twenty-one papers were presented including an historical overview a presentation of the procedures for training in the Royal Navy and the U S Navy problems of prediction and treatment of decompression sickness and outlines of escape procedures in both Navies free-ascent techniques and escape under saturated conditions individual escape techniques McCann Bell procedures and rescue via deep submergence vehicles GRA

**N76-17832\***# Calspan Corp Buffalo NY  
**DEVELOPMENT OF AN IMPROVED COMPUTER MODEL OF THE HUMAN BODY AND EXTREMITY DYNAMICS**

J T Fleck and F E Butler Jul 1975 163 p refs  
(Contract F33615-75-C-5002, AF Proj 7231)

(AD-A014816 AMRL-TR-75-14) Avail NTIS CSCL 06/5

Three principal modifications namely, an improved joint formulation an improved belt restraint formulation and inclusion of aerodynamic forces were incorporated into the Phase III Calspan Three-Dimensional Crash Victim Model Simulation GRA

**N76-17833\***# Army Natick Development Center Mass Food Engineering Lab

**STORAGE STUDY OF INDIVIDUAL SERVINGS OF SUBSISTENCE AT VARIOUS TEMPERATURES** Final Report

Marilee D Witt and Stanley G Wisniewski Aug 1975 29 p refs

(AD-A014939 FEL-15 NDC-TR-75-85-FEL) Avail NTIS CSCL 06/8

While some packaging materials appear to offer more protection to individual servings of subsistence the results of this study indicate that the dominant factor in long-term acceptance of any product is a low storage temperature Irrespective of the product and the method of packaging product

stored at 4.4 C (40 F) is superior to product stored at 21.1 C (70F) which in turn is superior to product stored at 32.2 C (90F)  
Author (GRA)

**N76-17834# Alliance for Engineering in Medicine and Biology**  
Chevy Chase Md


**A 5-YEAR RESEARCH AND DEVELOPMENT AGENDUM  
FOR ULTRASONIC IMAGING DIAGNOSTIC INSTRUMENTATION AN ASSESSMENT OF SELECTED MEDICAL  
INSTRUMENTATION Final Report**

J H Busser Apr 1975 127 p refs  
(Grant NSF ATA-73-03255-A03)  
(PB-245680/4 Pub-N-1975-1 NSF/RA/T-75/023) Avail  
NTIS HC \$6.00 CSCL 06L

A priority list of research and development objectives in medical ultrasound was assembled to indicate needed development of new capabilities in diagnosis over the next five years. Detailed rationale and the complex relationships between issues are given. The four previously published discipline-oriented reports from which the list was developed are included in full as appendices. Thus a complete background of information is provided for decision making in this field. The useful life of the report is expected to extend over a 3-5 year period. GRA

# SUBJECT INDEX

## Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content a title extension is added separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable a report number is also included as an aid in identifying the document.

## A

- ABILITIES**  
Guidebook for developing criterion-referenced tests  
[AD-A014987] N76-17816
- ACCELERATION TOLERANCE**  
Evaluation of physiological inputs to high G performance models  
[AD-A014813] N76-17830
- ACIDS**  
Production and characterization of enzymes stabilized as humic acid analogues N76-16729
- ACOUSTIC IMPEDANCE**  
Examination of normal and pathologic middle ears by acoustic time; domain reflectometry  
[AD-A014818] N76-17804
- ACOUSTIC MEASUREMENTS**  
Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration  
[NASA-CR-146391] N76-16787
- ACTIVATION ENERGY**  
High-pressure temperature-jump kinetic studies of enzyme model reactions --- considering metalloenzymes N76-17781
- ADRENAL GLAND**  
Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095
- ADRENAL METABOLISM**  
Effects of exercise on excretion rates of urinary free cortisol A76-21611
- The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves A76-21788
- ADRENOCORTICOTROPIN (ACTH)**  
Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095
- AEROMOBILISM**  
Intracardial bubbles during decompression to altitude in relation to decompression sickness in man A76-21401
- AEROSPACE MEDICINE**  
Aircrew medical standards and their application in the Royal Australian Air Force A76-19711
- Space biology and aerospace medicine, volume 9, no. 5, 1975 [JPRS-66404] N76-16730
- AFFECTIVE NERVOUS SYSTEMS**  
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats A76-22226
- AIR TRAFFIC CONTROL**  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- AIR TRANSPORTATION**  
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft N76-16757
- AIRCRAFT ACCIDENTS**  
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression A76-21402
- Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413
- Vertebral fractures in pilots involved in helicopter accidents [RAE-LIB-TRANS-1854] N76-16744
- AIRCRAFT COMMUNICATION**  
An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards --- noise intensity in earphones N76-17798
- AIRCRAFT EQUIPMENT**  
Review and analysis of color coding research for visual displays --- in aircraft A76-19173
- AIRCRAFT MAINTENANCE**  
Fully proceduralized job performance aids: Guidance for performing behavioral analyses of tasks --- education to improve human performance in aircraft maintenance [AD-A015059] N76-17815
- AIRCRAFT NOISE**  
Effects of aircraft noise on the mental work of pupils A76-18950
- An assessment on certain causal models used in surveys on aircraft noise annoyance A76-21251
- Special analysis of community annoyance with aircraft noise reported by residents in the vicinity of JFK Airport, 1972 [NASA-CR-132678] N76-16788
- Effects of long duration noise exposure on hearing and health --- proceedings on stress (physiology) of flight crews exposed to aircraft noise [AGARD-CP-171] N76-17786
- Physiological responses due to noise in inhabitants around Munich airport --- aircraft noise effects on human body N76-17799
- AIRCRAFT PILOTS**  
Simulated flying performance after marihuana intoxication A76-21404
- Alpha index and personality traits of pilots A76-21406
- Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413
- Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974 A76-21414
- Paroxysmal and chronic atrial fibrillation in airman certification A76-21415

## AIRPORTS

## SUBJECT INDEX

Trainable crew behavior in the flight simulator for pilot incapacitation	N76-17813	ASTRONAUT PERFORMANCE Sixty two days on board Salyut 4. I	A76-19268
<b>AIRPORTS</b> Special analysis of community annoyance with aircraft noise reported by residents in the vicinity of JFK Airport, 1972 [NASA-CR-132678]	N76-16788	Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions	A76-21411
<b>ALCOHOLS</b> Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time	A76-21746	<b>ASTRONAUTS</b> Stereometric body volume measurement [NASA-CR-147399]	N76-16745
<b>ALDOSTERONE</b> Suppression of plasma renin and plasma aldosterone during water immersion in normal man	A76-21787	<b>ATTENTION</b> Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389]	N76-16786
<b>ALGORITHMS</b> Constructing the motions of manipulating systems [NASA-TT-F-16859]	N76-16804	<b>AUDITORY DEFECTS</b> Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise --- lipids of the cerebral cortex affecting noise threshold	N76-17789
<b>ALTITUDE ACCLIMATIZATION</b> Effects of hypoxia, heat, and humidity on physical performance	A76-21616	The incidence of temporary and permanent hearing loss among aircrews exposed to long-duration noise in maritime patrol aircraft --- (noise hazards of reconnaissance aircraft)	N76-17792
<b>ALTITUDE SICKNESS</b> Circulatory response to acute hypobaric hypoxia in conscious dogs	A76-21405	Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023]	N76-17806
<b>ALTITUDE TOLERANCE</b> Interaction between marihuana and altitude on a complex behavioral task in baboons	A76-21403	<b>AUDITORY PERCEPTION</b> The auditory neural network in man [NASA-CR-146357]	N76-16783
<b>AMINO ACIDS</b> Flight-induced changes in human amino acid excretion	A76-19701	Electrophysiological measurement of human auditory function [NASA-CR-146387]	N76-16785
Amino acids in modern and fossil woods	A76-19816	Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389]	N76-16786
<b>ANALOG COMPUTERS</b> An inexpensive blood pressure-heart rate computer for laboratory or teaching use	A76-21617	<b>AUDITORY SENSATION AREAS</b> On the question of the physiological interaction on the vibrotactile and audio reception	A76-20875
<b>ANGIOGRAPHY</b> The accuracy of cardiac function indices derived from ultrasonic time-position scans	A76-21604	<b>AUDITORY STIMULI</b> Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390]	N76-16784
<b>ANGULAR ACCELERATION</b> Sensory and motor components of eye fixation movement during exposure to angular accelerations	N76-16736	Electrophysiological measurement of human auditory function [NASA-CR-146387]	N76-16785
<b>ANOXIA</b> Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation	A76-21055	Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration [NASA-CR-146391]	N76-16787
<b>ANTIBODIES</b> The gastrin antibody /IgG/ in the blood of healthy humans and animals	A76-20458	<b>AUDITORY TASKS</b> Evaluating the ability of aircrew personnel to hear speech in their operational environments	A76-21409
MEMS reagent and sample handling procedure: Feasibility of viral antibody detection by passive immune agglutination [NASA-CR-147398]	N76-16751	<b>AUTOMATIC CONTROL</b> The structure of human control activity and its conversion into an automatic control system	A76-19422
<b>ANTIOXIDANTS</b> Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice	A76-21408	Automated single-slide staining device --- in clinical bacteriology	A76-21781
<b>AORTA</b> Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta --- hemodynamic responses to vasoactive agents	A76-21606	<b>AUTOMOBILES</b> Automobile ride quality experiments correlated to iso-weighted criteria	N76-16778
<b>APOLLO SOYUZ TEST PROJECT</b> Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions	A76-21411	Evaluation of glare reduction techniques [PB-245624/2]	N76-17821
<b>ARTERIES</b> Role of arterial baroreceptors in mediating cardiovascular response to exercise	A76-21054	<b>AUTONOMIC NERVOUS SYSTEM</b> Correlation between the autonomic components of the orientation reaction and the nature of the information received by an airman	N76-16733
Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow	A76-21407	The effects of ear protectors on some automatic responses to aircraft and impulsive noise --- stress (physiology)	N76-17794
Effect of intramycardial pressure on the phasic flow in the intraventricular septal artery	A76-21603		
<b>ARTIFICIAL INTELLIGENCE</b> The use of mathematical logic and goal-oriented languages in the formation of robot plans	A76-22329		

**B**

## BACK INJURIES

Effect of prolonged flights on the course of  
chronic sacrolumbar radiculitis in flying  
personnel

A76-20295

## SUBJECT INDEX

## BODY TEMPERATURE

<b>BACKGROUND NOISE</b>		
Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389]	N76-16786	
<b>BARORECEPTORS</b>		
Role of arterial baroreceptors in mediating cardiovascular response to exercise	A76-21054	
<b>BED REST</b>		
In Vivo measurement of human body composition --- during continuous bed rest [NASA-CR-146223]	N76-16748	
<b>BINOCULAR VISION</b>		
The role of convergence in visual space perception	A76-20085	
Binocular summation and peripheral visual response time	A76-21784	
<b>BIOASTRONAUTICS</b>		
Medical-biological investigations carried out on board the Salyut 4 orbital stations	A76-19826	
<b>BIOCHEMISTRY</b>		
Geotropic reaction of plants --- and biochemistry [NASA-TT-F-16826]	N76-16740	
<b>BIOCONTROL SYSTEMS</b>		
Respiratory volume-time relationships during resistive loading in the cat	A76-21613	
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model	A76-21776	
<b>BIODYNAMICS</b>		
Dynamic damper in the biomechanical arm-vibrator system	A76-20238	
Standardizing the dynamics of man [AD-A014919]	N76-17809	
<b>BIOELECTRIC POTENTIAL</b>		
Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex	A76-19662	
Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390]	N76-16784	
Electrophysiological measurement of human auditory function [NASA-CR-146387]	N76-16785	
<b>BIOENGINEERING</b>		
Vertical mode human body vibration transmissibility	A76-20123	
A 5-year research and development agenda for ultrasonic imaging diagnostic instrumentation. An assessment of selected medical instrumentation [PB-245680/4]	N76-17834	
<b>BIOINSTRUMENTATION</b>		
Cardiac imaging using a phased array ultrasound system. I - System design	A76-20069	
Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application	A76-20070	
Cardiovascular diagnosis with real time ultrasound imaging	A76-20752	
Real-time Doppler imaging for unambiguous measurement of blood volume flow	A76-20755	
An inexpensive blood pressure-heart rate computer for laboratory or teaching use	A76-21617	
<b>BIOLOGICAL EFFECTS</b>		
Search for correlation between geomagnetic disturbances and mortality	A76-20772	
<b>BIOLOGICAL EVOLUTION</b>		
Influence of ancient solar-proton events on the evolution of life	A76-19815	
Amino acids in modern and fossil woods	A76-19816	
<b>BIOMEDICAL DATA</b>		
Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974	A76-21414	
<b>BIOMETRICS</b>		
Stereometric body volume measurement [NASA-CR-147399]	N76-16745	
<b>BIONICS</b>		
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model	A76-21776	
<b>BLOOD FLOW</b>		
Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model	A76-19667	
Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow	A76-19704	
Rate of change of ventricular power - An indicator of ventricular performance during ejection	A76-20350	
Real-time Doppler imaging for unambiguous measurement of blood volume flow	A76-20755	
Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta --- hemodynamic responses to vasoactive agents	A76-21606	
Total and regional cerebral blood flow during moderate and severe exercise in miniature swine	A76-21614	
Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia	A76-21836	
<b>BLOOD PLASMA</b>		
On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood	A76-19016	
Erythropoietic properties of the plasma in hypodynamia	A76-19698	
The gastrin antibody /IgG/ in the blood of healthy humans and animals	A76-20458	
Suppression of plasma renin and plasma aldosterone during water immersion in normal man	A76-21787	
The effect of exercise and thermal stress on plasma volume [AD-A015132]	N76-17802	
<b>BLOOD PRESSURE</b>		
Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery	A76-21603	
Arterial pressure contour analysis for estimating human vascular properties	A76-21612	
An inexpensive blood pressure-heart rate computer for laboratory or teaching use	A76-21617	
<b>BLOOD VOLUME</b>		
The effect of exercise and thermal stress on plasma volume [AD-A015132]	N76-17802	
<b>BLUE GREEN ALGAE</b>		
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga	A76-22247	
<b>BODY FLUIDS</b>		
Muscle water and electrolytes following varied levels of dehydration in man	A76-20322	
<b>BODY MEASUREMENT (BIOLOGY)</b>		
Vertical mode human body vibration transmissibility	A76-20123	
<b>BODY TEMPERATURE</b>		
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs	A76-19589	
Heat metabolism in man under various degrees of body overheating	A76-19664	
Mechanisms of thermogenic action of noradrenalin in cold adaptation	A76-19665	

Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation	A76-19666	Rate of change of ventricular power - An indicator of ventricular performance during ejection A76-20350
Biothermal simulation of scuba divers	A76-21148	Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation A76-21055
Restructuring of the human temperature rhythm after inversion of the rhythm of life in isolation	N76-16732	Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery A76-21603
<b>BODY VOLUME (BIOLOGY)</b>		Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation A76-21610
Stereometric body volume measurement [NASA-CR-147399]	N76-16745	Comparative evaluation of pressure and time factors in estimating left ventricular performance A76-21615
<b>BOEING 707 AIRCRAFT</b>		Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model A76-21776
The economy of flight simulators for crew training exemplified for a Boeing 707 simulator	N76-17814	
<b>BONE DEMINERALIZATION</b>		
Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization	A76-19702	
<b>BRAIN</b>		
Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390]	N76-16784	Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323
<b>BRAIN CIRCULATION</b>		The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604
Total and regional cerebral blood flow during moderate and severe exercise in miniature swine	A76-21614	Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605
<b>BRAIN DAMAGE</b>		
Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata	A76-19699	
<b>BRAIN STEM</b>		
Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration [NASA-CR-146391]	N76-16787	Effect of a sudden change of time environment on some circadian rhythms in man A76-19696
<b>BRIGHTNESS DISCRIMINATION</b>		Cardiovascular diagnosis with real time ultrasound imaging A76-20752
Luminance gradients and edge effects --- in human visual perception	A76-20081	Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054
<b>C</b>		Arterial pressure contour analysis for estimating human vascular properties A76-21612
<b>CALORIC REQUIREMENTS</b>		Evaluation of physiological inputs to high G performance models [AD-A014813] N76-17830
The effects of caloric density of the food on running endurance and general condition of rats and hamsters restricted in food intake or fed ad libitum [AD-A014896]	N76-17808	
<b>CALORIC STIMULI</b>		
Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude	A76-19663	CASE HISTORIES An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79] N76-16789
<b>CAMERAS</b>		
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera	A76-20753	CATARACTS Identification of beta carbolines isolated from fluorescent human lens proteins A76-21318
<b>CARBON DIOXIDE CONCENTRATION</b>		
Sustained vasoconstriction in man supplemented with CO <sub>2</sub> at high altitude	A76-20324	CATECHOLAMINE Influence of the noise on catecholamine excretion --- for flight crews N76-17795
<b>CARBON ISOTOPES</b>		
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga	A76-22247	CELLS (BIOLOGY) Physical chemical state of water in living cells [AD-A014929] N76-17783
<b>CARBON MONOXIDE</b>		
Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow	A76-21407	CENTRIFUGING STRESS Disorienting effects of aircraft catapult launchings. II A76-19705
<b>CARBON MONOXIDE POISONING</b>		
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/	A76-21605	CEREBRAL CORTEX Specific features of cortical neurons in response to skin thermostimulation A76-19661
<b>CARDIAC AURICLES</b>		Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex A76-19662
Relation between echocardiographically determined left atrial size and atrial fibrillation	A76-20071	Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats A76-22226
<b>CARDIAC VENTRICLES</b>		Transmission of excitation in the feline optic system A76-22227
Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy	A76-20068	Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise --- lipids of the cerebral cortex affecting noise threshold N76-17789

<b>CEREBRAL VASCULAR ACCIDENTS</b>		
Search for correlation between geomagnetic disturbances and mortality	A76-20772	
<b>CHARACTER RECOGNITION</b>		
The effect of two-axis vibration on the legibility of reading material	A76-21619	
<b>CHEMICAL REACTIONS</b>		
Production and characterization of enzymes stabilized as humic acid analogues	N76-16729	
<b>CHEMOTHERAPY</b>		
Treating the insomniac patient - General measures and psychological and pharmacological treatment	A76-19339	
<b>CHILDREN</b>		
Effects of aircraft noise on the mental work of pupils	A76-18950	
<b>CHOLESTEROL</b>		
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/	A76-21605	
<b>CHROMOSOMES</b>		
On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood	A76-19016	
<b>CHRONIC CONDITIONS</b>		
Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel	A76-20295	
<b>CIRCADIAN RHYTHMS</b>		
Effect of a sudden change of time environment on some circadian rhythms in man	A76-19696	
Restructuring of the human temperature rhythm after inversion of the rhythm of life in isolation	N76-16732	
<b>CIVIL AVIATION</b>		
Pregnant stewardess - Should she fly	A76-19712	
Vehicle for civil helicopter ride quality research	N76-16760	
<b>CLEANING</b>		
Spacecraft utensil/hand cleansing fixture --- for space shuttles [NASA-CR-147425]	N76-17825	
<b>CLINICAL MEDICINE</b>		
Epidemiological, clinical and sleep laboratory evaluations of insomnia	A76-19338	
Electrocardiographic manifestations of concealed junctional ectopic impulses	A76-20066	
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction	A76-20067	
Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application	A76-20070	
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model	A76-21776	
<b>COCHLEA</b>		
Mode of cochlear damage by excessive noise, an overview --- pathological effects	N76-17787	
<b>CODING</b>		
Review and analysis of color coding research for visual displays --- in aircraft	A76-19173	
<b>COENZYMES</b>		
Factors affecting the palmitoyl-coenzyme A desaturase of <i>Saccharomyces cerevisiae</i>	A76-21792	
<b>COLD ACCLIMATIZATION</b>		
Mechanisms of thermogenic action of noradrenalin in cold adaptation	A76-19665	
Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation	A76-19666	
The role of noradrenalin in the regulation of muscular thermogenesis during cooling	A76-19697	
<b>COLOR VISION</b>		
Review and analysis of color coding research for visual displays --- in aircraft	A76-19173	
Pattern detection and the two-dimensional Fourier transform - Flickering checkerboards and chromatic mechanisms	A76-19821	
Color perception after intensive photostimulation	N76-16734	
<b>COMFORT</b>		
The 1975 Ride Quality Symposium [NASA-TM-X-3295]	N76-16754	
Ride quality criteria and the design process --- standards for ride comfort	N76-16756	
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft	N76-16757	
Nonmotion factors which can affect ride quality	N76-16759	
Vehicle for civil helicopter ride quality research	N76-16760	
Computer analysis of railcar vibrations	N76-16761	
Intercity rail-passenger car ride quality test program	N76-16762	
The pitch-heave dynamics of transportation vehicles	N76-16763	
An approach to high speed ship ride quality simulation	N76-16764	
Evaluation of ride quality measurement procedures by subjective experiments using simulators	N76-16765	
Demographic and psychological variables affecting test subject evaluations of ride quality	N76-16767	
Human comfort in relation to sinusoidal vibration	N76-16768	
Effect of vibration in combined axes on subjective evaluation of ride quality	N76-16769	
Passenger ride quality response to an airborne simulator environment	N76-16770	
Ride quality of terminal-area flight maneuvers	N76-16771	
Passenger ride quality determined from commercial airline flights	N76-16772	
Reaction of passengers to public service vehicle ride	N76-16773	
A review of ride comfort studies in the United Kingdom	N76-16774	
Ride quality and international standard ISO 2631 (Guide for the evaluation of human exposure to whole-body vibration)	N76-16775	
Analysis of proposed criteria for human response to vibration	N76-16776	
The ISO standard: Guide for the evaluation of human exposure to whole-body vibration	N76-16777	
Automobile ride quality experiments correlated to ISO-weighted criteria	N76-16778	
Vibration simulator studies for the development of passenger ride comfort criteria	N76-16779	
Simulator studies and psychophysical ride comfort models	N76-16780	
<b>COMMERCIAL AIRCRAFT</b>		
Passenger ride quality determined from commercial airline flights	N76-16772	
<b>COMPATIBILITY</b>		
Psychological problems of interplanetary flight [NASA-TT-F-16536]	N76-16750	

<b>COMPUTER ASSISTED INSTRUCTION</b>	
Impact of computer based instruction on attitudes of students and instructors: A review [AD-A014797]	N76-17817
<b>COMPUTER DESIGN</b>	
An inexpensive blood pressure-heart rate computer for laboratory or teaching use	A76-21617
<b>COMPUTERIZED SIMULATION</b>	
Condensation of water on dry salt crystals. Description of the computer program [IRI-190-75-04]	N76-16753
Computer analysis of railcar vibrations	N76-16761
Airborne electro-optical sensor simulation [AD-A016725]	N76-17818
Development of an improved computer model of the human body and extremity dynamics [AD-A014816]	N76-17832
<b>CONDENSING</b>	
Condensation of water on dry salt crystals. Description of the computer program [IRI-190-75-04]	N76-16753
<b>CONDITIONING (LEARNING)</b>	
The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill [AD-A015282]	N76-16800
<b>CONFERENCES</b>	
The 1975 Ride Quality Symposium [NASA-TM-X-3295]	N76-16754
Realistic flight simulation --- conference proceedings [DLR-MITT-75-18]	N76-17811
<b>CONSUMABLES (SPACECRAFT SUPPLIES)</b>	
Space shuttle food system study: Food and beverage package development, modification 85 [NASA-CR-147431]	N76-17823
<b>CONVERGENCE</b>	
The role of convergence in visual space perception	A76-20085
<b>COOLING</b>	
Design of a personal dry-ice cooling garment: Its physiological and heat transfer aspects	N76-17822
<b>CORONARY CIRCULATION</b>	
Rate of change of ventricular power - An indicator of ventricular performance during ejection	A76-20350
Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow	A76-21407
Effect of intramycardial pressure on the phasic flow in the intraventricular septal artery	A76-21603
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation	A76-21610
<b>CORTICOSTEROIDS</b>	
Corticosteroids and ACTH are not required for compensatory adrenal growth	A76-19095
<b>COST ANALYSIS</b>	
Trade study for water and waste management concepts. Task 7: Support special analysis --- cost analysis of life support systems for waste utilization during space missions [NASA-CR-147432]	N76-17824
<b>CRASH INJURIES</b>	
Vertebral fractures in pilots involved in helicopter accidents [RAE-LIB-TRANS-1854]	N76-16744
<b>CRYSTALS</b>	
Condensation of water on dry salt crystals. Description of the computer program [IRI-190-75-04]	N76-16753
<b>CYBERNETICS</b>	
Informational problems in flight ergonomics	A76-20615
<b>D</b>	
<b>DARK ADAPTATION</b>	
Critical duration for resolution of acuity targets	A76-19822
<b>DECISION MAKING</b>	
A model of the human observer in failure detection tasks	A76-20122
Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures	A76-21747
<b>DECOMPRESSION SICKNESS</b>	
Intracardial bubbles during decompression to altitude in relation to decompression sickness in man	A76-21401
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression	A76-21402
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA	A76-21412
Changes in the induced potential in man during altitude decompression	N76-16737
Proceeding of the International Workshop on escape and survival from submersibles [AD-A014871]	N76-17831
<b>DEHYDRATION</b>	
Muscle water and electrolytes following varied levels of dehydration in man	A76-20322
<b>DENSITY MEASUREMENT</b>	
The density of human rhodopsin in the rods	A76-20079
<b>DESATURATION</b>	
Factors affecting the palmitoyl-coenzyme A desaturase of <i>Saccharomyces cerevisiae</i>	A76-21792
<b>DESIGN ANALYSIS</b>	
Portable oxygen subsystem --- design analysis and performance tests [NASA-CR-147428]	N76-16802
<b>DIAGNOSIS</b>	
Electrocardiographic manifestations of concealed junctional ectopic impulses	A76-20066
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction	A76-20067
Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy	A76-20068
Cardiovascular diagnosis with real time ultrasound imaging	A76-20752
Examination of normal and pathologic middle ears by acoustic time; domain reflectometry [AD-A014818]	N76-17804
<b>DIASTOLIC PRESSURE</b>	
Comparative evaluation of pressure and time factors in estimating left ventricular performance	A76-21615
<b>DIETS</b>	
Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice	A76-21408
<b>DIFFUSION</b>	
Water vapor diffusion membrane development [NASA-CR-137804]	N76-17827
<b>DIGITAL SIMULATION</b>	
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera	A76-20753
<b>DISORIENTATION</b>	
Disorienting effects of aircraft catapult launchings. II	A76-19705
<b>DISPLACEMENT MEASUREMENT</b>	
Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow	A76-19704
<b>DISPLAY DEVICES</b>	
Review and analysis of color coding research for visual displays --- in aircraft	A76-19173

Investigation of the operational structure of the process of identifying graphical images A76-19419  
 Informational problems in flight ergonomics A76-20615  
 Some problems in the coupling of visibility simulation equipment to flight simulators N76-17812  
**DISTANCE**  
 Effects of luminance and stimulus distance on accommodation and visual resolution A76-20853  
**DIVING (UNDERWATER)**  
 Biothermal simulation of scuba divers A76-21148  
 Man-water-pressure. Volume 2: Publications in underwater physiology, 1967 - 1974 [AD-A016593] N76-17810  
**DYNAMIC CHARACTERISTICS**  
 The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745  
**DYNAMIC MODELS**  
 The pitch-heave dynamics of transportation vehicles N76-16763  
**DYNAMIC RESPONSE**  
 Dynamic damper in the biomechanical arm-vibrator system A76-20238

**E**

**EAR**  
 Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model A76-19667  
**EAR PROTECTORS**  
 The effects of ear protectors on some automatic responses to aircraft and impulsive noise --- stress (physiology) N76-17794  
**EARPHONES**  
 An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards --- noise intensity in earphones N76-17798  
**EATING**  
 The effects of caloric density of the food on running endurance and general condition of rats and hamsters restricted in food intake or fed ad libitum [AD-A014896] N76-17808  
**ECHOCARDIOGRAPHY**  
 Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071  
 The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604  
**ECOLOGY**  
 Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components [NASA-CR-146401] N76-17782  
 Navy sponsored ELF biological and ecological research summary [AD-A015299] N76-17800  
**ECONOMIC ANALYSIS**  
 The economy of flight simulators for crew training exemplified for a Boeing 707 simulator N76-17814  
**EDUCATION**  
 Effective learning strategy training program: Development and assessment --- by using information systems. [AD-A014722] N76-16794  
 Fully proceduralized job performance aids: Guidance for performing behavioral analyses of tasks --- education to improve human performance in aircraft maintenance [AD-A015059] N76-17815  
**EFECTIVE PERCEIVED NOISE LEVELS**  
 Individual differences in human annoyance response to noise [NASA-CR-144921] N76-16782

**ELECTRIC STIMULI**  
 Lymph flow during stimulation of vasoconstrictor structures in the hypothalamus and the medulla oblongata A76-19699  
**ELECTROCARDIOGRAPHY**  
 Electrocardiographic manifestations of concealed junctional ectopic impulses A76-20066  
 Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323  
**ELECTROENCEPHALOGRAPHY**  
 Alpha index and personality traits of pilots A76-21406  
 Automated analysis of biological rhythms in the human electroencephalogram N76-17784  
**ELECTROLYTE METABOLISM**  
 Muscle water and electrolytes following varied levels of dehydration in man A76-20322  
**ELECTROLYTIC CELLS**  
 Combination of an electrolytic pretreatment unit with secondary water reclamation processes [NASA-CR-147448] N76-17828  
**ELECTRORETINOGRAPHY**  
 Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex A76-19662  
**EMOTIONAL FACTORS**  
 Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies A76-20616  
 Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory [AD-A014796] N76-16796  
**ENDOCRINOLOGY**  
 Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095  
**ENERGY DISSIPATION**  
 A method for the measurement of energy absorption in the human hand using various types of hand tools --- based on vibrational force and acceleration measurement [FPA-Memo 97] N76-16805  
**ENVIRONMENT EFFECTS**  
 Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units A76-20296  
**ENVIRONMENTAL MONITORING**  
 Space-earth forecasts --- environmental monitoring and technological forecasting by U.S.S.R. space program [NASA-TT-P-16375] N76-16741  
**ENZYME ACTIVITY**  
 Factors affecting the palmitoyl-coenzyme A desaturase of *Saccharomyces cerevisiae* A76-21792  
 Production and characterization of enzymes stabilized as humic acid analogues N76-16729  
 High-pressure temperature-jump kinetic studies of enzyme model reactions --- considering metalloenzymes N76-17781  
**EPIDEMIOLOGY**  
 Epidemiological, clinical and sleep laboratory evaluations of insomnia A76-19338  
**ERROR ANALYSIS**  
 The problem of 'malfunctions' and errors of a human operator A76-19421  
**ERYTHROCYTES**  
 Erythropoietic properties of the plasma in hypodynamia A76-19698  
**ESCAPE SYSTEMS**  
 Proceeding of the International Workshop on escape and survival from submersibles [AD-A014871] N76-17831

**EXCRETION**

Influence of the noise on catecholamine excretion  
--- for flight crews N76-17795

**EXERCISE (PHYSIOLOGY)**

Treating the insomniac patient - General measures  
and psychological and pharmacological treatment  
A76-19339

**EXOBIOLOGY**

Utilisation of Spacelab for life-science experiments  
A76-22356

Space biology and aerospace medicine, volume 9,  
no. 5, 1975  
[JPRS-66404] N76-16730

**EXPERIMENTAL DESIGN**

Speed-accuracy tradeoff functions in choice  
reaction time - Experimental designs and  
computational procedures A76-21747

**EXTRAVEHICULAR ACTIVITY**

Fusible heat sink for EVA thermal control  
[NASA-CR-137769] N76-17826

**EXTREMELY LOW FREQUENCIES**

Navy sponsored ELF biological and ecological  
research summary  
[AD-A015299] N76-17800

**EYE (ANATOMY)**

Identification of beta carbolines isolated from  
fluorescent human lens proteins A76-21318

The amounts of moisture emitted from the eyes and  
periorbital areas --- human factors engineering  
of goggles  
[AD-A014923] N76-17807

**EYE MOVEMENTS**

Differential responding to the beta movement after  
waking from REM and nonREM sleep --- apparent  
motion optical illusions A76-20859

Sensory and motor components of eye fixation  
movement during exposure to angular accelerations  
N76-16736

**F****FAILURE ANALYSIS**

A model of the human observer in failure detection  
tasks N76-20122

**FATS**

The effects of caloric density of the food on  
running endurance and general condition of rats  
and hamsters restricted in food intake or fed ad  
libitum  
[AD-A014896] N76-17808

**FATTY ACIDS**

Thyroid hormone-induced changes in body  
temperature and metabolism during exercise in dogs  
A76-19589

Factors affecting the palmitoyl-coenzyme A  
desaturase of *Saccharomyces cerevisiae*  
A76-21792

**FIBRILLATION**

Relation between echocardiographically determined  
left atrial size and atrial fibrillation  
A76-20071

Paroxysmal and chronic atrial fibrillation in  
airman certification A76-21415

**FIRE FIGHTING**

Visor system materials for aluminized firemen's  
hoods. Report 2: Evaluation of gold coated  
plastic substrates  
[AD-A015310] N76-17829

**FLICKER**

Pattern detection and the two-dimensional Fourier  
transform - Flickering checkerboards and  
chromatic mechanisms A76-19821

**FLIGHT CREWS**

Flight-induced changes in human amino acid excretion  
A76-19701

Aircrew medical standards and their application in  
the Royal Australian Air Force A76-19711

Pregnant stewardess - Should she fly  
A76-19712

Effect of prolonged flights on the course of  
chronic sacrolumbar radiculitis in flying  
personnel

A76-20295

Effect of physical activity of airline flight  
attendants on their time of useful consciousness  
in a rapid decompression

A76-21402

Evaluating the ability of aircrew personnel to  
hear speech in their operational environments  
A76-21409

Effects of long duration noise exposure on hearing  
and health --- proceedings on stress  
(physiology) of flight crews exposed to aircraft  
noise  
[AGARD-CP-171] N76-17786

The incidence of temporary and permanent hearing  
loss among aircrews exposed to long-duration  
noise in maritime patrol aircraft --- (noise  
hazards of reconnaissance aircraft)  
[DCIEM-75-RP-1073] N76-17792

Psycho-physical performance of Air Force  
technicians after long duration noise exposure  
--- (noise hazards to flight crews)  
N76-17793

Influence of the noise on catecholamine excretion  
--- for flight crews N76-17795

Trainable crew behavior in the flight simulator  
for pilot incapacitation N76-17813

The economy of flight simulators for crew training  
exemplified for a Boeing 707 simulator N76-17814

**FLIGHT FITNESS**

Aircrew medical standards and their application in  
the Royal Australian Air Force  
A76-19711

Pregnant stewardess - Should she fly A76-19712

**FLIGHT INSTRUMENTS**

Informational problems in flight ergonomics  
A76-20615

**FLIGHT PATHS**

Object visibility patterns in low level flight  
[AD-A016886] N76-17820

**FLIGHT SAFETY**

Realistic flight simulation --- conference  
proceedings  
[DLR-MITT-75-18] N76-17811

Trainable crew behavior in the flight simulator  
for pilot incapacitation N76-17813

**FLIGHT SIMULATORS**

Passenger ride quality response to an airborne  
simulator environment N76-16770

Simulator studies and psychophysical ride comfort  
models N76-16780

Pilot performance in a helicopter simulator  
[AD-A017441] N76-16798

Realistic flight simulation --- conference  
proceedings  
[DLR-MITT-75-18] N76-17811

Some problems in the coupling of visibility  
simulation equipment to flight simulators  
N76-17812

Trainable crew behavior in the flight simulator  
for pilot incapacitation N76-17813

The economy of flight simulators for crew training  
exemplified for a Boeing 707 simulator N76-17814

**FLIGHT STRESS (BIOLOGY)**

Effect of a sudden change of time environment on  
some circadian rhythms in man  
A76-19696

Flight-induced changes in human amino acid excretion  
A76-19701

Effect of prolonged flights on the course of  
chronic sacrolumbar radiculitis in flying  
personnel  
A76-20295

Evaluation of the load on a pilot's organism  
during agrotechnical flights, on the basis of  
physiological studies  
A76-20616

**FLIGHT TESTS**

Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768] N76-16803

**FLIGHT TRAINING**

The economy of flight simulators for crew training exemplified for a Boeing 707 simulator N76-17814

**FLUORESCENCE**

Light-induced fast conformational change in all-trans-retinal at low temperature A76-21319

**FLYING PERSONNEL**

Asymptotic behavior of temporary threshold shift during exposure to long duration noises --- for flying personnel N76-17791

**FOOD**

Storage study of individual servings of subsistence at various temperatures [AD-A014939] N76-17833

**FOSSILS**

Amino acids in modern and fossil woods A76-19816

**FOURIER TRANSFORMATION**

Pattern detection and the two-dimensional Fourier transform - Flickering checkerboards and chromatic mechanisms A76-19821

**FOVEA**

Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations A76-20084

**FRACTIONATION**

Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247

**FREQUENCY RESPONSE**

Vertical mode human body vibration transmissibility A76-20123

**G****GAMMA RAYS**

Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03] N76-16752

**GAS EXCHANGE**

Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium N76-16731

**GASEOUS DIFFUSION**

Gas exchange during hypercapnia under conditions of different oxygen content N76-16735

Nitrogen exchange across the lungs in resting man. Flying Personnel Research Committee [AD-A015133] N76-17801

**GASTROINTESTINAL SYSTEM**

The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458

**GEOMAGNETISM**

Influence of ancient solar-proton events on the evolution of life A76-19815

**GEOTROPISM**

Geotropic reaction of plants --- and biochemistry [NASA-TT-F-16826] N76-16740

**GLARE**

Evaluation of glare reduction techniques [PE-245624/2] N76-17821

**GLUCOSE**

The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves A76-21788

**GOOGLES**

The amounts of moisture emitted from the eyes and periorbital areas --- human factors engineering of goggles [AD-A014923] N76-17807

**GRATINGS (SPECTRA)**

Pattern detection and the two-dimensional Fourier transform - Flickering checkerboards and chromatic mechanisms A76-19821

Critical duration for resolution of acuity targets A76-19822

**GRAVITATIONAL EFFECTS**

Perception of static orientation in a constant gravito-inertial environment A76-21410

**GROUND CREWS**

Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units A76-20296

**H****HAND (ANATOMY)**

The effect of a filtered control on operator's hand tremor [AD-A014105] N76-16790

A method for the measurement of energy absorption in the human hand using various types of hand tools --- based on vibrational force and acceleration measurement [PPFA-MEMO 97] N76-16805

**HAZARDS**

Studies of asymptotic TTS --- noise threshold - human tolerances to noise hazards (industrial safety) N76-17790

**HEAD MOVEMENT**

Perception of static orientation in a constant gravito-inertial environment A76-21410

**HEALTH**

Some aspects of the problem of predicting man's health during a space flight [NASA-TT-F-16838] N76-16747

**HEARING**

Evaluating the ability of aircrew personnel to hear speech in their operational environments A76-21409

TTS in man from a 24-hour exposure to an octave band of noise centered at 4 kHz --- noise thresholds, human tolerances to sound waves [AMRL-TB-75-3] N76-17788

Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023] N76-17806

**HEART DISEASES**

Electrocardiographic manifestations of concealed junctional ectopic impulses A76-20066

Cardiac imaging using a phased array ultrasound system. I - System design A76-20069

Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application A76-20070

Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071

Paroxysmal and chronic atrial fibrillation in airman certification A76-21415

Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605

**HEART FUNCTION**

Rate of change of ventricular power - An indicator of ventricular performance during ejection A76-20350

Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera A76-20753

Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054

The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604

## HEART MINUTE VOLUME

## SUBJECT INDEX

Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model	A76-21776	Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia A76-21836
<b>HEART MINUTE VOLUME</b>		<b>HEMODYNAMICS</b>
Measurement of cardiac output by electrical impedance at rest and during exercise	A76-20323	Total and regional cerebral blood flow during moderate and severe exercise in miniature swine A76-21614
Real-time Doppler imaging for unambiguous measurement of blood volume flow	A76-20755	<b>HEMOGLOBIN</b>
		Change in hemoglobin mass during prolonged hypokinesia N76-16739
<b>HEART RATE</b>		<b>HIGH ALTITUDE BREATHING</b>
Use of pilot heart rate measurement in flight evaluation	A76-19714	Sustained vasoconstriction in man supplemented with CO <sub>2</sub> at high altitude A76-20324
Comparative evaluation of pressure and time factors in estimating left ventricular performance	A76-21615	Intracardial bubbles during decompression to altitude in relation to decompression sickness in man A76-21401
Effects of hypoxia, heat, and humidity on physical performance	A76-21616	Circulatory response to acute hypobaric hypoxia in conscious dogs A76-21405
An inexpensive blood pressure-heart rate computer for laboratory or teaching use	A76-21617	
Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia	A76-21836	<b>HORMONE METABOLISM</b>
		Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs A76-19589
<b>HEART VALVES</b>		Mechanisms of thermogenic action of noradrenalin in cold adaptation A76-19665
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation	A76-21610	Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation A76-19666
<b>HEAT ACCLIMATIZATION</b>		The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458
Acclimation processes by daily exercise stints at temperate conditions followed by short heat exposures	A76-19703	
Effects of hypoxia, heat, and humidity on physical performance	A76-21616	<b>HUMAN BODY</b>
		Vertical mode human body vibration transmissibility A76-20123
<b>HEAT SINKS</b>		In Vivo measurement of human body composition --- during continuous bed rest [NASA-CR-146223] N76-16748
Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768]	N76-16803	Automated analysis of biological rhythms in the human electroencephalogram N76-17784
Fusible heat sink for EVA thermal control [NASA-CR-137769]	N76-17826	Physiological effects of noise --- human reactions of human body N76-17797
<b>HEAT TOLERANCE</b>		Physiological responses due to noise in inhabitants around Munich airport --- aircraft noise effects on human body N76-17799
Heat metabolism in man under various degrees of body overheating	A76-19664	Nitrogen exchange across the lungs in resting man. Flying Personnel Research Committee [AD-A015133] N76-17801
Increasing the heat tolerance of the human body by muscle conditioning	N76-16738	Development of an improved computer model of the human body and extremity dynamics [AD-A014816] N76-17832
<b>HEAVING</b>		
The pitch-heave dynamics of transportation vehicles	N76-16763	<b>HUMAN FACTORS ENGINEERING</b>
		Informational problems in flight ergonomics A76-20615
<b>HELICOPTERS</b>		The effect of a filtered control on operator's hand tremor [AD-A014105] N76-16790
Vertebral fractures in pilots involved in helicopter accidents [RAE-LIB-TRANS-1854]	N76-16744	The amounts of moisture emitted from the eyes and periorbital areas --- human factors engineering of goggles [AD-A014923] N76-17807
Vehicle for civil helicopter ride quality research	N76-16760	
Pilot performance in a helicopter simulator [AD-A017441]	N76-16798	<b>HUMAN PERFORMANCE</b>
		Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
<b>HELIUM-OXYGEN ATMOSPHERES</b>		Psycho-physical performance of Air Force technicians after long duration noise exposure --- (noise hazards to flight crews) N76-17793
Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium	N76-16731	Fully proceduralized job performance aids: Guidance for performing behavioral analyses of tasks --- education to improve human performance in aircraft maintenance [AD-A015059] N76-17815
<b>HEMATOPOIESIS</b>		Guidebook for developing criterion-referenced tests [AD-A014987] N76-17816
Erythropoietic properties of the plasma in hypodynamia	A76-19698	Evaluation of glare reduction techniques [PB-245624/2] N76-17821
<b>HEMODYNAMIC RESPONSES</b>		
Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata	A76-19699	
Measurement of cardiac output by electrical impedance at rest and during exercise	A76-20323	
Circulatory response to acute hypobaric hypoxia in conscious dogs	A76-21405	
Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta --- hemodynamic responses to vasoactive agents	A76-21606	

**HUMAN REACTIONS**

- Medical-biological investigations carried out on board the Salyut 4 orbital stations  
An assessment on certain causal models used in surveys on aircraft noise annoyance  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man  
Techniques for obtaining subjective response to vertical vibration  
Human comfort in relation to sinusoidal vibration  
Passenger ride quality response to an airborne simulator environment  
Reaction of passengers to public service vehicle ride  
Ride quality and international standard ISO 2631 (Guide for the evaluation of human exposure to whole-body vibration)  
Analysis of proposed criteria for human response to vibration  
The ISO standard: Guide for the evaluation of human exposure to whole-body vibration  
Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390]  
Electrophysiological measurement of human auditory function [NASA-CR-146387]  
Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration [NASA-CR-146391]  
The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill [AD-A015282]  
Effects of noise exposure --- human tolerances and human reactions to noise pollution  
Physiological effects of noise --- human reactions of human body  
Standardizing the dynamics of man [AD-A014919]  
Impact of computer based instruction on attitudes of students and instructors: A review [AD-A014797]  
Evaluation of physiological inputs to high G performance models [AD-A014813]  
**HUMAN TOLERANCES**  
Individual differences in human annoyance response to noise [NASA-CR-144921]  
Special analysis of community annoyance with aircraft noise reported by residents in the vicinity of JFK Airport, 1972 [NASA-CR-132678]  
TTS in man from a 24-hour exposure to an octave band of noise centered at 4 kHz --- noise thresholds, human tolerances to sound waves [AMRL-TR-75-3]  
Studies of asymptotic TTS --- noise threshold - human tolerances to noise hazards (industrial safety)  
Asymptotic behavior of temporary threshold shift during exposure to long duration noises --- for flying personnel  
Effects of noise exposure --- human tolerances and human reactions to noise pollution  
**HYDROXYCORTICOSTEROID**  
Effects of exercise on excretion rates of urinary free cortisol  
**HYGIENE**  
Spacecraft utensil/hand cleansing fixture --- for space shuttles [NASA-CR-147425]

**HYPERCAPNIA**

- Gas exchange during hypercapnia under conditions of different oxygen content  
N76-16735

- HYPERGLYCEMIA**  
The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves  
A76-21788

- HYPEROXIA**  
Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice  
A76-21408  
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA  
A76-21412

- HYPERTENSION**  
Arterial pressure contour analysis for estimating human vascular properties  
A76-21612

- HYPERTHERMIA**  
Heat metabolism in man under various degrees of body overheating  
A76-19664

- HYPERVOLEMIA**  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man  
A76-21787

- HYPOCAPNIA**  
Sustained vasoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
A76-20324

- HYPODYNAMIA**  
Erythropoietic properties of the plasma in hypodynamia  
A76-19698

- HYPOKINESIA**  
Use of Sr-85 as an indicator of bone mineral replacement in dogs after disease demineralization  
A76-19702  
Change in hemoglobin mass during prolonged hypokinesia  
N76-16739

- HYPOTHALAMUS**  
Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata  
A76-19699  
The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves  
A76-21788

- HYPOTIXIA**  
Sustained vasoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
A76-20324  
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression  
A76-21402

- Interaction between marihuana and altitude on a complex behavioral task in baboons  
A76-21403

- Circulatory response to acute hypobaric hypoxia in conscious dogs  
A76-21405

- Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow  
A76-21407

- Effects of hypoxia, heat, and humidity on physical performance  
A76-21616

- Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia  
A76-21836

**ILLUSIONS**

- Perception of static orientation in a constant gravito inertial environment  
A76-21410

- IMAGE CONTRAST**  
The function of contour in metacontrast --- visual recognition of edge information  
A76-19820

**IMAGING TECHNIQUES**

- Cardiac imaging using a phased array ultrasound system. I - System design A76-20069  
 Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application A76-20070  
 Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera A76-20753  
 Real-time Doppler imaging for unambiguous measurement of blood volume flow A76-20755  
 A 5-year research and development agenda for ultrasonic imaging diagnostic instrumentation. An assessment of selected medical instrumentation [PB-245680/4] N76-17834

**IMMUNOLOGY**

- The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458  
 MEMS reagent and sample handling procedure: Feasibility of viral antibody detection by passive immune agglutination [NASA-CR-147398] N76-16751

**IMPEDANCE MEASUREMENTS**

- Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow A76-19704

**IN-FLIGHT MONITORING**

- Use of pilot heart rate measurement in flight evaluation A76-19714

**INDUSTRIAL SAFETY**

- Studies of asymptotic TTS --- noise threshold - human tolerances to noise hazards (industrial safety) N76-17790

**INFORMATION SYSTEMS**

- Effective learning strategy training program: Development and assessment --- by using information systems. [AD-A014722] N76-16794

**INSOMNIA**

- Epidemiological, clinical and sleep laboratory evaluations of insomnia A76-19338  
 Treating the insomniac patient - General measures and psychological and pharmacological treatment A76-19339

**INSTRUMENT PACKAGES**

- Utilisation of Spacelab for life-science experiments A76-22356

**INTERPLANETARY FLIGHT**

- Psychological problems of interplanetary flight [NASA-TT-P-16536] N76-16750

**INTERPLANETARY SPACECRAFT**

- Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components [NASA-CR-146401] N76-17782

**INTOXICATION**

- Simulated flying performance after marihuana intoxication A76-21404  
 Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time A76-21746

**ISOLATION**

- Restructuring of the human temperature rhythm after inversion of the rhythm of life in isolation N76-16732

**J****JET AIRCRAFT NOISE**

- The effects of ear protectors on some automatic responses to aircraft and impulsive noise --- stress (physiology) N76-17794

**K****KALMAN FILTERS**

- A model of the human observer in failure detection tasks A76-20122

**L****LABORATORY EQUIPMENT**

- Automated single-slide staining device --- in clinical bacteriology A76-21781

**LASERS**

- Temperature rise in fundus exposed to laser radiation [AD-A014819] N76-17803

**LEARNING**

- Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

- Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

- Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

- Effective learning strategy training program: Development and assessment --- by using information systems. [AD-A014722] N76-16794

- Learning strategy inventory development and assessment [AD-A014721] N76-16795

**LEGIBILITY**

- The effect of two-axis vibration on the legibility of reading material A76-21619

**LENSES**

- Identification of beta carbolines isolated from fluorescent human lens proteins A76-21318

**LIFE SUPPORT SYSTEMS**

- Biothermal simulation of scuba divers A76-21148  
 Portable Oxygen Subsystem (POS) --- for space shuttles [NASA-CR-147401] N76-16801

- Trade study for water and waste management concepts. Task 7: Support special analysis --- cost analysis of life support systems for waste utilization during space missions [NASA-CR-147432] N76-17824

**LIGHT ADAPTATION**

- Pattern detection and the two-dimensional Fourier transform - Flickering checkerboards and chromatic mechanisms A76-19821

**LIMBS (ANATOMY)**

- Development of an improved computer model of the human body and extremity dynamics [AD-A014816] N76-17832

**LIPID METABOLISM**

- Factors affecting the palmitoyl-coenzyme A desaturase of *Saccharomyces cerevisiae* A76-21792

**LIPIDS**

- Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise --- lipids of the cerebral cortex affecting noise threshold N76-17789

**LONG TERM EFFECTS**

- In Vivo measurement of human body composition --- during continuous bed rest [NASA-CR-146223] N76-16748

- An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards --- noise intensity in earphones N76-17798

**LOUDNESS**

- Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389] N76-16786

**LOW TEMPERATURE**

- Storage study of individual servings of subsistence at various temperatures [AD-A014939] N76-17833

**LOW TEMPERATURE TESTS**

- Light-induced fast conformational change in all-trans-retinal at low temperature A76-21319

**LUMBAR REGION**

Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel  
A76-20295

**LUMINANCE**

The function of contour in metacontrast --- visual recognition of edge information  
A76-19820

Luminance gradients and edge effects --- in human visual perception  
A76-20081

Effects of luminance and stimulus distance on accommodation and visual resolution  
A76-20853

**LUCKS**

Nitrogen exchange across the lungs in resting man.  
Flying Personnel Research Committee  
[AD-A015133]  
N76-17801

**LYMPH**

Lymph flow during stimulation of vasoconstrictor structures in the hypothalamus and the medulla oblongata  
A76-19699

**LYMPHOCYTES**

On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood  
A76-19016

**M****MAGNETIC DISTURBANCES**

Search for correlation between geomagnetic disturbances and mortality  
A76-20772

**MAN MACHINE SYSTEMS**

Psychological conditions for the simultaneous formation of groups of concepts and sensory images  
A76-19418

Investigation of the operational structure of the process of identifying graphical images  
A76-19419

The problem of 'malfunctions' and errors of a human operator  
A76-19421

The structure of human control activity and its conversion into an automatic control system  
A76-19422

A model of the human observer in failure detection tasks  
A76-20122

Informational problems in flight ergonomics  
A76-20615

**HANDICAPERS**

Dynamic damper in the biomechanical arm-vibrator system  
A76-20238

Constructing the motions of manipulating systems  
[NASA-TT-P-16859]  
N76-16804

**MANNED SPACE FLIGHT**

Some aspects of the problem of predicting man's health during a space flight  
[NASA-TT-P-16838]  
N76-16747

**MANPOWER**

The longitudinal health study, visual characteristics of 750 submariners  
[AD-A014856]  
N76-17805

**MANUAL CONTROL**

A model of the human observer in failure detection tasks  
A76-20122

**MANUALS**

Guidebook for developing criterion-referenced tests  
[AD-A014987]  
N76-17816

**MARIJUANA**

Interaction between marijuanna and altitude on a complex behavioral task in baboons  
A76-21403

Simulated flying performance after marijuanna intoxication  
A76-21404

**MASKING**

The function of contour in metacontrast --- visual recognition of edge information  
A76-19820

**MASKS**

Visor system materials for aluminized firemen's hoods. Report 2: Evaluation of gold coated plastic substrates  
[AD-A015310]  
N76-17829

**MATHEMATICAL LOGIC**

The use of mathematical logic and goal-oriented languages in the formation of robot plans  
A76-22329

**MATHEMATICAL MODELS**

A model of the human observer in failure detection tasks  
A76-20122

**MEMBRANE STRUCTURES**

Water vapor diffusion membrane development  
[NASA-CR-137804]  
N76-17827

**MEMORY**

Learning strategy training program: Questions and answers for effective learning  
[AD-A014725]  
N76-16791

Learning strategy training program: Visual imagery for effective learning  
[AD-A014724]  
N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning  
[AD-A014723]  
N76-16793

Learning strategy inventory development and assessment  
[AD-A014721]  
N76-16795

**MENTAL PERFORMANCE**

Effects of aircraft noise on the mental work of pupils  
A76-18950

Psychological conditions for the simultaneous formation of groups of concepts and sensory images  
A76-19418

The structure of human control activity and its conversion into an automatic control system  
A76-19422

**METABOLIC WASTES**

Effects of exercise on excretion rates of urinary free cortisol  
A76-21611

**METABOLISM**

In Vivo measurement of human body composition --- during continuous bed rest  
[NASA-CR-146223]  
N76-16748

**MICROORGANISMS**

Microorganisms in the stratosphere  
[NASA-TT-P-16872]  
Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components  
[NASA-CR-146401]  
N76-17782

**MIDDLE EAR**

Examination of normal and pathologic middle ears by acoustic time, domain reflectometry  
[AD-A014818]  
N76-17804

**MILITARY AVIATION**

Aircraft medical standards and their application in the Royal Australian Air Force  
A76-19711

**MILITARY OPERATIONS**

Guidebook for developing criterion-referenced tests  
[AD-A014987]  
N76-17816

**MILITARY PSYCHOLOGY**

Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory  
[AD-A014796]  
N76-16796

**MINERAL METABOLISM**

Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization  
A76-19702

Muscle water and electrolytes following varied levels of dehydration in man  
A76-20322

Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice  
A76-21408

**MOISTURE**

The amounts of moisture emitted from the eyes and periorbital areas --- human factors engineering of goggles  
[AD-A014923]  
N76-17807

**MONOCULAR VISION**

Binocular summation and peripheral visual response time  
A76-21784

**MOTION PERCEPTION**

- The detection of coherence in moving random-dot patterns A76-20082  
 The spatial frequency effect on perceived velocity A76-20083  
 Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations A76-20084  
 Antagonism between channels for pattern and movement in human vision A76-21317  
 The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745

**MOTION SIMULATORS**

- An approach to high speed ship ride quality simulation N76-16764

**MOTION STABILITY**

- Evaluation of ride quality measurement procedures by subjective experiments using simulators N76-16765

**MOTIVATION**

- Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797

**MUSCULAR FUNCTION**

- The role of noradrenalin in the regulation of muscular thermogenesis during cooling A76-19697  
 Muscle water and electrolytes following varied levels of dehydration in man A76-20322

**MUTATIONS**

- On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood A76-19016

**MYOCARDIAL INFARCTION**

- Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067  
 Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068

- Search for correlation between geomagnetic disturbances and mortality A76-20772

- Paroxysmal and chronic atrial fibrillation in airman certification A76-21415

- Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605

**MYOCARDIUM**

- Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation A76-21055

- Intracardial bubbles during decompression to altitude in relation to decompression sickness in man A76-21401

- Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery A76-21603

- The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604

**MYOPIA**

- Effects of luminance and stimulus distance on accommodation and visual resolution A76-20853

**N****NERVOUS SYSTEM**

- Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata A76-19699

- The auditory neural network in man [NASA-CR-146357] N76-16783

**NEURONS**

- Specific features of cortical neurons in response to skin thermostimulation A76-19661

- Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude A76-19663

- Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats A76-22226

- Transmission of excitation in the feline optic system A76-22227

**NEUROPHYSIOLOGY**

- The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves A76-21788

**NITROGEN**

- Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium N76-16731

- Nitrogen exchange across the lungs in resting man. Flying Personnel Research Committee [AD-A015133] N76-17801

**NOISE (SOUND)**

- The incidence of temporary and permanent hearing loss among aircrews exposed to long-duration noise in maritime patrol aircraft --- (noise hazards of reconnaissance aircraft) [DCIEM-75-RP-1073] N76-17792

- Psycho-physical performance of Air Force technicians after long duration noise exposure --- (noise hazards to flight crews) N76-17793

- Physiological effects of noise --- human reactions of human body N76-17797

- An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards --- noise intensity in earphones N76-17798

**NOISE MEASUREMENT**

- Review of measured vibration and noise environments experienced by passengers in aircraft and in ground transportation systems N76-16758

**NOISE POLLUTION**

- Individual differences in human annoyance response to noise [NASA-CR-144921] N76-16782

- Effects of noise exposure --- human tolerances and human reactions to noise pollution N76-17796

**NOISE THRESHOLD**

- Individual differences in human annoyance response to noise [NASA-CR-144921] N76-16782

- TTS in man from a 24-hour exposure to an octave band of noise centered at 4 kHz --- noise thresholds, human tolerances to sound waves [ANRL-TR-75-3] N76-17788

- Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise --- lipids of the cerebral cortex affecting noise threshold N76-17789

- Studies of asymptotic TTS --- noise threshold - human tolerances to noise hazards (industrial safety) N76-17790

- Asymptotic behavior of temporary threshold shift during exposure to long duration noises --- for flying personnel N76-17791

**NOISE TOLERANCE**

- Effects of aircraft noise on the mental work of pupils A76-18950

- On the question of the physiological interaction on the vibrotactile and audio reception A76-20875

- An assessment on certain causal models used in surveys on aircraft noise annoyance A76-21251

- Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023]** N76-17806
- NOBADMENLINE**
- Mechanisms of thermogenic action of noradrenalin in cold adaptation A76-19665
- Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation A76-19666
- The role of noradrenalin in the regulation of muscular thermogenesis during cooling A76-19697
- NUCLEAR EMULSIONS**
- Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436] N76-16746
- O**
- OCULOGRAPHIC ILLUSIONS**
- Disorienting effects of aircraft catapult launchings. II A76-19705
- OPERATOR PERFORMANCE**
- Psychological conditions for the simultaneous formation of groups of concepts and sensory images A76-19418
- Investigation of the operational structure of the process of identifying graphical images A76-19419
- Latency and duration of the manual movements of an operator under two modes of observation A76-19420
- The problem of 'malfunctions' and errors of a human operator A76-19421
- The structure of human control activity and its conversion into an automatic control system A76-19422
- Evaluating the ability of aircrew personnel to hear speech in their operational environments A76-21409
- OPERATORS (PERSONNEL)**
- The effect of a filtered control on operator's hand tremor [AD-A014105] N76-16790
- OPTICAL ILLUSION**
- Differential responding to the beta movement after waking from REM and nonREM sleep --- apparent motion optical illusions A76-20859
- Antagonism between channels for pattern and movement in human vision A76-21317
- Perceptual illusion of rotation of three-dimensional objects A76-22372
- ORBITAL SPACE STATIONS**
- Sixty two days on board Salyut 4. I A76-19268
- ORBITAL WORKERS**
- Sixty two days on board Salyut 4. I A76-19268
- OSCILLOGRAPHS**
- Dynamic damper in the biomechanical arm-vibrator system A76-20238
- OXYGEN**
- Gas exchange during hypercapnia under conditions of different oxygen content N76-16735
- OXYGEN BREATHING**
- Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice A76-21408
- Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA A76-21412
- OXYGEN CONSUMPTION**
- Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow A76-21407
- OXYGEN SUPPLY EQUIPMENT**
- Portable Oxygen Subsystem (POS) --- for space shuttles [NASA-CR-147401] N76-16801
- Portable oxygen subsystem --- design analysis and performance tests [NASA-CR-147428] N76-16802
- OXYGEN TENSION**
- Oxygen diffusion in living tissues A76-20666
- Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia A76-21836
- OZONE**
- Influence of ancient solar-proton events on the evolution of life A76-19815
- P**
- PARANASAL SINUSES**
- Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units A76-20296
- PASSSENGERS**
- The 1975 Ride Quality Symposium [NASA-TM-X-3295] N76-16754
- Review of ride quality technology needs of industry and user groups N76-16755
- Ride quality criteria and the design process --- standards for ride comfort N76-16756
- Application of ride quality technology to predict ride satisfaction for commuter-type aircraft N76-16757
- Review of measured vibration and noise environments experienced by passengers in aircraft and in ground transportation systems N76-16758
- Nonmotion factors which can affect ride quality N76-16759
- Vehicle for civil helicopter ride quality research N76-16760
- Computer analysis of railcar vibrations N76-16761
- Intercity rail-passenger car ride quality test program N76-16762
- The pitch-heave dynamics of transportation vehicles N76-16763
- An approach to high speed ship ride quality simulation N76-16764
- Evaluation of ride quality measurement procedures by subjective experiments using simulators N76-16765
- Techniques for obtaining subjective response to vertical vibration N76-16766
- Demographic and psychological variables affecting test subject evaluations of ride quality N76-16767
- Human comfort in relation to sinusoidal vibration N76-16768
- Effect of vibration in combined axes on subjective evaluation of ride quality N76-16769
- Passenger ride quality response to an airborne simulator environment N76-16770
- Ride quality of terminal-area flight maneuvers N76-16771
- Passenger ride quality determined from commercial airline flights N76-16772
- Reaction of passengers to public service vehicle ride N76-16773
- A review of ride comfort studies in the United Kingdom N76-16774
- Ride quality and international standard ISO 2631 (Guide for the evaluation of human exposure to whole-body vibration) N76-16775

## PATHOLOGICAL EFFECTS

## SUBJECT INDEX

- Analysis of proposed criteria for human response to vibration N76-16776
- The ISO standard: Guide for the evaluation of human exposure to whole-body vibration N76-16777
- Automobile ride quality experiments correlated to iso-weighted criteria N76-16778
- Vibration simulator studies for the development of passenger ride comfort criteria N76-16779
- Simulator studies and psychophysical ride comfort models N76-16780
- PATHOLOGICAL EFFECTS**
- Mode of cochlear damage by excessive noise, an overview --- pathological effects N76-17787
- PATTERN RECOGNITION**
- Psychological conditions for the simultaneous formation of groups of concepts and sensory images A76-19418
- Investigation of the operational structure of the process of identifying graphical images A76-19419
- The function of contour in metacontrast --- visual recognition of edge information A76-19820
- Pattern detection and the two-dimensional Fourier transform - flickering checkerboards and chromatic mechanisms A76-19821
- The detection of coherence in moving random-dot patterns A76-20082
- The spatial frequency effect on perceived velocity A76-20083
- Antagonism between channels for pattern and movement in human vision A76-21317
- PERCEPTUAL TIME CONSTANT**
- Latency and duration of the manual movements of an operator under two modes of observation A76-19420
- The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745
- Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures A76-21747
- PERFORMANCE TESTS**
- Portable oxygen subsystem --- design analysis and performance tests [NASA-CR-147428] N76-16802
- Guidebook for developing criterion-referenced tests [AD-A014987] N76-17816
- PERIPHERAL VISION**
- Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations A76-20084
- Binocular summation and peripheral visual response time A76-21784
- PERSONALITY TESTS**
- Alpha index and personality traits of pilots A76-21406
- Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413
- PERSONNEL DEVELOPMENT**
- Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory [AD-A014796] N76-16796
- PERSONNEL SELECTION**
- Aircrew medical standards and their application in the Royal Australian Air Force A76-19711
- Neptune: Modifications and current applications [AD-A016722] N76-17819
- PHASED ARRAYS**
- Cardiac imaging using a phased array ultrasound system. I - System design A76-20069
- PHOTORECEPTORS**
- The density of human rhodopsin in the rods A76-20079
- Psychophysical correlates of photoreceptor activity A76-20080
- PHOTOSYNTHESIS**
- Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247
- PHYSICAL EXAMINATIONS**
- Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974 A76-21414
- PHYSICAL EXERCISE**
- Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs A76-19589
- Acclimation processes by daily exercise stints at temperate conditions followed by short heat exposures A76-19703
- Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054
- Effects of exercise on excretion rates of urinary free cortisol A76-21611
- Total and regional cerebral blood flow during moderate and severe exercise in miniature swine A76-21614
- PHYSICAL FITNESS**
- Increasing the heat tolerance of the human body by muscle conditioning N76-16738
- PHYSICAL WORK**
- Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression A76-21402
- PHYSIOCHEMISTRY**
- Physical chemical state of water in living cells [AD-A014929] N76-17783
- PHYSIOLOGICAL DEFENSES**
- The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458
- PHYSIOLOGICAL EFFECTS**
- Respiratory volume-time relationships during resistive loading in the cat A76-21613
- Physiological effects of noise --- human reactions of human body N76-17797
- Physiological responses due to noise in inhabitants around Munich airport --- aircraft noise effects on human body N76-17799
- The effects of caloric density of the food on running endurance and general condition of rats and hamsters restricted in food intake or fed ad libitum [AD-A014896] N76-17808
- PHYSIOLOGICAL FACTORS**
- Demographic and psychological variables affecting test subject evaluations of ride quality N76-16767
- Design of a personal dry-ice cooling garment: Its physiological and heat transfer aspects N76-17822
- PHYSIOLOGICAL RESPONSES**
- Specific features of cortical neurons in response to skin thermostimulation A76-19661
- Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude A76-19663
- Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation A76-19666
- Acclimation processes by daily exercise stints at temperate conditions followed by short heat exposures A76-19703

Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies	A76-20616	Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel	A76-20295
On the question of the physiological interaction on the vibrotactile and audio reception	A76-20875	PREDICTION ANALYSIS TECHNIQUES Some aspects of the problem of predicting man's health during a space flight [NASA-TT-F-16838]	N76-16747
Suppression of plasma renin and plasma aldosterone during water immersion in normal man	A76-21787	PREGNANCY Pregnant stewardess - Should she fly	A76-19712
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats	A76-22226	PRESERVING Storage study of individual servings of subsistence at various temperatures [AD-A014939]	N76-17833
Brainstem auditory evoked responses in man. I: Effect of stimulus rise-fall time and duration [NASA-CR-146391]	N76-16787	PRESSURE REDUCTION Changes in the induced potential in man during altitude decompression	N76-16737
<b>PHYSIOLOGICAL TESTS</b>		PROBLEM SOLVING The use of mathematical logic and goal-oriented languages in the formation of robot plans	A76-22329
Heat metabolism in man under various degrees of body overheating	A76-19664	PROCEEDINGS Effects of long duration noise exposure on hearing and health --- proceedings on stress (physiology) of flight crews exposed to aircraft noise [AGARD-CP-171]	N76-17786
Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation	A76-21055	PROGRAMMING LANGUAGES The use of mathematical logic and goal-oriented languages in the formation of robot plans	A76-22329
Intracardial bubbles during decompression to altitude in relation to decompression sickness in man	A76-21401	PROPRIOCEPTION Perception of static orientation in a constant gravitoinertial environment	A76-21410
Transmission of excitation in the feline optic system	A76-22227	PROTECTIVE CLOTHING Design of a personal dry-ice cooling garment: Its physiological and heat transfer aspects	N76-17822
<b>PILOT ERROR</b>		VISOR SYSTEM MATERIALS FOR ALUMINIZED FIREMEN'S HOODS. REPORT 2: EVALUATION OF GOLD COATED PLASTIC SUBSTRATES [AD-A015310]	N76-17829
Cross-validation study of the personality aspects of involvement in pilot-error accidents	A76-21413	PROTEIN METABOLISM Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation	A76-21055
<b>PILOT PERFORMANCE</b>		PROTEINS Identification of beta carbolines isolated from fluorescent human lens proteins	A76-21318
Effect of a sudden change of time environment on some circadian rhythms in man	A76-19696	PROTON IRRADIATION Development of a dosimeter for distributed body organs [NASA-CR-146225]	N76-16749
Use of pilot heart rate measurement in flight evaluation	A76-19714	PROTOTYPES Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768]	N76-16803
Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies	A76-20616	PSYCHIATRY An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79]	N76-16789
Simulated flying performance after marihuana intoxication	A76-21404	PSYCHOLOGICAL EFFECTS Impact of computer based instruction on attitudes of students and instructors: A review [AD-A014797]	N76-17817
Correlation between the autonomic components of the orientation reaction and the nature of the information received by an airman	N76-16733	PSYCHOLOGICAL FACTORS Psychological conditions for the simultaneous formation of groups of concepts and sensory images	A76-19418
Pilot performance in a helicopter simulator [AD-A017441]	N76-16798	An assessment on certain causal models used in surveys on aircraft noise annoyance	A76-21251
Object visibility patterns in low level flight [AD-A016886]	N76-17820	ASSOCIATIONS BETWEEN PSYCHOLOGICAL FACTORS AND PULMONARY TOXICITY DURING INTERMITTENT OXYGEN BREATHING AT 2 ATA	A76-21412
<b>PILOT SELECTION</b>		ATTEMPT TO UNDERSTAND ABSTRACTION [NASA-TT-F-16816]	N76-16781
Alpha index and personality traits of pilots	A76-21406	PSYCHOLOGICAL TESTS Effects of aircraft noise on the mental work of pupils	A76-18950
Cross-validation study of the personality aspects of involvement in pilot-error accidents	A76-21413		
Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974	A76-21414		
Paroxysmal and chronic atrial fibrillation in airman certification	A76-21415		
<b>PITCH (INCLINATION)</b>			
The pitch-heave dynamics of transportation vehicles	N76-16763		
<b>PLANTS (BOTANY)</b>			
Geotropic reaction of plants --- and biochemistry [NASA-TT-F-16826]	N76-16740		
<b>PLETHYSMOGRAPHY</b>			
Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow	A76-19704		
<b>PORTABLE LIFE SUPPORT SYSTEMS</b>			
Portable oxygen subsystem --- design analysis and performance tests [NASA-CR-147428]	N76-16802		
<b>POSTURE</b>			
Disorienting effects of aircraft catapult launchings. II	A76-19705		

## PSYCHOMOTOR PERFORMANCE

## SUBJECT INDEX

- Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures A76-21747
- Neptune: Modifications and current applications [AD-A016722] N76-17819
- PSYCHOMOTOR PERFORMANCE**
- Investigation of the operational structure of the process of identifying graphical images A76-19419
- Effect of target separation on selective attention A76-19724
- Interaction between marihuana and altitude on a complex behavioral task in baboons A76-21403
- Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time A76-21746
- Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures A76-21747
- The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill [AD-A015282] N76-16800
- Neptune: Modifications and current applications [AD-A016722] N76-17819
- PSYCHOPHYSICS**
- Psychophysical correlates of photoreceptor activity A76-20080
- The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745
- PSYCHOPHYSIOLOGY**
- Psychology and psychopathology of solitude [AD-A007454] N76-16799
- Psycho-physical performance of Air Force technicians after long duration noise exposure --- (noise hazards to flight crews) N76-17793
- PSYCHOTHERAPY**
- Treating the insomniac patient - General measures and psychological and pharmacological treatment A76-19339
- PULMONARY FUNCTIONS**
- Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions A76-21411
- PULMONARY LESIONS**
- Circulatory response to acute hypobaric hypoxia in conscious dogs A76-21405
- Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA A76-21412
- PUPIL SIZE**
- Pupil size and stereoacuity A76-20856
- R**
- RADIATION DAMAGE**
- Light-induced fast conformational change in all-trans-retinal at low temperature A76-21319
- RADIATION DETECTORS**
- Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03] N76-16752
- RADIATION DOSAGE**
- Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436] N76-16746
- Development of a dosimeter for distributed body organs [NASA-CR-146225] N76-16749
- Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03] N76-16752
- RADIATION EFFECTS**
- Influence of ancient solar-proton events on the evolution of life A76-19815
- Navy sponsored ELP biological and ecological research summary [AD-A015299] N76-17800
- RADIATION INJURIES**
- Temperature rise in fundus exposed to laser radiation [AD-A014819] N76-17803
- RADIOBIOLOGY**
- On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood A76-19016
- Navy sponsored ELP biological and ecological research summary [AD-A015299] N76-17800
- RAIL TRANSPORTATION**
- Computer analysis of railcar vibrations N76-16761
- Intercity rail-passenger car ride quality test program N76-16762
- RAPID EYE MOVEMENT STATE**
- Differential responding to the beta movement after waking from REM and nonREM sleep --- apparent motion optical illusions A76-20859
- REACTION KINETICS**
- High-pressure temperature-jump kinetic studies of enzyme model reactions --- considering metalloenzymes N76-17781
- REACTION TIME**
- Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time A76-21746
- Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures A76-21747
- Binocular summation and peripheral visual response time A76-21784
- READING**
- The effect of two-axis vibration on the legibility of reading material A76-21619
- REAL TIME OPERATION**
- Cardiovascular diagnosis with real time ultrasound imaging A76-20752
- Real-time Doppler imaging for unambiguous measurement of blood volume flow A76-20755
- RECONNAISSANCE AIRCRAFT**
- The incidence of temporary and permanent hearing loss among aircrews exposed to long-duration noise in maritime patrol aircraft --- (noise hazards of reconnaissance aircraft) [DCIEM-75-RP-1073] N76-17792
- REFLEXES**
- Correlation between the autonomic components of the orientation reaction and the nature of the information received by an airman N76-16733
- RESEARCH AND DEVELOPMENT**
- Review and analysis of color coding research for visual displays --- in aircraft A76-19173
- RESPIRATION**
- Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium N76-16731
- Gas exchange during hypercapnia under conditions of different oxygen content N76-16735
- RESPIRATORY IMPEDANCE**
- Respiratory volume-time relationships during resistive loading in the cat A76-21613
- RESPIRATORY PHYSIOLOGY**
- Mechanisms of thermogenic action of noradrenalin in cold adaptation A76-19665
- RESPIRATORY SYSTEM**
- Condensation of water on dry salt crystals. Description of the computer program [IRI-190-75-04] N76-16753

<b>RETENTION (PSYCHOLOGY)</b>		
Learning strategy training program: Questions and answers for effective learning [AD-A014725]	N76-16791	
Learning strategy training program: Visual imagery for effective learning [AD-A014724]	N76-16792	
Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723]	N76-16793	
Learning strategy inventory development and assessment [AD-A014721]	N76-16795	
<b>RETINA</b>		
Light-induced fast conformational change in all-trans-retinal at low temperature	A76-21319	
Temperature rise in fundus exposed to laser radiation [AD-A014819]	N76-17803	
<b>RETINAL ADAPTATION</b>		
The density of human rhodopsin in the rods	A76-20079	
Psychophysical correlates of photoreceptor activity	A76-20080	
<b>RETINAL IMAGES</b>		
Pupil size and stereoacuity	A76-20856	
<b>RHYTHM (BIOLOGY)</b>		
Alpha index and personality traits of pilots	A76-21406	
Automated analysis of biological rhythms in the human electroencephalogram	N76-17784	
<b>ROBOTS</b>		
The use of mathematical logic and goal-oriented languages in the formation of robot plans	A76-22329	
<b>ROCKET-BORNE INSTRUMENTS</b>		
Microorganisms in the stratosphere [NASA-TT-F-16872]	N76-16742	
<b>RODS</b>		
Psychophysical correlates of photoreceptor activity	A76-20080	
<b>ROOMS</b>		
Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03]	N76-16752	
<b>ROTATING BODIES</b>		
Perceptual illusion of rotation of three-dimensional objects	A76-22372	
<b>RUNNING</b>		
The effects of caloric density of the food on running endurance and general condition of rats and hamsters restricted in food intake or fed ad libitum [AD-A014896]	N76-17808	
<b>S</b>		
<b>SALYUT SPACE STATION</b>		
Sixty two days on board Salyut 4. I	A76-19268	
Medical-biological investigations carried out on board the Salyut 4 orbital stations	A76-19826	
<b>SAWTOOTH WAVEFORMS</b>		
Luminance gradients and edge effects --- in human visual perception	A76-20081	
<b>SEMICIRCULAR CANALS</b>		
Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude	A76-19663	
<b>SENSORIMOTOR PERFORMANCE</b>		
Latency and duration of the manual movements of an operator under two modes of observation	A76-19420	
Differential responding to the beta movement after waking from REM and nonREM sleep --- apparent motion optical illusions	A76-20859	
<b>SENSORY STIMULATION</b>		
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats	A76-22226	
<b>SERVOMECHANISMS</b>		
Constructing the motions of manipulating systems [NASA-TT-F-16859]	N76-16804	
<b>SHIPS</b>		
An approach to high speed ship ride quality simulation	N76-16764	
<b>SHOCK WAVES</b>		
Standardizing the dynamics of man [AD-A014919]	N76-17809	
<b>SIGNAL REFLECTION</b>		
Examination of normal and pathologic middle ears by acoustic time-domain reflectometry [AD-A014818]	N76-17804	
<b>SKIN TEMPERATURE (BIOLOGY)</b>		
Specific features of cortical neurons in response to skin thermostimulation	A76-19661	
Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model	A76-19667	
<b>SKYLAB PROGRAM</b>		
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions	A76-21411	
<b>SKYLAB 2</b>		
Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436]	N76-16746	
<b>SKYLAB 3</b>		
Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436]	N76-16746	
<b>SKYLAB 4</b>		
Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436]	N76-16746	
<b>SLEEP</b>		
Differential responding to the beta movement after waking from REM and nonREM sleep --- apparent motion optical illusions	A76-20859	
<b>SLEEP DEPRIVATION</b>		
Epidemiological, clinical and sleep laboratory evaluations of insomnia	A76-19338	
Treating the insomniac patient - General measures and psychological and pharmacological treatment	A76-19339	
<b>SOCIAL FACTORS</b>		
An assessment on certain causal models used in surveys on aircraft noise annoyance	A76-21251	
<b>SOCIAL ISOLATION</b>		
Psychology and psychopathology of solitude [AD-A007454]	N76-16799	
<b>SOCIAL PSYCHIATRY</b>		
Psychology and psychopathology of solitude [AD-A007454]	N76-16799	
<b>SOILS</b>		
Production and characterization of enzymes stabilized as humic acid analogues	N76-16729	
<b>SOLAR ACTIVITY EFFECTS</b>		
Influence of ancient solar-proton events on the evolution of life	A76-19815	
Search for correlation between geomagnetic disturbances and mortality	A76-20772	
<b>SOLAR PROTOBS</b>		
Influence of ancient solar-proton events on the evolution of life	A76-19815	
<b>SOLENOID VALVES</b>		
Automated single-slide staining device --- in clinical bacteriology	A76-21781	
<b>SOUND WAVES</b>		
Mode of cochlear damage by excessive noise, an overview --- pathological effects	N76-17787	

TTS in man from a 24-hour exposure to an octave band of noise centered at 4 kHz --- noise thresholds, human tolerances to sound waves [AMRL-TR-75-3]	N76-17788	
Influence of the noise on catecholamine excretion --- for flight crews	N76-17795	
<b>SPACE FLIGHT</b>		
Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768]	N76-16803	
<b>SPACE FLIGHT FEEDING</b>		
Space shuttle food system study: Food and beverage package development, modification 8S [NASA-CR-147431]	N76-17823	
<b>SPACE FLIGHT STRESS</b>		
Sixty two days on board Salyut 4. I	A76-19268	
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions	A76-21411	
<b>SPACE MISSIONS</b>		
Trade study for water and waste management concepts. Task 7: Support special analysis --- cost analysis of life support systems for waste utilization during space missions [NASA-CR-147432]	N76-17824	
<b>SPACE ORIENTATION</b>		
Perception of static orientation in a constant gravito-inertial environment	A76-21410	
<b>SPACE PERCEPTION</b>		
The role of convergence in visual space perception	A76-20085	
<b>SPACE SHUTTLES</b>		
Portable Oxygen Subsystem (POS) --- for space shuttles [NASA-CR-147401]	N76-16801	
Space shuttle food system study: Food and beverage package development, modification 8S [NASA-CR-147431]	N76-17823	
Spacecraft utensil/hand cleansing fixture --- for space shuttles [NASA-CR-147425]	N76-17825	
<b>SPACERCRAFT ENVIRONMENTS</b>		
Medical-biological investigations carried out on board the Salyut 4 orbital stations	A76-19826	
Utilisation of Spacelab for life-science experiments	A76-22356	
<b>SPACECREWS</b>		
Psychological problems of interplanetary flight [NASA-TT-F-16536]	N76-16750	
<b>SPACELAB</b>		
Utilisation of Spacelab for life-science experiments	A76-22356	
<b>SPATIAL DISTRIBUTION</b>		
The spatial frequency effect on perceived velocity	A76-20083	
<b>SPEECH RECOGNITION</b>		
Evaluating the ability of aircrew personnel to hear speech in their operational environments	A76-21409	
<b>STAINING</b>		
Automated single-slide staining device --- in clinical bacteriology	A76-21781	
<b>STANDARDS</b>		
Ride quality criteria and the design process --- standards for ride comfort	N76-16756	
<b>STATISTICAL CORRELATION</b>		
An assessment on certain causal models used in surveys on aircraft noise annoyance	A76-21251	
<b>STEREOSCOPIC VISION</b>		
Pupil size and stereoacuity	A76-20856	
<b>STRATEGY</b>		
Effective learning strategy training program: Development and assessment --- by using information systems. [AD-A014722]	N76-16794	
<b>STRATOSPHERE</b>		
Microorganisms in the stratosphere [NASA-TT-F-16872]	N76-16742	
<b>STRESS (PHYSIOLOGY)</b>		
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model		A76-21776
Effects of long duration noise exposure on hearing and health --- proceedings on stress (physiology) of flight crews exposed to aircraft noise [AGARD-CP-171]		N76-17786
The effects of ear protectors on some automatic responses to aircraft and impulsive noise --- stress (physiology)		N76-17794
The effect of exercise and thermal stress on plasma volume [AD-A015132]		N76-17802
Man-water-pressure. Volume 2. Publications in underwater physiology, 1967 - 1974 [AD-A016593]		N76-17810
<b>STRESS (PSYCHOLOGY)</b>		
Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies		A76-20616
<b>STRONTIUM 85</b>		
Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization		A76-19702
<b>STUDENTS</b>		
Effects of aircraft noise on the mental work of pupils		A76-18950
<b>SUBMARINES</b>		
The longitudinal health study, visual characteristics of 750 submariners [AD-A014856]		N76-17805
<b>SUBMERGED BODIES</b>		
Biothermal simulation of scuba divers		A76-21148
<b>SUBMERGING</b>		
Suppression of plasma renin and plasma aldosterone during water immersion in normal man		A76-21787
<b>SUSPENSION SYSTEMS (VEHICLES)</b>		
The pitch-heave dynamics of transportation vehicles		N76-16763
<b>SYMPATHETIC NERVOUS SYSTEM</b>		
The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves		A76-21788
<b>SYNAPSES</b>		
Transmission of excitation in the feline optic system		A76-22227
<b>SYSTEM FAILURES</b>		
The problem of 'malfunctions' and errors of a human operator		A76-19421
<b>SYSTEMS ENGINEERING</b>		
The structure of human control activity and its conversion into an automatic control system		A76-19422
Cardiac imaging using a phased array ultrasound system. I - System design		A76-20069
<b>SYSTOLIC PRESSURE</b>		
Comparative evaluation of pressure and time factors in estimating left ventricular performance		A76-21615
<b>T</b>		
<b>TACTILE DISCRIMINATION</b>		
On the question of the physiological interaction on the vibrotactile and audio reception		A76-20875
<b>TAKEOFF RUNS</b>		
Disorienting effects of aircraft catapult launchings. II		A76-19705
<b>TAPE RECORDERS</b>		
An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79]		N76-16789
<b>TARGET RECOGNITION</b>		
Effect of target separation on selective attention		A76-19724

<b>TASK COMPLEXITY</b>	
Interaction between marihuana and altitude on a complex behavioral task in baboons	A76-21403
<b>TASKS</b>	
Fully proceduralized job performance aids: Guidance for performing behavioral analyses of tasks --- education to improve human performance in aircraft maintenance [AD-A015059]	N76-17815
<b>TECHNOLOGICAL FORECASTING</b>	
Space-earth forecasts --- environmental monitoring and technological forecasting by U.S.S.R. space program [NASA-TT-P-16375]	N76-16741
<b>TECHNOLOGY ASSESSMENT</b>	
Review of ride quality technology needs of industry and user groups	N76-16755
<b>TECHNOLOGY UTILIZATION</b>	
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft	N76-16757
<b>TELEVISION SYSTEMS</b>	
Airborne electro-optical sensor simulation [AD-A016725]	N76-17818
<b>TEMPERATURE CONTROL</b>	
Fusible heat sink for EVA thermal control [NASA-CR-137769]	N76-17826
<b>TEMPERATURE EFFECTS</b>	
Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components [NASA-CR-146401]	N76-17782
<b>TEMPERATURE MEASUREMENT</b>	
Temperature rise in fundus exposed to laser radiation [AD-A014819]	N76-17803
<b>TEST PILOTS</b>	
Use of pilot heart rate measurement in flight evaluation	A76-19714
<b>THALAMUS</b>	
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats	A76-22226
<b>TERMAL SIMULATION</b>	
Biothermal simulation of scuba divers	A76-21148
<b>THERMORECEPTORS</b>	
Specific features of cortical neurons in response to skin thermostimulation	A76-19661
<b>ThERMOREGULATION</b>	
Heat metabolism in man under various degrees of body overheating	A76-19664
Mechanisms of thermogenic action of noradrenalin in cold adaptation	A76-19665
Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation	A76-19666
Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model	A76-19667
The role of noradrenalin in the regulation of muscular thermogenesis during cooling	A76-19697
Biothermal simulation of scuba divers	A76-21148
Design of a personal dry-ice cooling garment: Its physiological and heat transfer aspects	N76-17822
<b>THRESHOLDS (PERCEPTION)</b>	
Critical duration for resolution of acuity targets	A76-19822
Luminance gradients and edge effects --- in human visual perception	A76-20081
Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations	A76-20084
On the question of the physiological interaction on the vibrotactile and audio reception	A76-20875
<b>HEARING CONSERVATION: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023]</b>	N76-17806
<b>THYROID GLAND</b>	
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs	A76-19589
<b>THYROXINE</b>	
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs	A76-19589
<b>TIME RESPONSE</b>	
Effect of a sudden change of time environment on some circadian rhythms in man	A76-19696
<b>TIMING DEVICES</b>	
Automated single-slide staining device --- in clinical bacteriology	A76-21781
<b>TISSUES (BIOLOGY)</b>	
Oxygen diffusion in living tissues	A76-20666
<b>TOOL DEVELOPMENT</b>	
Development of a dosimeter for distributed body organs [NASA-CR-146225]	N76-16749
<b>TOOLS</b>	
A method for the measurement of energy absorption in the human hand using various types of hand tools --- based on vibrational force and acceleration measurement [FFPA-MEMO 97]	N76-16805
<b>TOXIC HAZARDS</b>	
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA	A76-21412
<b>TRACKING (POSITION)</b>	
The effect of a filtered control on operator's hand tremor [AD-A014105]	N76-16790
<b>TRADEOFFS</b>	
Trade study for water and waste management concepts. Task 7: Support special analysis --- cost analysis of life support systems for waste utilization during space missions [NASA-CR-147432]	N76-17824
<b>TRAINING SIMULATORS</b>	
Airborne electro-optical sensor simulation [AD-A016725]	N76-17818
<b>TRANSPORT AIRCRAFT</b>	
Nonmotion factors which can affect ride quality	N76-16759
<b>TRANSPORTATION</b>	
The 1975 Ride Quality Symposium [NASA-TM-X-3295]	N76-16754
Review of ride quality technology needs of industry and user groups	N76-16755
Ride quality criteria and the design process --- standards for ride comfort	N76-16756
Review of measured vibration and noise environments experienced by passengers in aircraft and in ground transportation systems	N76-16758
Techniques for obtaining subjective response to vertical vibration	N76-16766
<b>TREMBORS</b>	
The effect of a filtered control on operator's hand tremor [AD-A014105]	N76-16790
<b>U</b>	
<b>U.S.S.R. SPACE PROGRAM</b>	
Space-earth forecasts --- environmental monitoring and technological forecasting by U.S.S.R. space program [NASA-TT-P-16375]	N76-16741
<b>ULTRASONIC RADIATION</b>	
A 5-year research and development agenda for ultrasonic imaging diagnostic instrumentation. An assessment of selected medical instrumentation [PB-245680/4]	N76-17834

**ULTRASONIC TESTS****ULTRASONIC TESTS**

Cardiovascular diagnosis with real time ultrasound imaging A76-20752  
 Real-time Doppler imaging for unambiguous measurement of blood volume flow A76-20755  
 The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604

**ULTRASONIC WAVE TRANSDUCERS**

Cardiac imaging using a phased array ultrasound system. I - System design A76-20069  
 Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application A76-20070  
 Cardiovascular diagnosis with real time ultrasound imaging A76-20752  
 Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera A76-20753

**UNDERWATER VEHICLES**

Proceeding of the International Workshop on escape and survival from submersibles [AD-A014871] N76-17831

**UNITED KINGDOM**

A review of ride comfort studies in the United Kingdom N76-16774

**URINALYSIS**

Flight-induced changes in human amino acid excretion A76-19701

**V****VASCULAR SYSTEM**

Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia A76-21836

**VASOCONSTRICKTION**

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude A76-20324

**VASOCONSTRICTOR DRUGS**

Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta --- hemodynamic responses to vasoactive agents A76-21606

**VASODILATION**

Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta --- hemodynamic responses to vasoactive agents A76-21606

**VECTORCARDIOGRAPHY**

Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067  
 Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068

**VENTILATION**

Respiratory volume-time relationships during resistive loading in the cat A76-21613

**VERBAL COMMUNICATION**

Evaluating the ability of aircrew personnel to hear speech in their operational environments A76-21409

**VERTERBRAL COLUMN**

Vertebral fractures in pilots involved in helicopter accidents [RAE-LIB-TRANS-1854] N76-16744

**VERTICAL PERCEPTION**

Perception of static orientation in a constant gravito-inertial environment A76-21410

**VIBRATION**

Human comfort in relation to sinusoidal vibration N76-16768

**VIBRATION EFFECTS**

Vertical mode human body vibration transmissibility A76-20123

**SUBJECT INDEX**

On the question of the physiological interaction on the vibrotactile and audio reception A76-20875  
 The effect of two-axis vibration on the legibility of reading material A76-21619  
 Effect of vibration in combined axes on subjective evaluation of ride quality N76-16769  
 Ride quality and international standard ISO 2631 (Guide for the evaluation of human exposure to whole-body vibration) N76-16775  
 The ISO standard: Guide for the evaluation of human exposure to whole-body vibration N76-16777

**VIBRATION ISOLATORS**

Dynamic damper in the biomechanical arm-vibrator system A76-20238

Computer analysis of railcar vibrations N76-16761

**VIBRATION MEASUREMENT**

Review of measured vibration and noise environments experienced by passengers in aircraft and in ground transportation systems N76-16758

**VIBRATION MODE**

Vertical mode human body vibration transmissibility A76-20123

**VIBRATION SIMULATORS**

Vibration simulator studies for the development of passenger ride comfort criteria N76-16779

**VIBRATION TESTS**

Techniques for obtaining subjective response to vertical vibration N76-16766

Analysis of proposed criteria for human response to vibration N76-16776

**VIBRATIONAL STRESS**

A method for the measurement of energy absorption in the human hand using various types of hand tools --- based on vibrational force and acceleration measurement [FFA-MEMO 97] N76-16805  
 Standardizing the dynamics of man [AD-A014919] N76-17809

**VIDEO EQUIPMENT**

An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79] N76-16789

**VIRUSES**

MEMS reagent and sample handling procedure: Feasibility of viral antibody detection by passive immune agglutination [NASA-CR-147398] N76-16751

**VISIBILITY**

Some problems in the coupling of visibility simulation equipment to flight simulators N76-17812

**VISUAL ACCOMMODATION**

Effects of luminance and stimulus distance on accommodation and visual resolution A76-20853

**VISUAL ACUITY**

Critical duration for resolution of acuity targets A76-19822  
 Effects of luminance and stimulus distance on accommodation and visual resolution A76-20853

Pupil size and stereoaucuity A76-20856

The longitudinal health study, visual characteristics of 750 submariners [AD-A014856] N76-17805

**VISUAL AIDS**

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

**VISUAL DISCRIMINATION**

Investigation of the operational structure of the process of identifying graphical images A76-19419  
 Effect of target separation on selective attention A76-19724

**SUBJECT INDEX****X RAY ANALYSIS**

The detection of coherence in moving random-dot patterns A76-20082  
 Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations A76-20084  
 Antagonism between channels for pattern and movement in human vision A76-21317  
 The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745

**VISUAL PERCEPTION**  
 Psychological conditions for the simultaneous formation of groups of concepts and sensory images A76-19418  
 The function of contour in metacolor --- visual recognition of edge information A76-19820  
 Luminance gradients and edge effects --- in human visual perception A76-20081  
 The spatial frequency effect on perceived velocity A76-20083  
 The role of convergence in visual space perception A76-20085  
 Binocular summation and peripheral visual response time A76-21784  
 Perceptual illusion of rotation of three-dimensional objects A76-22372  
 Color perception after intensive photostimulation N76-16734  
 Sensory and motor components of eye fixation movement during exposure to angular accelerations N76-16736  
 Attempt to understand abstraction [NASA-TT-F-16816] N76-16781  
 Object visibility patterns in low level flight [AD-A016886] N76-17820

**VISUAL PIGMENTS**  
 The density of human rhodopsin in the rods A76-20079  
 Psychophysical correlates of photoreceptor activity A76-20080  
 Light-induced fast conformational change in all-trans-retinal at low temperature A76-21319

**VISUAL SIGNALS**  
 Latency and duration of the manual movements of an operator under two modes of observation A76-19420

**VISUAL STIMULI**  
 Binocular summation and peripheral visual response time A76-21784  
 Transmission of excitation in the feline optic system A76-22227

**VISUAL TASKS**  
 The effect of two-axis vibration on the legibility of reading material A76-21619  
 Perceptual illusion of rotation of three-dimensional objects A76-22372

**VOICE COMMUNICATION**  
 An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards --- noise intensity in earphones N76-17798

**W**

**WASHING**  
 Spacecraft utensil/hand cleansing fixture --- for space shuttles [NASA-CR-147425] N76-17825

**WASTE UTILIZATION**  
 Trade study for water and waste management concepts. Task 7: Support special analysis --- cost analysis of life support systems for waste utilization during space missions [NASA-CR-147432] N76-17824

**WATER**  
 Physical chemical state of water in living cells [AD-A014929] N76-17783

**WATER LOSS**  
 Muscle water and electrolytes following varied levels of dehydration in man A76-20322

**WATER RECLAMATION**  
 Combination of an electrolytic pretreatment unit with secondary water reclamation processes [NASA-CR-147448] N76-17828

**WATER TREATMENT**  
 Combination of an electrolytic pretreatment unit with secondary water reclamation processes [NASA-CR-147448] N76-17828

**WATER VAPOR**  
 Water vapor diffusion membrane development [NASA-CR-137804] N76-17827

**WEIGHTLESSNESS**  
 Medical-biological investigations carried out on board the Salyut 4 orbital stations A76-19826

**WOOD**  
 Amino acids in modern and fossil woods A76-19816

**WORK-REST CYCLE**  
 Differential responding to the beta movement after waking from REM and nonREM sleep --- apparent motion optical illusions A76-20859

**X**

**X RAY ANALYSIS**  
 Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units A76-20296

**Page intentionally left blank**


**Page intentionally left blank**

# PERSONAL AUTHOR INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Suppl 154)

MAY 1976

## Typical Personal Author Index Listing



The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable a report number is also included as an aid in identifying the document.

## A

- ABDET, J. D.** Advanced crew procedures development techniques: Procedures and performance program training plan [NASA-CR-144526] N76-10721
- ABDULLAEV, G. B.** Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex N76-19662
- ABEL, F. L.** Comparative evaluation of pressure and time factors in estimating left ventricular performance A76-21615
- ABBAMS, M. L.** The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill [AD-A015282] N76-16800
- ABBAMS, R. E.** Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- ACTKINSON, T. R.** Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791
- Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792
- Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793
- Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794
- Learning strategy inventory development and assessment [AD-A014721] N76-16795
- AGARKOV, F. T.** Increasing the heat tolerance of the human body by muscle conditioning N76-16738
- AKKERMANS, J. A.** Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03] N76-16752
- ALEXANDRE, A.** An assessment on certain causal models used in surveys on aircraft noise annoyance A76-21251

## B

- ALLEN, G. R.** Ride quality and international standard ISO 2631 (Guide for the evaluation of human exposure to whole-body vibration) N76-16775
- ALPERN, M.** The density of human rhodopsin in the rods A76-20079
- ALPERT, J. S.** Circulatory response to acute hypobaric hypoxia in conscious dogs A76-21405
- ANDO, Y.** Effects of aircraft noise on the mental work of pupils A76-18950
- ANTONOV, A. A.** Changes in the induced potential in man during altitude decompression N76-16737
- AUDET, H. F.** Visor system materials for aluminized firemen's hoods. Report 2: Evaluation of gold coated plastic substrates [AD-A015310] N76-17829
- AZHAEV, A. N.** Heat metabolism in man under various degrees of body overheating A76-19664
- BABIYAK, V. I.** Sensory and motor components of eye fixation movement during exposure to angular accelerations N76-16736
- BADA, J. L.** Amino acids in modern and fossil woods A76-19816
- BAILBY, G. D.** MEMS reagent and sample handling procedure: Feasibility of viral antibody detection by passive immune agglutination [NASA-CR-147398] N76-16751
- BALAKHOVSKIY, B. S.** Change in hemoglobin mass during prolonged hypokinesia N76-16739
- BALLDIN, U. I.** Intracardial bubbles during decompression to altitude in relation to decompression sickness in man A76-21401
- BEDROV, IA. A.** Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model A76-19667
- BEHAR, V. S.** Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067
- Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068
- BEKETAEV, A. M.** Lymph flow during stimulation of vasmotor structures in the hypothalamus and the medulla oblongata A76-19699
- BEKIROVA, G. G.** Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium N76-16731

- BELL, H. H.  
The detection of coherence in moving random-dot patterns  
A76-20082
- BELLER, G. A.  
Circulatory response to acute hypobaric hypoxia in conscious dogs  
A76-21405
- BELSKII, IU. B.  
Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel  
A76-20295
- BEMBNOVSKII, B.  
Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units  
A76-20296
- BENEL, R. A.  
Neptune: Modifications and current applications [AD-A016722]  
N76-17819
- BIEBSHEE, B. J.  
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA  
A76-21412
- BIXLER, E. O.  
Epidemiological, clinical and sleep laboratory evaluations of insomnia  
A76-19338
- Treating the insomniac patient - General measures and psychological and pharmacological treatment  
A76-19339
- BLACK, J. E.  
Critical duration for resolution of acuity targets  
A76-19822
- BLAINE, J. D.  
Simulated flying performance after marihuana intoxication  
A76-21404
- BLOOR, C. M.  
Total and regional cerebral blood flow during moderate and severe exercise in miniature swine  
A76-21614
- BOETTCHE, D.  
Role of arterial baroreceptors in mediating cardiovascular response to exercise  
A76-21054
- BOLLINGER, R. R.  
Flight-induced changes in human amino acid excretion  
A76-19701
- BONEM, A.  
Effects of exercise on excretion rates of urinary free cortisol  
A76-21611
- BONURA, H. S.  
Combination of an electrolytic pretreatment unit with secondary water reclamation processes [NASA-CR-147448]  
N76-17828
- BORGSTROM, P.  
Intracardial bubbles during decompression to altitude in relation to decompression sickness in man  
A76-21401
- BOERSKY, P. H.  
Special analysis of community annoyance with aircraft noise reported by residents in the vicinity of JFK Airport, 1972 [NASA-CR-132678]  
N76-16788
- BOZZETTI, L. P.  
Simulated flying performance after marihuana intoxication  
A76-21404
- BRANDT, T.  
The spatial frequency effect on perceived velocity  
A76-20083
- BRAUNWALD, E.  
Role of arterial baroreceptors in mediating cardiovascular response to exercise  
A76-21054
- BROWN, B. R.  
Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023]  
N76-17806
- BROWN, J. L.  
Critical duration for resolution of acuity targets  
A76-19822
- BRUMAGHIM, S. H.  
Review of ride quality technology needs of industry and user groups  
N76-16755
- BRUSNICHKINA, R. I.  
Correlation between the autonomic components of the orientation reaction and the nature of the information received by an airman  
N76-16733
- BRZEZINSKA, Z.  
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs  
A76-19589
- BUNKER, M.  
Airborne electro-optical sensor simulation [AD-A016725]  
N76-17818
- BURRS, C. S.  
Arterial pressure contour analysis for estimating human vascular properties  
A76-21612
- BUSBY, D. E.  
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression  
A76-21402
- Paroxysmal and chronic atrial fibrillation in airman certification  
A76-21415
- BUSSE, J. H.  
A 5-year research and development agenda for ultrasonic imaging diagnostic instrumentation. An assessment of selected medical instrumentation [PB-245680/4]  
N76-17834
- BUTLER, F. B.  
Development of an improved computer model of the human body and extremity dynamics [AD-A014816]  
N76-17832
- C**
- CAIN, C. P.  
Temperature rise in fundus exposed to laser radiation [AD-A014819]  
N76-17803
- CAMERON, P. D.  
Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023]  
N76-17806
- CAMP, R. T., JR.  
An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards  
N76-17798
- CAMPBELL, J. E.  
Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components [NASA-CR-146401]  
N76-17782
- CANTRELL, R. W.  
Effects of noise exposure  
Physiological effects of noise  
N76-17796
- CAREW, T. E.  
Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery  
A76-21603
- CARTER, E. T.  
Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974  
A76-21414
- CHATBERTON, N. E.  
Evaluation of glare reduction techniques [PB-245624/2]  
N76-17821
- CHRIST, R. E.  
Review and analysis of color coding research for visual displays  
A76-19173
- CHU, A.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera  
A76-20753
- CLARK, C. E.  
Relation between echocardiographically determined left atrial size and atrial fibrillation  
A76-20071

CLARKE, M. J.  
Techniques for obtaining subjective response to vertical vibration N76-16766

Reaction of passengers to public service vehicle ride N76-16773

CLEVENSON, S. A.  
Evaluation of ride quality measurement procedures by subjective experiments using simulators N76-16765

COATES, G. D.  
Effect of vibration in combined axes on subjective evaluation of ride quality N76-16769

COHEN, M. M.  
Disorienting effects of aircraft catapult launchings. II A76-19705

COLLINS, K. W.  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794

Learning strategy inventory development and assessment [AD-A014721] N76-16795

COLLYER, C. E.  
The induced asynchrony effect - Its role in visual judgments of temporal order and its relation to other dynamic perceptual phenomena A76-21745

CONLEY, H. W.  
Demographic and psychological variables affecting test subject evaluations of ride quality N76-16767

CONNELL, D. W.  
Nonmotion factors which can affect ride quality N76-16759

CORTI, P.  
The use of mathematical logic and goal-oriented languages in the formation of robot plans A76-22329

COSTILL, D. L.  
Muscle water and electrolytes following varied levels of dehydration in man A76-20322

COTE, R.  
Muscle water and electrolytes following varied levels of dehydration in man A76-20322

COVELL, J. W.  
Effect of intramyocardial pressure on the phasic flow in the intraventricular septal artery A76-21603

CRUTZEN, P. J.  
Influence of ancient solar-proton events on the evolution of life A76-19815

CRUZ, J. C.  
Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude A76-20324

CURRY, R. E.  
A model of the human observer in failure detection tasks A76-20122

CYMERMAN, A.  
Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude A76-20324

**D**

DALLEAU, M. F.  
Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095

DANSEBREAU, D. P.  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794

Learning strategy inventory development and assessment [AD-A014721] N76-16795

DAVIDSON, C.  
Nitrogen exchange across the lungs in resting man. Flying Personnel Research Committee [AD-A015133] N76-17801

DAVIS, A. W.  
Paroxysmal and chronic atrial fibrillation in airman certification A76-21415

DAVYDOV, A. F.  
Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation A76-19666

DEAN, W. C., II  
Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768] N76-16803

DEBONIS, J. H.  
Object visibility patterns in low level flight [AD-A016886] N76-17820

DEHAET, R. L.  
Aircrew medical standards and their application in the Royal Australian Air Force A76-19711

DEMPESEY, T. K.  
Effect of vibration in combined axes on subjective evaluation of ride quality N76-16769

Vibration simulator studies for the development of passenger ride comfort criteria N76-16779

DENNISTON, J. C.  
Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude A76-20324

DEWAB, M. M.  
The amounts of moisture emitted from the eyes and periorbital areas [AD-A014923] N76-17807

DHINDSA, D. S.  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605

DICHEGANS, J.  
The spatial frequency effect on perceived velocity A76-20083

DIBNER, H. C.  
The spatial frequency effect on perceived velocity A76-20083

DILLON, J.  
Identification of beta carbolines isolated from fluorescent human lens proteins A76-21318

DMITREJKO, A. I.  
Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex A76-19662

DRAFFIN, R. M.  
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067

DRUZHININ, I. P.  
Space-earth forecasts [NASA-TT-P-16375] N76-16741

DUCK, F. A.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera A76-20753

DUNCAN, J. R.  
Design of a personal dry-ice cooling garment: Its physiological and heat transfer aspects N76-17822

DUNCAN, N. C.  
Demographic and psychological variables affecting test subject evaluations of ride quality N76-16767

DUNN, A. B.  
Evaluation of glare reduction techniques [PB-245624/2] N76-17821

DUVAUT, G.  
Oxygen diffusion in living tissues A76-20666

**E**

EDWARDS, R. J.  
The effect of exercise and thermal stress on plasma volume [AD-A015132] N76-17802

EGAWA, J.  
Effects of aircraft noise on the mental work of pupils A76-18950

ELLIS, A. M.  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794

Learning strategy inventory development and assessment [AD-A014721] N76-16795

ELLIS, J. P., JR.  
Flight-induced changes in human amino acid excretion A76-19701

ENGELAND, W. C.  
Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095

EPSTEIN, H.  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man A76-21787

EPSTEIN, S. E.  
Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071

EVANS, C. B.  
An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79] N76-16789

EVANS, D. H.  
The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604

EVANS, S. H.  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794  
Learning strategy inventory development and assessment [AD-A014721] N76-16795

**F**

FEENNESSY, P. A.  
Nitrogen exchange across the lungs in resting man. Flying Personnel Research Committee [AD-A015133] N76-17801

FERRAO, D. P.  
Interaction between marihuana and altitude on a complex behavioral task in baboons A76-21403

FERRON, G. A.  
Condensation of water on dry salt crystals. Description of the computer program [IRI-190-75-04] N76-16753

FINK, W.  
Muscle water and electrolytes following varied levels of dehydration in man A76-20322

FISCH, C.  
Electrocardiographic manifestations of concealed junctional ectopic impulses A76-20066

FISHMAN, M. C.  
Effects of hypoxia, heat, and humidity on physical performance A76-21616

FLECK, J. T.  
Development of an improved computer model of the human body and extremity dynamics [AD-A014816] N76-17832

FOREMAN, D. L.  
Total and regional cerebral blood flow during moderate and severe exercise in miniature swine A76-21614

FORSHAW, S. E.  
The incidence of temporary and permanent hearing loss among aircrews exposed to long-duration noise in maritime patrol aircraft [DCIEM-75-EP-1073] N76-17792

FRAZIER, D. T.  
Respiratory volume-time relationships during resistive loading in the cat A76-21613

FROEHLICH, G. R.  
The effects of ear protectors on some automatic responses to aircraft and impulsive noise N76-17794

FUNKHOUSER, G. E.  
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression A76-21402

**G**

GADZHEVA, N. A.  
Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex A76-19662

GAI, R. G.  
A model of the human observer in failure detection tasks A76-20122

GALAMBOS, B.  
The auditory neural network in man [NASA-CR-146357] N76-16783

Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390] N76-16784

Electrophysiological measurement of human auditory function [NASA-CR-146387] N76-16785

Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389] N76-16786

Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration [NASA-CR-146391] N76-16787

- GARCIA, J. B., JR.  
Flight-induced changes in human amino acid excretion  
A76-19701
- GAREEV, R. A.  
Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata  
A76-19699
- GARG, D. P.  
Vertical mode human body vibration transmissibility  
A76-20123
- GEE, S. W.  
Passenger ride quality response to an airborne simulator environment  
N76-16770
- GERHMAN, B. I.  
Evaluation of skin blood flow and heat loss during thermoregulatory response by means of a mathematical model  
A76-19667
- GELL, C. P.  
Proceeding of the International Workshop on escape and survival from submersibles  
[AD-A014871]  
N76-17831
- GEOGESON, M.  
Antagonism between channels for pattern and movement in human vision  
A76-21317
- GEORGHIOU, S.  
Light-induced fast conformational change in all-trans-retinal at low temperature  
A76-21319
- GHISTA, D. W.  
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model  
A76-21776
- GIAMBER, S. B.  
Circulatory response to acute hypobaric hypoxia in conscious dogs  
A76-21405
- GILBERT, E. K.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera  
A76-20753
- GILLILAND, K.  
Binocular summation and peripheral visual response time  
A76-21784
- GILLINGHAM, K. K.  
Examination of normal and pathologic middle ears by acoustic time-domain reflectometry  
[AD-A014818]  
N76-17804
- GINI, G.  
The use of mathematical logic and goal-oriented languages in the formation of robot plans  
A76-22329
- GINI, M.  
The use of mathematical logic and goal-oriented languages in the formation of robot plans  
A76-22329
- GLAZUNOV, E. N.  
Erythropoietic properties of the plasma in hypodynamia  
A76-19698
- GORDON, D. A.  
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation  
A76-21610
- GORDON, V. M.  
Investigation of the operational structure of the process of identifying graphical images  
A76-19419
- GOULD, E. B.  
Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory  
[AD-A014796]  
N76-16796
- GREEN, J. F.  
Evaluation of physiological inputs to high G performance models  
[AD-A014813]  
N76-17830
- GREENE, J. W.  
Evaluating the ability of aircrew personnel to hear speech in their operational environments  
A76-21409
- GREENFIELD, J. C., JR.  
Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy  
A76-20068
- GREENLEAF, J. E.  
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs  
A76-19589
- GREENLEAF, J. P.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera  
A76-20753
- GRICE, J. K.  
The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill  
[AD-A015282]  
N76-16800
- GEIPPIN, M. J.  
The effect of two-axis vibration on the legibility of reading material  
A76-21619
- A review of ride comfort studies in the United Kingdom  
N76-16774
- GROVER, R. F.  
Measurement of cardiac output by electrical impedance at rest and during exercise  
A76-20323
- Sustained vasoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
A76-20324
- GROWNEY, R.  
The function of contour in metacontrast  
A76-19820
- GRUNBAUM, B. W.  
In Vivo measurement of human body composition  
[NASA-CR-146223]  
N76-16748
- GUREVA, L. P.  
The structure of human control activity and its conversion into an automatic control system  
A76-19422
- GUBROWSKII, N. N.  
Medical-biological investigations carried out on board the Salyut 4 orbital stations  
A76-19826
- GUSHCHEVA, T. M.  
Investigation of the operational structure of the process of identifying graphical images  
A76-19419
- GUSHCHIN, IU. P.  
The problem of 'malfunctions' and errors of a human operator  
A76-19421
- H
- HABER, E.  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man  
A76-21787
- HAINES, R. F.  
Binocular summation and peripheral visual response time  
A76-21784
- HALL, D. A.  
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA  
A76-21412
- HARRISON, M. H.  
Nitrogen exchange across the lungs in resting man.  
Flying Personnel Research Committee  
[AD-A015133]  
N76-17801
- The effect of exercise and thermal stress on plasma volume  
[AD-A015132]  
N76-17802
- HARTMAN, P. D.  
Individual differences in human annoyance response to noise  
[NASA-CR-144921]  
N76-16782
- HARTMAN, B. O.  
Flight-induced changes in human amino acid excretion  
A76-19701

HASHIM, M.  
An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients  
[NPL-COM-79] N76-16789

HASS, W. D.  
The economy of flight simulators for crew training exemplified for a Boeing 707 simulator N76-17814

HAZEL, J. T.  
Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory  
[AD-A014796] N76-16796

HAZELWOOD, C. P.  
Physical chemical state of water in living cells  
[AD-A014929] N76-17783

HEALEY, A. J.  
Automobile ride quality experiments correlated to iso-weighted criteria N76-16778

HEBERT, J. A.  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems  
[AD-A014719] N76-16797

HECOX, K.  
Brainstem auditory evoked responses in man. 1: Effect of stimulus rise-fall time and duration  
[NASA-CR-146391] N76-16787

HEESCHE, R.  
Airborne electro-optical sensor simulation  
[AD-A016725] N76-17818

HENRY, W. L.  
Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071

HERRON, R. E.  
Stereometric body volume measurement  
[NASA-CR-147399] N76-16745

HEYDRICKX, G. H.  
Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054

HIGGINS, E. A.  
Effect of physical activity of airline flight attendants on their time of useful consciousness in a rapid decompression A76-21402

HILL, J.  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605

HILLYARD, S. A.  
Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate  
[NASA-CR-146390] N76-16784

Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise  
[NASA-CR-146389] N76-16786

HODAPP, R.  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems  
[AD-A014719] N76-16797

HOPFMAN, M. A.  
Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413

HOLZER, T. E.  
Influence of ancient solar-proton events on the evolution of life A76-19815

HOTTINGER, C. F.  
Real-time Doppler imaging for unambiguous measurement of blood volume flow A76-20755

ISAKSEN, I. S. A.  
Influence of ancient solar-proton events on the evolution of life  
A76-19815

ITALIANO, P.  
Vertebral fractures in pilots involved in helicopter accidents  
[RAE-LIB-TRANS-1854] N76-16744

ITSCOITZ, S. B.  
Relation between echocardiographically determined left atrial size and atrial fibrillation  
A76-20071

IVANOV, K. P.  
Specific features of cortical neurons in response to skin thermostimulation  
A76-19661

The role of noradrenalin in the regulation of muscular thermogenesis during cooling  
A76-19697

**J**

JACOBSON, I. D.  
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft  
N76-16757

Passenger ride quality determined from commercial airline flights  
N76-16772

JANEWAY, R. H.  
Analysis of proposed criteria for human response to vibration  
N76-16776

JANOWSKY, D. S.  
Simulated flying performance after marihuana intoxication  
A76-21404

JANSEN, G.  
Physiological responses due to noise in inhabitants around Munich airport  
N76-17799

JENNINGS, J. R.  
Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time  
A76-21746

Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures  
A76-21747

JOHNSON, C. A.  
Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinations  
A76-20084

Effects of luminance and stimulus distance on accommodation and visual resolution  
A76-20853

JOHNSON, D. L.  
Asymptotic behavior of temporary threshold shift during exposure to long duration noises  
N76-17791

JOHNSON, I.  
A method for the measurement of energy absorption in the human hand using various types of hand tools  
[FFA-MEMO 97] N76-16805

JOHNSON, S. A.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera  
A76-20753

JONES, B.  
Human comfort in relation to sinusoidal vibration  
N76-16768

JONKONIEC, T. G.  
Spacecraft utensil/hand cleansing fixture  
[NASA-CR-147425] N76-17825

JUDD, S. A.  
Perceptual illusion of rotation of three-dimensional objects  
A76-22372

**K**

KACIUBA-USCILKO, H.  
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs  
A76-19589

## PERSONAL AUTHOR INDEX

LARIUKHINA, T. S.

- KALES, A.  
Epidemiological, clinical and sleep laboratory evaluations of insomnia  
Treating the insomniac patient - General measures and psychological and pharmacological treatment  
A76-19338
- KALES, J. D.  
Epidemiological, clinical and sleep laboratory evaluations of insomnia  
Treating the insomniac patient - General measures and psychological and pharmacological treatment  
A76-19339
- KAMOV, B.  
Acclimation processes by daily exercise stints at temperate conditions followed by short heat exposures  
A76-19703
- KARAGIANNIS, M. T.  
Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization  
A76-19702
- KAZAKOV, G. A.  
Microorganisms in the stratosphere  
[NASA-TT-P-16872] N76-16742
- KRAEKE, B. P.  
Automated analysis of biological rhythms in the human electroencephalogram  
N76-17784
- KEEMINK, C. J.  
Luminance gradients and edge effects  
A76-20081
- KELLY, D. H.  
Pattern detection and the two-dimensional Fourier transform - Flickering checkerboards and chromatic mechanisms  
A76-19821
- KHANDELWAL, G. S.  
Development of a dosimeter for distributed body organs  
[NASA-CR-146225] N76-16749
- KHROMOV, V. M.  
Effect of prolonged flights on the course of chronic sacrolumbar radiculitis in flying personnel  
A76-20295
- KHVINGIIA, M. V.  
Dynamic damper in the biomechanical arm-vibrator system  
A76-20238
- KIM, T. D.  
Lymph flow during stimulation of vasomotor structures in the hypothalamus and the medulla oblongata  
A76-19699
- KING, A. T.  
Impact of computer based instruction on attitudes of students and instructors: A review  
[AD-A014797] N76-17817
- KINNEY, J. A. S.  
The longitudinal health study, visual characteristics of 750 submariners  
[AD-A014856] N76-17805
- KIBBY, B. B.  
Effect of vibration in combined axes on subjective evaluation of ride quality  
N76-16769
- KISELEV, R. K.  
Change in hemoglobin mass during prolonged hypokinesia  
N76-16739
- KISSLO, J.  
Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application  
A76-20070
- KARDIAVSKAYA, N. V.  
Cardiovascular diagnosis with real time ultrasound imaging  
A76-20752
- KLAUDEK, L. T., JR.  
Evaluation of ride quality measurement procedures by subjective experiments using simulators  
N76-16765
- KLEBIN, E. P.  
Factors affecting the palmitoyl-coenzyme A desaturase of *Saccharomyces cerevisiae*  
A76-21792
- KLINOV, P. K.  
The gastrin antibody /IgG/ in the blood of healthy humans and animals  
A76-20458
- KOBRIINSKII, A. A.  
Constructing the motions of manipulating systems  
[NASA-TT-P-16859] N76-16804
- KOBRIINSKII, A. Y.  
Constructing the motions of manipulating systems  
[NASA-TT-P-16859] N76-16804
- KODAHA, A. B.  
In Vivo measurement of human body composition  
[NASA-CR-146223] N76-16748
- KOLESNSKA, M.  
Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies  
A76-20616
- KOLEDCKA, D.  
Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies  
A76-20616
- KOT, P. A.  
Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta  
A76-21606
- KOZLOWSKI, S.  
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs  
A76-19589
- KOZYREVA, T. V.  
Specific features of cortical neurons in response to skin thermostimulation  
A76-19661
- KRAMER, B. P.  
Aircrew medical standards and their application in the Royal Australian Air Force  
A76-19711
- KRYLOV, IU. V.  
On the question of the physiological interaction on the vibrotactile and audio reception  
A76-20875
- KUELPE, O.  
Attempt to understand abstraction  
[NASA-TT-P-16816] N76-16781
- KUHLTHAU, A. R.  
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft  
N76-16757
- KUKISHCHEV, S. P.  
Passenger ride quality determined from commercial airline flights  
N76-16772
- KUZNETSOV, O. N.  
Restructuring of the human temperature rhythm after inversion of the rhythm of life in isolation  
N76-16732
- L
- LABROSSE, C.  
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation  
A76-21610
- LAHIRI, S.  
Effects of hypoxia, heat, and humidity on physical performance  
A76-21616
- LALLY, D. A.  
Respiratory volume-time relationships during resistive loading in the cat  
A76-21613
- LANPHER, E. H.  
Man-water-pressure. Volume 2: Publications in underwater physiology, 1967 - 1974  
[AD-A016593] N76-17810
- LAPPIN, J. S.  
The detection of coherence in moving random-dot patterns  
A76-20082
- LARIUKHINA, T. S.  
The role of noradrenalin in the regulation of muscular thermogenesis during cooling  
A76-19697

- LAVIE, P.  
Differential responding to the beta movement after waking from REM and nonREM sleep  
A76-20859
- LAURENCE, B. E.  
Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time  
A76-21746
- LEATHERWOOD, J. D.  
Effect of vibration in combined axes on subjective evaluation of ride quality  
N76-16769
- Vibration simulator studies for the development of passenger ride comfort criteria  
N76-16779
- LEBEDDEV, V. I.  
Psychological problems of interplanetary flight [NASA-TT-F-16536] N76-16750
- Psychology and psychopathology of solitude [AD-A007454] N76-16799
- LEE, C.  
Amino acids in modern and fossil woods  
A76-19816
- LEIBOWITZ, H. W.  
Velocity-time reciprocity in the perception of motion - Foveal and peripheral determinants  
A76-20084
- LEITCH, D. R.  
The effect of exercise and thermal stress on plasma volume [AD-A015132] N76-17802
- LEONOV, A. A.  
Psychological problems of interplanetary flight [NASA-TT-F-16536] N76-16750
- LESCH, M.  
Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation  
A76-21055
- LEWIS, M. F.  
Interaction between marihuana and altitude on a complex behavioral task in baboons  
A76-21403
- LIM, D. J.  
Mode of cochlear damage by excessive noise, an overview  
N76-17787
- LINAWAVER, P. G.  
Associations between psychological factors and pulmonary toxicity during intermittent oxygen breathing at 2 ATA  
A76-21412
- LINDELL, M. K.  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- LIPA, B. J.  
Search for correlation between geomagnetic disturbances and mortality  
A76-20772
- LOEB, M.  
Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023] N76-17806
- LONG, G. L.  
Learning Strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791
- Learning Strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792
- Learning Strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793
- Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794
- Learning strategy inventory development and assessment [AD-A014721] N76-16795
- LOVE, L. T.  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- LURIA, S. M.  
Pupil size and stereoacuity  
A76-20856
- The longitudinal health study, visual characteristics of 750 submariners [AD-A014856] N76-17805
- LUZ, G. A.  
Hearing conservation: Intense acoustic stimulation and noise susceptibility in the military environment [AD-A015023] N76-17806
- LYSENKO, S. V.  
Microorganisms in the stratosphere [NASA-TT-F-16872] N76-16742
- M**
- MAHER, J. T.  
Measurement of cardiac output by electrical impedance at rest and during exercise  
A76-20323
- Sustained vasoconstriction in man supplemented with CO<sub>2</sub> at high altitude  
A76-20324
- MALINOW, M. R.  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /Macaca fascicularis/ A76-21605
- MALONE, W. L.  
An approach to high speed ship ride quality simulation  
N76-16764
- MARIEBO, G.  
Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise  
N76-17789
- MARKIEWICZ, L.  
Evaluation of the load on a pilot's organism during agrotechnical flights, on the basis of physiological studies  
A76-20616
- MARTIN, P.  
An inexpensive blood pressure-heart rate computer for laboratory or teaching use  
A76-21617
- MASTERS, N.  
An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79] N76-16789
- MATHIAS, Y.  
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation  
A76-21610
- MAYNARD, W. S.  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- MCDICKEN, W. M.  
The accuracy of cardiac function indices derived from ultrasonic time-position scans  
A76-21604
- MCDONALD, B. A.  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791
- Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792
- Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793
- Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794
- Learning strategy inventory development and assessment [AD-A014721] N76-16795
- MCHENRY, P. L.  
Electrocardiographic manifestations of concealed junctional ectopic impulses  
A76-20066
- MCKAY, C. L.  
The longitudinal health study, visual characteristics of 750 submariners [AD-A014856] N76-17805

- MCKENZIE, J. R.**  
Review of ride quality technology needs of industry and user groups  
N76-16755
- MCLAUGHLIN, P.**  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /*Macaca fascicularis*/ A76-21605
- MCBULTY, W. P.**  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /*Macaca fascicularis*/ A76-21605
- MCRITCHIE, R. J.**  
Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054
- MEACHAM, M. P.**  
Simulated flying performance after marihuana intoxication A76-21404
- MEDDICK, R. D. L.**  
The effect of two-axis vibration on the legibility of reading material A76-21619
- MEINDL, J. D.**  
Real-time Doppler imaging for unambiguous measurement of blood volume flow A76-20755
- MELIA, A. S.**  
Dynamic damper in the biomechanical arm-vibrator system A76-20238
- MELNICK, W.**  
Mode of cochlear damage by excessive noise, an overview N76-17787
- TTs in man from a 24-hour exposure to an octave band of noise centered at 4 kHz [AMRL-TR-75-3] N76-17788
- MERRICK, A. I.**  
Geotropism reaction of plants [NASA-TT-P-16826] N76-16740
- MERTENS, H. W.**  
Interaction between marihuana and altitude on a complex behavioral task in baboons A76-21403
- METCALFE, J.**  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /*Macaca fascicularis*/ A76-21605
- MICHEL, E. L.**  
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions A76-21411
- MIKOLKA, P. J.**  
Effect of vibration in combined axes on subjective evaluation of ride quality N76-16769
- MILLEDGE, J. S.**  
Effects of hypoxia, heat, and humidity on physical performance A76-21616
- MILLS, S. M.**  
Automated single-slide staining device A76-21781
- MILBRE, B. B.**  
An automated medical history-taking project with videotape interviewing of immigrant psychiatric patients [NPL-COM-79] N76-16789
- MOISEEVA, B. I.**  
Effect of a sudden change of time environment on some circadian rhythms in man A76-19696
- MOISEEVA, O. I.**  
Erythropoietic properties of the plasma in hypodynamia A76-19698
- MOLINARI, G. A.**  
Protective effects in men of brain cortex gangliosides on the hearing loss induced by high levels of noise N76-17789
- MONTGOMERY, L. D.**  
Comparison of an impedance device to a displacement plethysmograph for study of finger blood flow A76-19704
- Biothermal simulation of scuba divers A76-21148
- MORAWSKI, J. M.**  
Informational problems in flight ergonomics A76-20615
- MORGANROTH, J.**  
Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071
- MOSKO, J. D.**  
Evaluating the ability of aircrew personnel to hear speech in their operational environments A76-21409
- MOZO, B. T.**  
An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards N76-17798
- MYERS, L. B.**  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- N**
- NAKABE, Y.**  
Effects of aircraft noise on the mental work of pupils A76-18950
- NAKANISHI, K.**  
Identification of beta carbolines isolated from fluorescent human lens proteins A76-21318
- NAZAR, K.**  
Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs A76-19589
- NAZAROV, A. I.**  
Latency and duration of the manual movements of an operator under two modes of observation A76-19420
- NEALEY, S. M.**  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- NECHAEV, N. N.**  
Psychological conditions for the simultaneous formation of groups of concepts and sensory images A76-19418
- NEEBE, T. A.**  
Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413
- NICOGOSSIAN, A. E.**  
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions A76-21411
- NIIJIMA, A.**  
The effect of 2-deoxy-D-glucose and D-glucose on the efferent discharge rate of sympathetic nerves A76-21788
- NIXON, C. W.**  
Asymptotic behavior of temporary threshold shift during exposure to long duration noises N76-17791
- O**
- OBORRE, D. J.**  
Techniques for obtaining subjective response to vertical vibration N76-16766
- Reaction of passengers to public service vehicle ride N76-16773
- OBRIE, J. F.**  
Individual differences in human annoyance response to noise [NASA-CR-144921] N76-16782

- OCHSNER, A. J., III  
Failure of carbon monoxide to induce myocardial infarction in cholesterol-fed cynomolgus monkeys /*Macaca fascicularis*/ A76-21605
- OBFOED, B. B.  
Preemployment and periodic physical examination of airline pilots at the Mayo Clinic, 1939-1974 A76-21414
- OBLOV, I. V.  
Responses of neural units of the frog's lateral semicircular canal to caloric stimuli of varying amplitude A76-19663
- OBMSER, C. C.  
Perception of static orientation in a constant gravitoinertial environment A76-21410
- OWINGS, R. P.  
Intercity rail-passenger car ride quality test program N76-16762
- P**
- PACE, H.  
In Vivo measurement of human body composition [NASA-CR-146223] N76-16748
- PADIYAB, R.  
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation A76-21610
- PAGELLO, E.  
The use of mathematical logic and goal-oriented languages in the formation of robot plans A76-22329
- PALMER, H. E.  
Use of Sr-85 as an indicator of bone mineral replacement in dogs after disuse demineralization A76-19702
- PAOLUCCI, G.  
Influence of the noise on catecholamine excretion N76-17795
- PARDUE, J. W.  
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247
- PARKER, J. W.  
Proceeding of the International Workshop on escape and survival from submersibles [AD-A014871] N76-17831
- PARKER, P. L.  
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247
- PATIL, M. K.  
Construction, simulation, clinical application and sensitivity analyses of a human left ventricular control system model A76-21776
- PATRICK, T. A.  
Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054
- PATTERSON, J. H.  
An investigation of aircraft voice communication systems as sources of insidious long-term acoustic hazards N76-17798
- PAULSON, H. M.  
The longitudinal health study, visual characteristics of 750 submariners [AD-A014856] N76-17805
- PAVLITSKII, V.  
Effect of working environment conditions on the X-ray pattern of paranasal sinuses in the technical personnel of air force units A76-20296
- PAVLOV, A. S.  
Increasing the heat tolerance of the human body by muscle conditioning N76-16738
- PEARLMAN, A.  
Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071
- PEARLSTEIN, R. B.  
Guidebook for developing criterion-referenced tests [AD-A014987] N76-17816
- PEARSON, B. G.  
Individual differences in human annoyance response to noise [NASA-CR-144921] N76-16782
- PETERSON, E.  
Amino acids in modern and fossil woods A76-19816
- PETERSON, M. B.  
Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation A76-21055
- PEVHLY, S. A.  
Mechanisms of thermogenic action of noradrenalin in cold adaptation A76-19665
- PHATAR, A. V.  
Evaluation of physiological inputs to high G performance models [AD-A014813] N76-17830
- PHILLIPS, H. B.  
Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068
- PINS, D. S.  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man A76-21787
- PISKOPPEL, A. A.  
The problem of 'malfunctions' and errors of a human operator A76-19421
- PODOLSKII, A. I.  
Psychological conditions for the simultaneous formation of groups of concepts and sensory images A76-19418
- POLOSATOV, M. V.  
The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458
- PRICE, D. C.  
In Vivo measurement of human body composition [NASA-CR-146223] N76-16748
- PRIBEE, L. A.  
Temperature rise in fundus exposed to laser radiation [AD-A014819] N76-17803
- PROKOPENKO, V. P.  
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats A76-22226
- PRUSAKOV, A. N.  
The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458
- R**
- RAHN, H.  
Man-water-pressure. Volume 2: Publications in underwater physiology, 1967 - 1974 [AD-A016593] N76-17810
- RAINE, W. L.  
Evaluation of glare reduction techniques [PB-245624/2] N76-17821
- RAMACCI, C. A.  
Psycho-physical performance of Air Force technicians after long duration noise exposure N76-17793
- RAO, B. K. M.  
Human comfort in relation to sinusoidal vibration N76-16768
- RAVERA, R. J.  
Ride quality criteria and the design process N76-16756
- REDWOOD, D. R.  
Relation between echocardiographically determined left atrial size and atrial fibrillation A76-20071
- REED, J. B.  
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067

BEEVES, J. T.  
Measurement of cardiac output by electrical impedance at rest and during exercise A76-20323

Sustained venoconstriction in man supplemented with CO<sub>2</sub> at high altitude A76-20324

BEID, G. C.  
Influence of ancient solar-proton events on the evolution of life A76-19815

BEINEMANN, H. H.  
Trainable crew behavior in the flight simulator for pilot incapacitation N76-17813

BEYES, A. L.  
Ecology and thermal inactivation of microbes in and on interplanetary space vehicle components [NASA-CR-146401] N76-17782

BEZER, T. W.  
Passenger ride quality response to an airborne simulator environment N76-16770

RICHARDS, L. G.  
Application of ride quality technology to predict ride satisfaction for commuter-type aircraft N76-16757

Passenger ride quality determined from commercial airline flights N76-16772

RICHARDSON, H. H.  
The pitch-heave dynamics of transportation vehicles N76-16763

ROBERTSON, D. A. B.  
The accuracy of cardiac function indices derived from ultrasonic time-position scans A76-21604

ROBBELEN, G. J., JR.  
Design, development, and fabrication of a prototype ice pack heat sink subsystem. Flight experiment physical phenomena experiment chest [NASA-CR-137768] N76-16803

Fusible heat sink for EVA thermal control [NASA-CR-137769] N76-17826

ROGOT, P.  
Search for correlation between geomagnetic disturbances and mortality A76-20772

ROODBERGEN, C.  
Measurements of the dosage resulting from background radiation in buildings with a Ge(Li) detector [IRI-190-74-03] N76-16752

BOSCOE, A. H.  
Use of pilot heart rate measurement in flight evaluation A76-19714

BOSE, J. C.  
Effects of drugs on the negative /backflow/ component of velocity patterns in the dog aorta A76-21606

BOSEBHR, A. A.  
Spacecraft utensil/hand cleansing fixture [NASA-CR-147425] N76-17825

ROSS, M. A.  
Vertical mode human body vibration transmissibility A76-20123

ROTA, P.  
Psycho-physical performance of Air Force technicians after long duration noise exposure N76-17793

ROWELL, M. J.  
Production and characterization of enzymes stabilized as humic acid analogues N76-16729

RUMMEL, J. A.  
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions A76-21411

RYAN, A. P.  
The longitudinal health study, visual characteristics of 750 submariners [AD-A014856] N76-17805

## S

SABBAH, H. H.  
Rate of change of ventricular power - An indicator of ventricular performance during ejection A76-20350

SAKIT, B.  
Psychophysical correlates of photoreceptor activity A76-20080

SALTZ, S. B.  
Circulatory response to acute hypobaric hypoxia in conscious dogs A76-21405

SAMARTSEV, M. A.  
The gastrin antibody /IgG/ in the blood of healthy humans and animals A76-20458

SAMAYOA, W. R.  
Digital computer simulation study of a real-time collection, post-processing synthetic focusing ultrasound cardiac camera A76-20753

SANCHEZ, J.  
Suppression of plasma renin and plasma aldosterone during water immersion in normal man A76-21787

SANDERS, M.  
Total and regional cerebral blood flow during moderate and severe exercise in miniature swine A76-21614

SANDERS, M. G.  
Cross-validation study of the personality aspects of involvement in pilot-error accidents A76-21413

SAWIN, C. P.  
Pulmonary function evaluation during the Skylab and Apollo-Soyuz missions A76-21411

SCALAN, B. S.  
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247

SCHAFFER, H. J.  
Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436] N76-16746

SCHARR, R. L.  
Intercity rail-passenger car ride quality test program N76-16762

SCHATTE, C.  
Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice A76-21408

SCHLEGEL, B. G.  
Vehicle for civil helicopter ride quality research N76-16760

SCHOLTE, P.  
Pregnant stewardess - Should she fly A76-19712

SCHOONHOVE, W. B., JR.  
Ride quality of terminal-area flight maneuvers N76-16771

SCHOOE, M.  
Simulated flying performance after marihuana intoxication A76-21404

SCHOW, H. B.  
The effects of practice and positional variables in the acquisition of a physically complex psychomotor skill [AD-A015282] N76-16800

SCHULZ, J. B.  
Spacecraft utensil/hand cleansing fixture [NASA-CR-147425] N76-17825

SCHWENT, V. L.  
Selective attention and the auditory vertex potential. 1: Effects of stimulus delivery rate [NASA-CR-146390] N76-16784  
Selective attention and the auditory vertex potential. 2: Effects of signal intensity and masking noise [NASA-CR-146389] N76-16786

SEIBERT, G.  
Utilisation of Spacelab for life-science experiments A76-22356

- SEVASTIANOV, V.  
Sixty two days on board Salyut 4. I A76-19268
- SHABAH, V. M.  
Transmission of excitation in the feline optic system A76-22227
- SCHERBA, M. M.  
Erythropoietic properties of the plasma in hypodynamia A76-19698
- SHEPARD, R. N.  
Perceptual illusion of rotation of three-dimensional objects A76-22372
- SHINSAKO, J.  
Corticosteroids and ACTH are not required for compensatory adrenal growth A76-19095
- SHOSTAK, V. I.  
Color perception after intensive photostimulation N76-16734
- SHEIVER, E. L.  
Fully proceduralized job performance aids:  
Guidance for performing behavioral analyses of tasks [AD-A015059] N76-17815
- SMITH, C. C.  
Automobile ride quality experiments correlated to iso-weighted criteria N76-16778
- SNYDER, W. J.  
Vehicle for civil helicopter ride quality research N76-16760
- SOBOLEV, V. I.  
Mechanisms of thermogenic action of noradrenalin in cold adaptation A76-19665
- SOLMAN, R. T.  
Effect of target separation on selective attention A76-19724
- SOSHNOVSKII, B. A.  
Latency and duration of the manual movements of an operator under two modes of observation A76-19420
- SPECTOR, A.  
Identification of beta carbolines isolated from fluorescent human lens proteins A76-21318
- SQUIRES, H.  
Brainstem auditory evoked responses in man. 1:  
Effect of stimulus rise-fall time and duration [NASA-CR-146391] N76-16787
- STARR, J. W.  
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067
- Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068
- STEEN, J. A.  
Interaction between marihuana and altitude on a complex behavioral task in baboons A76-21403
- STEIN, P. D.  
Rate of change of ventricular power - An indicator of ventricular performance during ejection A76-20350
- STEPANOVA, S. I.  
Restructuring of the human temperature rhythm after inversion of the rhythm of life in isolation N76-16732
- STEPHENS, D. G.  
Review of measured vibration and noise environments experienced by passengers in aircraft and in ground transportation systems N76-16758
- STEPHENSON, E. E.  
Aircrew medical standards and their application in the Royal Australian Air Force A76-19711
- STEPHENSON, M. R.  
Asympotic behavior of temporary threshold shift during exposure to long duration noises N76-17791
- STONE, H. L.  
Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow A76-21407
- STONE, R. W., JR.  
Simulator studies and psychophysical ride comfort models N76-16780
- STORM, W. P.  
Neptune: Modifications and current applications [AD-A016722] N76-17819
- STURROCK, P. A.  
Search for correlation between geomagnetic disturbances and mortality A76-20772
- SULIMO-SAMUULLO, Z. K.  
Gas exchange during hypercapnia under conditions of different oxygen content N76-16735
- SULLIVAN, J. J.  
Nuclear emulsion measurements of the astronauts' radiation exposures on Skylab missions 2, 3, and 4 [NASA-CR-147436] N76-16746
- SUTTER, D.  
Differential responding to the beta movement after waking from REM and nonREM sleep A76-20859
- SVIREZHEV, Y. M.  
Some aspects of the problem of predicting man's health during a space flight [NASA-TT-P-16838] N76-16747
- SWANSINGER, A.  
Effect of dietary 'antioxidant' supplementation on the susceptibility to oxygen toxicity in mice A76-21408
- SWEET, L. M.  
The pitch-heave dynamics of transportation vehicles N76-16763
- SWEZBY, B. W.  
Guidebook for developing criterion-referenced tests [AD-A014987] N76-17816
- T
- TAEGTMAYER, H.  
Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation A76-21055
- TAB, M. K.  
Water vapor diffusion membrane development [NASA-CR-137804] N76-17827
- TELEGINA, E. D.  
The structure of human control activity and its conversion into an automatic control system A76-19422
- TENOSO, H. J.  
MEMS reagent and sample handling procedure:  
Feasibility of viral antibody detection by passive immune agglutination [NASA-CR-147398] N76-16751
- TERELAK, J.  
Alpha index and personality traits of pilots A76-21406
- THORNTON, G. C., III  
Defining research needs to insure continued job motivation of air traffic controllers in future air traffic control systems [AD-A014719] N76-16797
- THURSTONE, F. L.  
Cardiac imaging using a phased array ultrasound system. I - System design A76-20069
- Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application A76-20070
- Cardiovascular diagnosis with real time ultrasound imaging A76-20752
- TODOROV, S. L.  
On the spontaneous frequency of the structural chromosome aberrations /anomalies/ in lymphocytes from human blood A76-19016
- TOLLEHAAR, D.  
The effects of caloric density of the food on running endurance and general condition of rats and hamsters restricted in food intake or fed ad libitum [AD-A014896] N76-17808

**TROSHIKHIN, G. V.**  
Oxygen exchange in the body accompanying replacement of atmospheric nitrogen by helium N76-16731

**TRUSOVA, V. K.**  
Effect of noradrenalin on the central control of thermoregulation associated with temperature adaptation A76-19666

**TSAKIRIS, A. G.**  
Sudden interruption of leaflet opening by ventricular contractions - A mechanism of mitral regurgitation A76-21610

**TUTTLE, T. C.**  
Dimensions of job satisfaction, initial development of the Air Force occupational attitude inventory [AD-A014796] N76-16796

**V**

**VAN BAALEN, C.**  
Maximum carbon isotope fractionation in photosynthesis by blue-green algae and a green alga A76-22247

**VAN DEN BRINK, G.**  
Luminance gradients and edge effects A76-20081

**VATNER, S. F.**  
Role of arterial baroreceptors in mediating cardiovascular response to exercise A76-21054

**VERMICK, R.**  
Mechanism of the inhibition of myocardial protein synthesis during oxygen deprivation A76-21055

**VICKERY, J. M.**  
An approach to high speed ship ride quality simulation N76-16764

**VIBOVETS, O. A.**  
Change in hemoglobin mass during prolonged hypokinesia N76-16739

**VLAMINSK, R. R.**  
Computer analysis of railcar vibrations N76-16761

**VOLKHAN, C. M.**  
Factors affecting the palmitoyl-coenzyme A desaturase of *Saccharomyces cerevisiae* A76-21792

**VOLOSHIN, E. IA.**  
Responses of reticular and ventral anterior thalamic neurons of the visual cortex to afferent stimuli of different modalities in cats A76-22226

**VOLZESKAIA, A. M.**  
Erythropoietic properties of the plasma in hypodynamia A76-19698

**VON HOPSTEN, C.**  
The role of convergence in visual space perception A76-20085

**VON RAHM, O. T.**  
Cardiac imaging using a phased array ultrasound system. I - System design A76-20069

Cardiac imaging using a phased array ultrasound system. II - Clinical technique and application A76-20070

Cardiovascular diagnosis with real time ultrasound imaging A76-20752

**VONGIERKE, H. E.**  
The ISO standard: Guide for the evaluation of human exposure to whole-body vibration N76-16777

Standardizing the dynamics of man [AD-A014919] N76-17809

**W**

**WAGNER, G. S.**  
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067

Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068

**WALSTON, A., II**  
Vectorcardiographic criteria for the diagnosis of anterior myocardial infarction A76-20067

Evaluation of vectorcardiographic criteria for the diagnosis of myocardial infarction in the presence of left ventricular hypertrophy A76-20068

**WARD, W. D.**  
Studies of asymptotic TTS N76-17790

**WATT, T. B., JR.**  
Arterial pressure contour analysis for estimating human vascular properties A76-21612

**WAUGH, J. P.**  
Pilot performance in a helicopter simulator [AD-A017441] N76-16798

**WAYGOOD, B.**  
The effect of a filtered control on operator's hand tremor [AD-A014105] N76-16790

**WEITZ, C. A.**  
Effects of hypoxia, heat, and humidity on physical performance A76-21616

**WERBERT, M.**  
Some problems in the coupling of visibility simulation equipment to flight simulators N76-17812

**WELCH, A. J.**  
Temperature rise in fundus exposed to laser radiation [AD-A014819] N76-17803

**WELLS, G. W.**  
Combination of an electrolytic pretreatment unit with secondary water reclamation processes [NASA-CR-147448] N76-17828

**WHITCOMB, M. A.**  
Effects of long duration noise exposure on hearing and health [AGARD-CP-171] N76-17786

**WILKINS, J. R.**  
Automated single-slide staining device A76-21781

**WILLIAMS, C. B.**  
Evaluating the ability of aircrew personnel to hear speech in their operational environments A76-21409

**WILLIAMS, S.**  
Learning strategy training program: Questions and answers for effective learning [AD-A014725] N76-16791

Learning strategy training program: Visual imagery for effective learning [AD-A014724] N76-16792

Learning strategy training program: Paraphrasing strategy for effective learning [AD-A014723] N76-16793

Effective learning strategy training program: Development and assessment [AD-A014722] N76-16794

Learning strategy inventory development and assessment [AD-A014721] N76-16795

**WILSON, D. A.**  
Spacecraft utensil/hand cleansing fixture [NASA-CR-147425] N76-17825

**WILSON, L. G.**  
The amounts of moisture emitted from the eyes and periorbital areas [AD-A014923] N76-17807

**WISNIEWSKI, S. G.**  
Storage study of individual servings of subsistence at various temperatures [AD-A014939] N76-17833

**WIST, E. R.**  
The spatial frequency effect on perceived velocity A76-20083

**WITT, M. D.**  
Storage study of individual servings of subsistence at various temperatures [AD-A014939] N76-17833

**WITTE, F. P.**  
 Evaluation of physiological inputs to high G performance models  
 [AD-A014813] N76-17830

**WOLF, T. D.**  
 Passenger ride quality response to an airborne simulator environment N76-16770

**WOOD, C. C.**  
 Effects of graded doses of alcohol on speed-accuracy tradeoff in choice reaction time A76-21746  
 Speed-accuracy tradeoff functions in choice reaction time - Experimental designs and computational procedures A76-21747

**WRIGHT, R. H.**  
 Object visibility patterns in low level flight N76-17820  
 [AD-A016886]

**WYLER, F.**  
 Effects of hypoxia on distribution of cardiac output and organ blood flow in the rabbit - Regional vascular response to hypoxia A76-21836

**Y**

**YOUNG, L. R.**  
 Perception of static orientation in a constant gravitoinertial environment A76-21410

**YOUNG, R. K.**  
 Automobile ride quality experiments correlated to iso-weighted criteria N76-16778

**YOUNG, S. H.**  
 Effect of a reduction in arterial oxygen content /carbon monoxide/ on coronary flow A76-21407

**YU, A. D.**  
 High-pressure temperature-jump kinetic studies of enzyme model reactions N76-17781

**Z**

**ZAGBYADSKIY, V. P.**  
 Gas exchange during hypercapnia under conditions of different oxygen content N76-16735

**ZECHMAN, F. W.**  
 Respiratory volume-time relationships during resistive loading in the cat A76-21613

**ZHERETIENKO, V. K.**  
 Correlation of oscillatory electroretinogram potentials and evoked potential components in the visual cortex A76-19662

**ZIEMBA, A.**  
 Thyroid hormone-induced changes in body temperature and metabolism during exercise in dogs A76-19589

**ZINCHENKO, V. P.**  
 Investigation of the operational structure of the process of identifying graphical images A76-19419

**ZIPES, D. P.**  
 Electrocardiographic manifestations of concealed junctional ectopic impulses A76-20066

**ZWAS, F.**  
 The density of human rhodopsin in the rods A76-20079

1 Report No NASA SP-7011 (154)	2 Government Accession No	3 Recipient's Catalog No	
4 Title and Subtitle <b>AEROSPACE MEDICINE AND BIOLOGY</b> A Continuing Bibliography (Supplement 154)		5 Report Date <b>May 1976</b>	
6. Performing Organization Code		7. Author(s)	
		8 Performing Organization Report No	
9. Performing Organization Name and Address  National Aeronautics and Space Administration Washington, D. C. 20546		10 Work Unit No.	
		11 Contract or Grant No	
12 Sponsoring Agency Name and Address		13 Type of Report and Period Covered	
		14 Sponsoring Agency Code	
15 Supplementary Notes			
16 Abstract  This bibliography lists 253 reports, articles, and other documents introduced into the NASA scientific and technical information system in April 1976.			
17 Key Words (Suggested by Author(s))  Aerospace Medicine Bibliographies Biological Effects		18 Distribution Statement  Unclassified - Unlimited	
19 Security Classif (of this report)  Unclassified	20 Security Classif (of this page)  Unclassified	21 No of Pages 82	22 Price* \$4.00 HC

\* For sale by the National Technical Information Service, Springfield, Virginia 22161

# PUBLIC COLLECTIONS OF NASA DOCUMENTS

## DOMESTIC

NASA distributes its technical documents and bibliographic tools to ten special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

### CALIFORNIA

University of California, Berkeley

### COLORADO

University of Colorado, Boulder

### DISTRICT OF COLUMBIA

Library of Congress

### GEORGIA

Georgia Institute of Technology, Atlanta

### ILLINOIS

The John Crerar Library, Chicago

### MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

### MISSOURI

Linda Hall Library, Kansas City

### NEW YORK

Columbia University, New York

### PENNSYLVANIA

Carnegie Library of Pittsburgh

### WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "\*" following the accession number) are also received by the following public and free libraries

### CALIFORNIA

Los Angeles Public Library

San Diego Public Library

### COLORADO

Denver Public Library

### CONNECTICUT

Hartford Public Library

### MARYLAND

Enoch Pratt Free Library, Baltimore

### MASSACHUSETTS

Boston Public Library

### MICHIGAN

Detroit Public Library

### MINNESOTA

Minneapolis Public Library

### MISSOURI

Kansas City Public Library

St Louis Public Library

### NEW JERSEY

Trenton Public Library

### NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

### OHIO

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

### OKLAHOMA

Oklahoma County Libraries, Oklahoma City

### TENNESSEE

Memphis Public Library

### TEXAS

Dallas Public Library

Fort Worth Public Library

### WASHINGTON

Seattle Public Library

### WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York, 10017

## EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in STAR. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "\*", from ESRO/ELDO Space Documentation Service, European Space Research Organization, 114, av Charles de Gaulle, 92-Neuilly-sur-Seine, France.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
WASHINGTON DC 20546  
OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

SPECIAL FOURTH CLASS MAIL  
Book

POSTAGE AND FEES PAID  
NATIONAL AERONAUTICS AND  
SPACE ADMINISTRATION  
NASA-451



POSTMASTER

If Undeliverable (Section 158  
Postal Manual) Do Not Return

## NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY <i>Aviation medicine, space medicine, and space biology</i>	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING <i>Engineering, design, and operation of aircraft and aircraft components</i>	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY <i>NASA patents and applications for patent</i>	Semiannually
NASA SP-7041	EARTH RESOURCES <i>Remote sensing of earth resources by aircraft and spacecraft</i>	Quarterly
NASA SP-7043	ENERGY <i>Energy sources, solar energy, energy conversion, transport, and storage</i>	Quarterly
NASA SP-7500	MANAGEMENT <i>Program, contract, and personnel management, and management techniques</i>	Annually

*Details on the availability of these publications may be obtained from:*

**SCIENTIFIC AND TECHNICAL INFORMATION OFFICE**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION**  
**Washington, D.C. 20546**